

ALIMENTAZIONE E INTEGRAZIONE PER GLI ORMONI E LA MENTE

Di Massimo Spattini

BIBLIOGRAFIA – INTEGRATORI

ACETILCARNITINA

Ashok Agarwal, et al., Role of L-carnitine in female infertility. *Reprod Biol Endocrinol*, 2018 Jan 26;16(1):5. doi: 10.1186/s12958-018-0323-4.

Alessandro D. Genazzani, et al., Modulatory effects of l-carnitine plus l-acetyl-carnitine on neuroendocrine control of hypothalamic functions in functional hypothalamic amenorrhea (FHA). *Gynecol Endocrinol*, 2017 Dec;33(12):963-967

Giovanni Traina. The neurobiology of acetyl-L-carnitine. *Front Biosci (Landmark Ed)*. 2016 Jun

Matheus Marcon, et al., Acetyl-L-carnitine as a putative candidate for the treatment of stress-related psychiatric disorders. *J. Neuropharm.* 2019.03.024. Epub 2019 Mar 24.

Keith A Wesnes and Josh Reynolds, "The Effects on the Cognitive Function of Healthy Volunteers of a Combination of Acetyl-L-Carnitine, Vinpocetine and Huperzine A Administered Over 28 Days". *Int J Neurology and Neurotherapy*. 2019

Yang YoungSoon, et al., "A Multicenter, Randomized, Double-blind, Placebo-controlled Clinical Trial for Efficacy of Acetyl-L-carnitine in Patients with Dementia Associated with Cerebrovascular Disease". *Dement Neurocognitive Disord*. 2018.

ACETILCISTEINA (NAC)

Badawy A., et al., "N-Acetyl cysteine and clomiphene citrate for induction of ovulation in polycystic ovary syndrome: a cross-over trial". *Acta Obstet Gynecol Scand*. 2007;86(2):218-22;

Dhouib E. E., et al., "A minireview on N-acetylcysteine: An old drug with new approaches". *Life Sci.*; 2016 Apr 15; 151: 359-63;

Evren C. et Alniak I., "N-acetylcysteine in the treatment of substance use disorders". *Neurological Sciences* 2020; 33:1-7

Fulghesu A. M., et al., "N-acetyl-cysteine treatment improves insulin sensitivity in women with polycystic ovary syndrome". *Fertil Steril.*; 2002 Jun; 77 (6): 1128-35;

Minarini A., et al., "N-acetylcysteine in the treatment of psychiatric disorders: current status and future prospects" *Expert Opin Drug Metab Toxicol*. 2017 Mar; 13(3): 279-292

Reza Bavarsad Shahripour, et al. "N-acetylcysteine (NAC) in neurological disorders: mechanisms of action and therapeutic opportunities". *Wiley Online Library*. 13 January 2014;

Rizk S., et al., "N-acetyl-cysteine is a novel adjuvant to clomiphene citrate in clomiphene citrate-resistant patients with polycystic ovary syndrome", *Fertil Steril* 2005; 83:367-70;

Rushworth G. F. et Megson I. L., "Existing and potential therapeutic uses for N-acetylcysteine: The need for conversion to intracellular glutathione for antioxidant benefits". *Pharmacology Therapeutics*. 2014 Feb., 141 (2); 150-9;

Song Y., et al., "Comparison of the efficacy between NAC and metformin in treating PCOS patients: a meta-analysis". *Gynecol. Endocrinol*. 2020 Mar; 36 (3): 204-10;

Tardiolo G., et al., "Overview on the Effects of N-Acetylcysteine in Neurodegenerative Diseases". *Molecules* 2018 Dec; 23(12): 3305;

Thakker D., et al., "N-Acetylcysteine for Polycystic Ovary Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Clinical Trials". *Obstet Gynecol Int*. 2015; 2015: 817849;

Villagarcia H. G., et al., "N-Acetyl-L-Cysteine treatment efficiently prevented pre-diabetes and inflamed-dysmetabolic liver development in hypothalamic obese rats". *Life Sci.*; 2018 Apr 15; 199: 88-95;

ACIDO LIPOICO (ALA)

Herzig S. et Shaw R. J. "AMPK: guardian of metabolism and mitochondrial homeostasis". *Nat. Rev. Mol. Cell. Biol*. 2018 Feb; 19(2): 121-135

Jacob S, et al., "Enhancement of glucose disposal in patients with type 2 diabetes by alpha-lipoic acid". *Arzneimittelforschung*. 1995;45:872-874

Joungmok K., et al., "AMPK activators: mechanisms of action and physiological activities". *Exp Mol. Med*. 2016 Apr; 48(4): e224

McLain A. L., et al., "Glutathionylation of α -ketoglutarate dehydrogenase: the chemical nature and relative susceptibility of the cofactor lipoic acid to modification". *Free Radic Biol. Med.* 2013 Aug; 61:161-9

Rocchette L. et al., "Alpha-lipoic acid: molecular mechanisms and therapeutic potential in diabetes". *Can J Physiol Pharmacol.* 2015 Dec; 93(1):1021-7

Singh U. et Jialal I. "Alpha-lipoic acid supplementation and diabetes". *Nuttr. Rev.* 2012 June 15; 70(8):482

Solomonson A. et DeBerardinis R. J., "Lipoic acid metabolism and mitochondrial redox regulation". *J. Biol. Chem.* 2018 May 18; 293(20): 7522-30

AGNOCASTO (VITEX AGNUS CASTUS)

Ahangarpour A, et al., Effects of Vitex agnus-castus fruit on sex hormones and antioxidant indices in a d-galactose-induced aging female mouse model. *J Chin Med Assoc.* 2016 Nov;79(11):589-596.

Alimohamadi R, et al., Protective effects of Vitex agnus-castus in ovariectomy mice following permanent middle cerebral artery occlusion. *Iran J Basic Med Sci.* 2019 Sep;22(9):1097-1101.

Allahtavakoli M, et al., Vitex Agnus Castus Extract Improves Learning and Memory and Increases the Transcription of Estrogen Receptor α in Hippocampus of Ovariectomized Rats. *Basic Clin Neurosci.* 2015 Jul;6(3):185-92. PMID: 26904176; PMCID: PMC4656992.

Androne L. et al., "In vivo effect of lipoic acid on lipid peroxidation in patients with diabetic neuropathy". *In Vivo.* 2000;14:327-330

Antoine E, Chirila S, Teodorescu C. A Patented Blend Consisting of a Combination of Vitex agnus-castus Extract, Lepidium meyenii (Maca) Extract and Active Folate, a Nutritional Supplement for Improving Fertility in Women. *Maedica (Bucur).* 2019 Sep;14(3):274-279.

Atmaca M, Kumru S, Tezcan E. Fluoxetine versus Vitex agnus castus extract in the treatment of premenstrual dysphoric disorder. *Hum Psychopharmacol.* 2003 Apr;18(3):191-5.

Berger D, Schaffner W, Schrader E, et al. Efficacy of Vitex agnus castus L. extract Ze 440 in patients with premenstrual syndrome (PMS). *Arch Gynecol Obstet* 2000;264:150-3

Csupor D, Lantos T, et al., Vitex agnus-castus in premenstrual syndrome: A meta-analysis of double-blind randomised controlled trials. *Complement Ther Med.* 2019 Dec; 47:102190.

Dietz BM, Hajirahimkhan A, Dunlap TL, Bolton JL. Botanicals and Their Bioactive Phytochemicals for Women's Health. *Pharmacol Rev.* 2016 Oct;68(4):1026-1073.

Georgakouli K., et al., "Exercise and Redox Status Responses Following Alpha-Lipoic Acid Supplementation in G6PD Deficient Individuals" *Antioxidants (Basel).* 2018 Nov 12; 7(11):162

Heskes AM, Sundram TCM, et al., Biosynthesis of bioactive diterpenoids in the medicinal plant Vitex agnus-castus. *Plant J.* 2018 Mar;93(5):943-958.

Lauritzen CH, Reuter HD, Repges R, et al. Treatment of premenstrual tension syndrome with Vitex agnus castus: Controlled-double blind versus pyridoxine. *Phytomedicine* 1997;4:183-9.

Lee WJ. J., et al., " α -Lipoic acid increases insulin sensitivity by activating AMPK in skeletal muscle". *Biochem. Biophys. Res. Commun.* 2005; 332: 885-891

Meier et al., *Phytomedicine* 2000;7:373-81

Molaie M, et al., Effects of a combination of Nigella sativa and Vitex agnus-castus with citalopram on healthy menopausal women with hot flashes: results from a subpopulation analysis. *Gynecol Endocrinol.* 2019 Jan;35(1):58-61.

Morcos M., et al., "Effect of alpha-lipoic acid on the progression of endothelial cell damage and albuminuria in patients with diabetes mellitus: an exploratory study". *Diabetes Res Clin Pract.* 2001;52:175-183

Moreno FN, et al., Vitex agnus-castus L. (Verbenaceae) Improves the Liver Lipid Metabolism and Redox State of Ovariectomized Rats. *Evid Based Complement Alternat Med.* 2015; 2015:212378.

Naseri R, et al., Comparison of Vitex agnus-castus Extracts with Placebo in Reducing Menopausal Symptoms: A Randomized Double-Blind Study. *Korean J Fam Med.* 2019 Nov;40(6):362-367.

Ooi SL, Watts S, McClean R, Pak SC. Vitex Agnus-Castus for the Treatment of Cyclic Mastalgia: A Systematic Review and Meta-Analysis. *J Womens Health (Larchmt).* 2020 Feb;29(2):262-278.

Schellenberg R, et al., Dose-dependent efficacy of the Vitex agnus castus extract Ze 440 in patients suffering from premenstrual syndrome. *Phytomedicine.* 2012 Nov 15;19(14):1325-31.

Šošić-Jurjević B, et al., Functional morphology of pituitary -thyroid and -adrenocortical axes in middle-aged male rats treated with Vitex agnus castus essential oil. *Acta Histochem.* 2016 Sep;118(7):736-745.

Zamani M, Neghab N, Torabian S. Therapeutic effect of Vitex agnus castus in patients with premenstrual syndrome. *Acta Med Iran.* 2012;50(2):101-6.

Zhang Y., et al., " α -Lipoic Acid Maintains Brain Glucose Metabolism *via* BDNF/TrkB/HIF-1 α Signaling Pathway in P301S Mice". *Front Aging Neurosci.* 2020; 12: 262

ALPHA-GPC (ALFA GLICERILFOSFORILCOLINA)

- Kawamura T., et al., Glycerophosphocholine enhances growth hormone secretion and fat oxidation in young adults. *Clinical Trial Nutrition*. Nov-Dec 2012;28(11-12):1122-6.
- Marcus L., et al., (2017). "Evaluation of the effects of two doses of alpha glycerylphosphorylcholine on physical and psychomotor performance". *Journal of the International Society of Sports Nutrition*. 14: 39.
- Matsubara K., et al., The delaying effect of alpha-glycerophosphocholine on senescence, transthyretin deposition, and osteoarthritis in senescence-accelerated mouse prone 8 mice. *Biosci Biotechnol Biochem*. 2018 Apr;82(4):647-653
- Traini E., et al., (2013). "Choline alphoscerate (alpha-glyceryl-phosphoryl-choline) an old choline- containing phospholipid with a still interesting profile as cognition enhancing agent". *Current Alzheimer Research*. 10 (10): 1070–1079.

AMINOACIDI RAMIFICATI (BCAA)

- Carli G., et al., Changes in the exercise-induced hormone response to branched chain amino acid administration. *Eur J Appl Physiol Occup Physiol*. 1992;64(3):272-7

ARGININA

- Arancio O, et al. Nitric oxide acts directly in the presynaptic neuron to produce long-term potentiation in cultured hippocampal neurons. *Cell*. (1996)
- Bartus K, Pigott B, Garthwaite J. Cellular targets of nitric oxide in the hippocampus. *PLoS One*. (2013)
- Besset A, et al. Increase in sleep-related GH and Prl secretion after chronic arginine aspartate administration in man. *Acta Endocrinol (Copenh)*. (1982)
- Bliss TV, Collingridge GL. A synaptic model of memory: long-term potentiation in the hippocampus. *Nature*. (1993)
- Collier SR, Casey DP, Kanaley JA. Growth hormone responses to varying doses of oral arginine. *Growth Horm IGF Res*. (2005)
- Corpas E, et al. Oral arginine-lysine does not increase growth hormone or insulin-like growth factor-I in old men. *J Gerontol*. (1993)
- Cyborer Luc, et al. Arginine metabolism in mammals. *The Journal of Nutritional Biochemistry*. Volume 6, Issue 8, August 1995, Pages 402-413
- Dai Z, et al. Nitric oxide and energy metabolism in mammals. *Biofactors*. (2013)
- de Jonge WJ, et al. Overexpression of arginase 1 in enterocytes of transgenic mice elicits a selective arginine deficiency and affects skin, muscle, and lymphoid development. *Am J Clin Nutr*. (2002)
- DiMaggio MJ, et al. Secretagogue-stimulated pancreatic secretion is differentially regulated by constitutive NOS isoforms in mice. *Am J Physiol Gastrointest Liver Physiol*. (2004)
- Fogelholm GM, et al. Low-dose amino acid supplementation: no effects on serum human growth hormone and insulin in male weightlifters. *Int J Sport Nutr*. (1993)
- Greenwood PM. Functional plasticity in cognitive aging: review and hypothesis. *Neuropsychology*. (2007)
- Häberle J, et al. Suggested guidelines for the diagnosis and management of urea cycle disorders. *Orphanet J Rare Dis*. (2012)
- Hawkins RD, Kandel ER, Siegelbaum SA. Learning to modulate transmitter release: themes and variations in synaptic plasticity. *Annu Rev*
- Huang EP. Synaptic plasticity: a role for nitric oxide in LTP. *Curr Biol*. (1997)
- Isidori A, Lo Monaco A, Cappa M. A study of growth hormone release in man after oral administration of amino acids. *Curr Med Res Opin*. (1981)
- Jezova D, et al. Subchronic treatment with amino acid mixture of L-lysine and L-arginine modifies neuroendocrine activation during psychosocial stress in subjects with high trait anxiety. *Nutr Neurosci*. (2005)
- Kirschbaum C, Pirke KM, Hellhammer DH. The 'Trier Social Stress Test'--a tool for investigating psychobiological stress responses in a laboratory setting. *Neuropsychobiology*. (1993)
- Lameu C, et al. Interactions between the NO-citrulline cycle and brain-derived neurotrophic factor in differentiation of neural stem cells. *J Biol Chem*. (2012)
- Lo DC. Neurotrophic factors and synaptic plasticity. *Neuron*. (1995)
- Lucotti P, et al. Beneficial effects of a long-term oral L-arginine treatment added to a hypocaloric diet and exercise training program in obese, insulin-resistant type 2 diabetic patients. *Am J Physiol Endocrinol Metab*. (2006)
- Malinski T. Nitric oxide and nitrosative stress in Alzheimer's disease. *J Alzheimers Dis*. (2007)
- Marcell TJ, et al. Oral arginine does not stimulate basal or augment exercise-induced GH secretion in either young or old adults. *J Gerontol A Biol Sci Med Sci*. (1999)
- Matarredona ER, et al. Nitric oxide synthesis inhibition increases proliferation of neural precursors isolated from the postnatal mouse subventricular zone. *Brain Res*. (2004)

Méndez JD, Hernández Rde H. L-arginine and polyamine administration protect beta-cells against alloxan diabetic effect in Sprague-Dawley rats. *Biomed Pharmacother.* (2005)

Mohan IK, Das UN. Effect of L-arginine-nitric oxide system on chemical-induced diabetes mellitus. *Free Radic Biol Med.* (1998)

Monti LD, et al. Effect of a long-term oral L-arginine supplementation on glucose metabolism: a randomized, double-blind, placebo-controlled trial. *Diabetes Obes Metab.* (2012)

Rushaidhi M, et al. Aging affects L-arginine and its metabolites in memory-associated brain structures at the tissue and synaptoneurosome levels. *Neuroscience.* (2012)

Sara N. Burke & Carol A. Barnes. Neural plasticity in the ageing brain. *Nature Reviews Neuroscience* volume 7, pages 30–40 (2006)

Smriga M, et al. Oral treatment with L-lysine and L-arginine reduces anxiety and basal cortisol levels in healthy humans. *Biomed Res.* (2007)

Smriga M, Torii K. Prolonged treatment with L-lysine and L-arginine reduces stress-induced anxiety in an elevated plus maze. *Nutr Neurosci.* (2003)

Stoop R, Poo MM. Synaptic modulation by neurotrophic factors. *Prog Brain Res.* (1996)

Tharakan JF, et al. Adaptation to a long term (4 weeks) arginine - and precursor (glutamate, proline and aspartate) - free diet. *Clin Nutr.* (2008)

Vasilijevic A, et al. Beneficial effects of L-arginine nitric oxide-producing pathway in rats treated with alloxan. *J Physiol.* (2007)

Wu G, Morris SM Jr. Arginine metabolism: nitric oxide and beyond. *Biochem J.* (1998)

ASHWAGANDHA (WITHANIA SOMNIFERA)

Eline S. Van der Valk, et al., Stress and Obesity: are there more susceptible individuals? *Curr Obes Rep*, 2018, 7(2):193-203

Khan B., Ahmad SF., Bani S., et al., Augmentation and proliferation of T lymphocytes and Th-1 cytokines by *Withania somnifera* in stressed mice, *Int Immunopharmacol*, 2006 6(9):1394-403.

Kiasalari Z., et al., Effect of *Withania somnifera* on levels of sex hormones in the diabetic male rats, *Int J of Repro BioMedicine*, 2009, 7(4):163-0

Raut AA., Rege NN., et al., Exploratory study to evaluate tolerability, safety, and activity of Ashwagandha in health volunteers. *J Ayurveda Integr Med*, 2012, 3(3):111-4

Shenoy S., Chaskar U., et al., Effects of eight-week supplementation of Ashwagandha on cardiorespiratory endurance in elite Indian cyclists, *J Ayurveda Integr Med*, 2012, 3(4)-209-14

Singh B., et al., Adaptogenic activity of a novel, withanolide-free aqueous fraction from the roots of *Withania somnifera* Dun, *Phytother Res*, 2001, 15(4):311-8

Wankhede S., et al., Examining the effect of *Withania somnifera* supplementation on muscle strength and recovery: a randomized controlled trial, *J Int Soc Sports Nutr*, 2015, 25;12:43

ASTAXANTINA

Anderson ML. A preliminary investigation of the enzymatic inhibition of 5 α -reduction and growth of prostatic carcinoma cell line LNCap-FGC by natural astaxanthin and Saw Palmetto lipid extract in vitro. *J Herb Pharmacother.* 2005;5(1):17-26. PMID: 16093232.

Anderson ML. Evaluation of Resettin[®] on serum hormone levels in sedentary males. *J Int Soc Sports Nutr.* 2014 Aug 23; 11:43.

Angwafor F 3rd, Anderson ML. An open label, dose response study to determine the effect of a dietary supplement on dihydrotestosterone, testosterone and estradiol levels in healthy males. *J Int Soc Sports Nutr.* 2008 Aug 12; 5:12.

Balcerczyk A, et al., Enhanced antioxidant capacity and anti-ageing biomarkers after diet micronutrient supplementation. *Molecules.* 2014 Sep 17;19(9):14794-808.

Baralic I, et al., Effect of astaxanthin supplementation on paraoxonase 1 activities and oxidative stress status in young soccer players. *Phytother Res.* 2013 Oct;27(10):1536-42.

Brotosudarmo THP, Limantara L, Setiyono E, Heriyanto. Structures of Astaxanthin and Their Consequences for Therapeutic Application. *Int J Food Sci.* 2020 Jul 20; 2020:2156582.

Carrascosa JM, Floriach N, Sala E, Aguilera J. Increase in minimal erythral dose following oral administration of an antioxidant complex based on a mix of carotenoids: Double-blind, placebo-controlled trial. *Photodermatol Photoimmunol Photomed.* 2017 Sep;33(5):284-286.

Imai A, et al., Effects of Dietary Supplementation of Astaxanthin and Sesamin on Daily Fatigue: A Randomized, Double-Blind, Placebo-Controlled, Two-Way Crossover Study. *Nutrients.* 2018 Feb 28;10(3):281.

Ito N, et al., Effects of Composite Supplement Containing Astaxanthin and Sesamin on Cognitive Functions in People with Mild Cognitive Impairment: A Randomized, Double-Blind, Placebo-Controlled Trial. *J Alzheimers Dis.* 2018;62(4):1767-1775.

Ito N, Seki S, Ueda F. The Protective Role of Astaxanthin for UV-Induced Skin Deterioration in Healthy People-A Randomized, Double-Blind, Placebo-Controlled Trial. *Nutrients.* 2018 Jun 25;10(7):817.

Kishimoto Y, Yoshida H, Kondo K. Potential Anti-Atherosclerotic Properties of Astaxanthin. *Mar Drugs.* 2016 Feb 5;14(2):35.

Marazzi G, et al., Comparison of Low-Dose Statin Versus Low-Dose Statin + Armolipid Plus in High-Intensity Statin-Intolerant Patients with a Previous Coronary Event and Percutaneous Coronary Intervention (ADHERENCE Trial). *Am J Cardiol.* 2017 Sep 15;120(6):893-897.

Mashhadi NS, et al., Astaxanthin improves glucose metabolism and reduces blood pressure in patients with type 2 diabetes mellitus. *Asia Pac J Clin Nutr.* 2018;27(2):341-346.

Montazeri-Najafabady N, et al., Anti-androgenic effect of astaxanthin in LNCaP cells is mediated through the aryl hydrocarbon-androgen receptors cross talk. *J Food Biochem.* 2021 Mar 10: e13702.

Ni X, Yu H, Wang S, Zhang C, Shen S. Astaxanthin Inhibits PC-3 Xenograft Prostate Tumor Growth in Nude Mice. *Mar Drugs.* 2017 Mar 8;15(3):66.

Petyaev IM, et al., Markers of Hypoxia and Oxidative Stress in Aging Volunteers Ingesting Lycosomal Formulation of Dark Chocolate Containing Astaxanthin. *J Nutr Health Aging.* 2018;22(9):1092-1098.

Ruscica M, et al., Nutraceutical approach to moderate cardiometabolic risk: results of a randomized, double-blind and crossover study with Armolipid Plus. *J Clin Lipidol.* 2014 Jan-Feb;8(1):61-8.

Shoji N, et al., LC-MS/MS analysis of carboxymethylated and carboxyethylated phosphatidylethanolamines in human erythrocytes and blood plasma. *J Lipid Res.* 2010 Aug;51(8):2445-53.

Sun SQ, Zhao YX, Li SY, Qiang JW, Ji YZ. Anti-Tumor Effects of Astaxanthin by Inhibition of the Expression of STAT3 in Prostate Cancer. *Mar Drugs.* 2020 Aug 7;18(8):415.

BACOPA

Abdul Manap AS., et al., Bacopa monnieri, a Neuroprotective Lead in Alzheimer Disease: A Review on Its Properties, Mechanisms of Action, and Preclinical and Clinical Studies. *Drug Target Insights.* 2019; 13: 1177392819866412

Brimson JM., et al., Bacopa monnieri (L.) wettst. Extract protects against glutamate toxicity and increases the longevity of *Caenorhabditis elegans*. *J Tradit Complement Med.* 2019 Oct 4;10(5):460-470

Calabrese C., et al., Effects of a standardized Bacopa monnieri extract on cognitive performance, anxiety, and depression in the elderly: a randomized, double-blind, placebo-controlled trial. *J Altern Complement Med.* 2008 Jul;14(6):707-13

Dhanasekaran M., et al., Neuroprotective mechanisms of ayurvedic antidementia botanical Bacopa monniera - Phytother Res. 2007 Oct;21(10):965-9

Kumar N., et al., Efficacy of Standardized Extract of Bacopa monnieri (Bacognize®) on Cognitive Functions of Medical Students: A Six-Week, Randomized Placebo-Controlled Trial. *Evid Based Complement Alternat Med.* 2016; 2016: 4103423

Roodenrys S., et al., Chronic effects of Brahmi (*Bacopa monnieri*) on human memory – Neuropsychopharmacology. 2002 Aug;27(2):279-81

Singh M., et al., Modulation of hydrogen peroxide and acrolein-induced oxidative stress, mitochondrial dysfunctions and redox regulated pathways by the Bacopa monniera extract: potential implication in Alzheimer's disease - *J Alzheimers Dis.* 2010;21(1):229-47

Stough C., et al., Examining the nootropic effects of a special extract of Bacopa monniera on human cognitive functioning: 90 day double-blind placebo-controlled randomized trial - *Phytother Res.* 2008 Dec;22(12):1629-34

Sukumaran NP., et al., Neuropharmacological and cognitive effects of Bacopa monnieri (L.) Wettst - A review on its mechanistic aspects. *Complement Ther Med.* 2019 Jun;44:68-82

BANABA

F. Liu et al., "An Extract of *Lagerstroemia speciosa* L. Has Insulin-Like Glucose Uptake–Stimulatory and Adipocyte Differentiation–Inhibitory Activities in 3T3-L1 Cells". *The Journal of Nutrition*; 2001; Vol. 131 (9): 2242-2247.

Karsono A.H. et al, "Bioactive fraction from *Lagerstroemia speciosa* leaves (DLBS3733) reduces fat droplet by inhibiting adipogenesis and lipogenesis". *J Exp Pharmacol.* 2019 May

Klein G., et al., "Antidiabetites anc Anti-obesity Activity of *Lagestroemia speciosa*". *Evid Based Complement Alternat Med* 2007 Dec; 4(4): 401-407;

Manaf A., et al, "Insulin sensitizer in prediabetes: a clinical study with DLBS3233, a combined bioactive fraction of *Cinnamomum burmanii* and *Lagerstroemia speciosa*". *Drug Design, Development and Therapy*; 2016; 10: 1279-1289

Saltiel A.R. e Pessin J.E., "Insulin signaling pathways in time and space". *Trends Cell Biol.* 2002;12:65–71.

Stojs S. J. And Badmaev V., "A Review of Natural Stimulant and Non-stimulant Thermogenic Agents" *Phytotherapy Research*; 2016 30: 5

Tasnuva S., et al., "Investigation of biological activities of the flowers of *Lagerstroemia speciosa*, the Jarul flower of Bangladesh". *BMC Complement Alternative Med.* 2018; 18: 231

BASILICO SACRO

Ausaf Ahmad, et al., Novel Ocimumoside A and B as anti-stress agents: Modulation of brain monoamines and antioxidant systems in chronic unpredictable stress model in rats. *Phytomedicine* Volume 19, Issue 7, 15 May 2012, Pages 639-647

Bhattacharyya D., et al., Controlled programmed trial of ocimum sanctum leaf on generalized anxiety disorders. *Nepal Med Coll J* 2008; 10(3): 176-179

Jamshidi N. and Cohen MM. The Clinical Efficacy and Safety of Tulsi in Humans: A Systematic Review of the Literature. *Evid Based Complement Alternat Med.* 2017; 2017: 9217567.

Sampath S., et al., Holy basil (*Ocimum sanctum* Linn.) leaf extract enhances specific cognitive parameters in healthy adult volunteers: A placebo-controlled study Indian. *J Physiol Pharmacol* 2015; 59(1): 69–77

Sarangi SC, et al., Pharmacokinetic and pharmacodynamic interaction of hydroalcoholic extract of *Ocimum sanctum* with valproate. *Epilepsy Behav.* 2017 Oct; 75:203-209.

Saxena RC, et al., Efficacy of an Extract of *Ocimum tenuiflorum* (OciBest) in the Management of General Stress: A Double-Blind, Placebo-Controlled Study. *Research Article | Volume 2012 | Article ID 894509*

BERBERINA

Cicero A. F. G. et Baggioni A., "Berberine and Its Role in Chronic Disease". *Adv. Exp. Med. Biol.* 2016; 928: 7-45

Feng X., et al., "Berberine in Cardiovascular and Metabolic Diseases: From Mechanisms to Therapeutics". *Theranostics.* 2019; 9(7): 1923-51

Imenshahidi M. et Hosseinzadeh H. "Berberis Vulgaris and Berberine: An Update Review". *Phytother Res.* 2016 Nov; 30 (11): 1745-64

Kong W. J., et al., "Combination of simvastatin with berberine improves the lipid-lowering efficacy". *Metabolism.* 2008;57:1029–37

Kong W., et al., "Berberine is a novel cholesterol-lowering drug working through a unique mechanism distinct from statins". *Nat Med.* 2004;10:1344–51

Kong W.J., et al., "Combination of simvastatin with berberine improves the lipid-lowering efficacy". *Metabolism.* 2008 Aug; 57(8): 1029-37

Mi J., et al., "Effect of berberine on the HPA-axis pathway and skeletal muscle GLUT4 in type 2 diabetes mellitus rats". *Diabetes Metab. Syndr. Obes.* 2019 Sep 3; 12: 1717-25

Rondenelli M., et al., "Polycystic ovary syndrome management: a review of the possible amazing role of berberine". *Arch. Gynecol. Obstet.* 2020; 301(1): 53-60

Tan X. S., et al., "Tissue Distribution of Berberine and Its Metabolites after Oral Administration in Rats". *PLoS One.* 2013; 8: e77969

Wang K., et al., "The metabolism of berberine and its contribution to the pharmacological effects". *Drug. Metab. Rev.* 2017 May; 49(2): 139-157

Wei W., et al., "A clinical study on the short-term effect of berberine in comparison to metformin on the metabolic characteristics of women with polycystic ovary syndrome". *European Journal of Endocrinology.* 2012; 166: 99–105

Xie L., et al., "The Effect of Berberine on Reproduction and Metabolism in Women with Polycystic Ovary Syndrome: A Systematic Review and Meta-Analysis of Randomized Control Trials". *Evid Based Complement Alternat Med.* 2019; 2019: 7918631

Zhang B., et al., "Berberine promotes glucose uptake and inhibits gluconeogenesis by inhibiting deacetylase SIRT3". *Endocrine.* 2018;62:576–87.

Zhang N., et al., "Berberine decreases insulin resistance in a PCOS rats by improving GLUT4: Dual regulation of the PI3K/AKT and MAPK pathways". *Regul Toxicol Pharmacol.* 2020 Feb; 110: 104544.

Zhang X., et al., "Modulation of gut microbiota by berberine and metformin during the treatment of high-fat diet-induced obesity in rats". *Sci Rep* 2015; 5: 14405

Zhou L., et al., "Berberine stimulates glucose transport through a mechanism distinct from insulin". *Metabolism Clinical and Experimental.* 2007 March 01; 56(3): 405-412

CAFFEINA

- Alasmari F. Caffeine induces neurobehavioral effects through modulating neurotransmitters. Saudi Pharmaceutical Journal. 2020, (4),
- Azevedo, et al., Perceived exertion and performance modulation: effects of caffeine ingestion and subject expectation. J Sports Med Phys Fitness 2021 Jan 20
- Barreto G., et al., Novel insights on caffeine supplementation, CYP1A2 genotype, physiological responses and exercise performance Eur J Appl Physiol . 2021
- Beaven C., et al., Dose Effect of Caffeine on Testosterone and Cortisol Responses to Resistance Exercise, 2008, International Journal of Sport Nutrition and Exercise Metabolism 18(2)
- Childs Emma & de Wit Harriet Enhanced mood and psychomotor performance by a caffeine-containing energy capsule in fatigued individuals . Exp Clin Psychopharmacol; 2008;16(1):
- Daubner J., et al., Pharmacological Neuroenhancement: Current Aspects of Categorization, Epidemiology, Pharmacology, Drug Development, Ethics, and Future Perspectives Neural Plast. 2021 online;
- Diñçer C. Endocrine Effects of Coffee Consumption; Turkish Journal of Endocrinology and Metabolism · January 2020
- Dominguez R., et al., Acute Effects of Caffeine Intake on Psychological Responses and High-Intensity Exercise Performance. Int J Environ Res Public Health; 2021;18(2):584.
- Fuller DT., et al., Trait Energy and Fatigue Modify the Effects of Caffeine on Mood, Cognitive and Fine-Motor Task Performance: A Post-Hoc Study. Nutrients 2021;13(2)
- Guest, et al., International society of sports nutrition position stand: caffeine and exercise performance. J Int Soc Sports Nutr. 2021 Jan 2;18(1):1.
- Hughes JR., et al., Psychiatr Serv. Caffeine and schizophrenia. 1998 Nov;49(11):
- Pickering C., Grgic J., Caffeine and exercise: what next? Sports Med. 2019;2019(49):
- Shabir A., et al., The influence of caffeine expectancies on sport, exercise, and cognitive performance. Nutrients. 2018;10(10):1528
- Temple JL., et al., A Comprehensive Review and Research Agenda. 2017; Frontiers in Psychiatry (8)

CANNELLA

- Abraham K.m et al., "Toxicology and risk assessment of coumarin: focus on human data". 2010 Feb; 54(2):228-39.
- Camacho S. et al., "Anti-Obesity and Anti-Hyperglycemic Effects of Cinnamaldehyde via altered Ghrelin Secretion and Functional impact on Food Intake and Gastric Emptying". Sci Rep; 2015 (5), 7919.
- Modi K.K. et al., "Cinnamon Converts Poor Learning Mice to Good Learners: Implications for Memory Improvement". J Neuroimmune Pharmacol; 2016; 11, 693–707.
- Shen Y. et al., "Verification of the antidiabetic effects of cinnamon (*Cinnamomum zeylanicum*) using insulin-uncontrolled type 1 diabetic rats and cultured adipocytes". Biosci Biotechnol Biochem. 2010;74(12):2418-25.
- Tamura Y., et al., "Ingestion of cinnamaldehyde, a TRPA1 agonist, reduces visceral fats in mice fed a high-fat and high-sucrose diet". J. Nutr. Sci. Vitaminol; 2012; 58(1):9-13.
- W.H.O. "Evaluation of Certain Food Additives and Contaminants. Fifty-fifth report of the Joint FAO/WHO Expert Committee and Food Additives". Tech Rep Ser; 2001; 901, 1–120.
- Wahlqvist M. L. et al., "Cinnamon users with prediabetes have a better fasting working memory: a cross-sectional function study". Nutr Res. 2016 Apr; 36(4):305-310.

CHAGA

- Shashkina MY, Shashkin PN, Sergeev AV. Chemical and medicobiological properties of chaga (review). Pharmaceut Chem J. 2006;40:560-568.
- Won DP, et al., "Immunostimulating activity by polysaccharides isolated from fruiting body of *Inonotus obliquus*." Mol Cells. 2011 Feb;31(2):165-73. Epub 2010 Dec 22.
- Yun JS, et al., "Inonotus obliquus protects against oxidative stress-induced apoptosis and premature senescence." Mol Cells. 2011 May;31(5):423-9. Epub 2011 Feb 22.

CHIODI DI GAROFANO

- Batiha G.E., et al., "*Syzygium aromaticum* L. (Myrtaceae): Traditional Uses, Bioactive Chemical Constituents, Pharmacological and Toxicological Activities". Biomolecules 2020 Feb.; 10(2):202
- Chevallier A., "The Encyclopedia of Medicinal Plants". Dorling Kindersley 2001
- Do M.H., et al., "*Syzygium aromaticum* Reduces Diabetes-induced Glucotoxicity via the NRF2/Glo1 Pathway". Planta Med. 2020 86(12):876-883
- Ferrari M., et al., "Fitopatologia ed entomologia agraria". Edagricole 1994

Luvuno M., et al., "The effects of *Syzygium aromaticum* – derived triterpenes on gastrointestinal ghrelin expression in streptozotocin-induced diabetic rats". *African Journal of Traditional, Complementary and Alternative Medicine*. 2016; 13(4): 8-14

Ngubane P.S., et al., "The effects of *Syzygium aromaticum*-derived oleanolic acid on glycogenic enzymes in streptozotocin-induced diabetic rats". *Ren Fail*. 2011;33(4):343-9

Raven P., et al., "Biologia delle piante". Zanichelli 2002

Tajuddin, et al., "Aphrodisiac activity of 50% ethanolic extracts of *Myristica fragrans* Houtt. (nutmeg) and *Syzygium aromaticum* (L) Merr. & Perry. (clove) in male mice: a comparative study". *BMC Complementary Medicine and Therapies*, 2003; 3: 6.

CIMICIFUGA RACEMOSA

Bai W, et al., Efficacy and tolerability of a medicinal product containing an isopropanolic black cohosh extract in Chinese women with menopausal symptoms: a randomized, double blind, parallel-controlled study versus tibolone. *Maturitas*. 2007 Sep 20;58(1):31-41.

Chen J, et al., Efficacy and safety of remifemin on peri-menopausal symptoms induced by post-operative GnRH-a therapy for endometriosis: a randomized study versus tibolone. *Med Sci Monit*. 2014 Oct 16; 20:1950-7.

Chung DJ, et al., Black cohosh and St. John's wort (GYNO-Plus) for climacteric symptoms. *Yonsei Med J*. 2007 Apr 30;48(2):289-94.

Dietz BM, et al., Botanicals and Their Bioactive Phytochemicals for Women's Health. *Pharmacol Rev*. 2016 Oct;68(4):1026-1073.

Franco OH, et al., Use of plant-based therapies and menopausal symptoms: a systematic review and meta-analysis. *JAMA* 315(23):2554-63, 2016.

Gao L, et al., Efficacy and safety evaluation of *Cimicifuga foetida* extract in menopausal women. *Climacteric*. 2018 Feb;21(1):69-74.

Jiang K, et al., Black cohosh improves objective sleep-in postmenopausal women with sleep disturbance. *Climacteric*. 2015;18(4):559-67.

Johnson TL, Fahey JW. Black cohosh: coming full circle? *J Ethnopharmacol*. 2012 Jun 14;141(3):775-9.

Kamel HH. Role of phyto-oestrogens in ovulation induction in women with polycystic ovarian syndrome. *Eur J Obstet Gynecol Reprod Biol*. 2013 May;168(1):60-3.

McGrowder DA, et al., Medicinal Herbs Used in Traditional Management of Breast Cancer: Mechanisms of Action. *Medicines (Basel)*. 2020 Aug 14;7(8):47.

Ross SM. Menopause: a standardized isopropanolic black cohosh extract (remifemin) is found to be safe and effective for menopausal symptoms. *Holist Nurs Pract*. 2012 Jan-Feb;26(1):58-61.

Rotem C, Kaplan B. Phyto-Female Complex for the relief of hot flushes, night sweats and quality of sleep: randomized, controlled, double-blind pilot study. *Gynecol Endocrinol*. 2007 Feb;23(2):117-22.

Sarri G, Pedder H, Dias S, et al: Vasomotor symptoms resulting from natural menopause: a systematic review and network meta-analysis of treatment effects from the National Institute for Health and Care Excellence guideline on menopause. *BJOG* 124(10):1514-1523, 2017.

Shahin AY, Mohammed SA. Adding the phytoestrogen *Cimicifuga Racemosae* to clomiphene induction cycles with timed intercourse in polycystic ovary syndrome improves cycle outcomes and pregnancy rates - a randomized trial. *Gynecol Endocrinol*. 2014 Jul;30(7):505-10.

Shahmohammadi A, et al., The efficacy of herbal medicines on anxiety and depression in peri- and postmenopausal women: A systematic review and meta-analysis. *Post Reprod Health*. 2019 Sep;25(3):131-141.

Tanmahasamut P, et al., *Cimicifuga racemosa* extract for relieving menopausal symptoms: a randomized controlled trial. *Climacteric*. 2015 Feb;18(1):79-85.

Wang C, et al., Effect of *cimicifuga racemosa* on menopausal syndrome caused by LHRH-a in breast cancer. *J Ethnopharmacol*. 2019 Jun 28; 238:111840.

CITICOLINA

Adibhatla R.M.; Dempsey, R.J.; Hatcher, J.F. Citicoline: Neuroprotective mechanisms in cerebral ischemia. *J. Neurochem*. 2002, 80, 12–23.

Adibhatla R.M.; Hatcher, J.F. Citicoline decreases phospholipase A2 stimulation and hydroxyl radical generation in transient cerebral ischemia. *J. Neurosci. Res*. 2003, 73, 308–315.

Alvarez X.A.; et al. Double-blind placebo-controlled study with citicoline in APOE genotyped Alzheimer's disease patients. Effects on cognitive performance, brain bioelectrical activity and cerebral perfusion. *MethodsFindExp. Clin. Pharm*. 1999, 21, 633–644.

Alvarez-Sabín J, Román GC. Citicoline in vascular cognitive impairment and vascular dementia after stroke. *Stroke*. 2011;42(suppl 1):S40-S43.21164117

Arenth PM, et al., CDP-choline as a biological supplement during neurorecovery: a focused review. *PM R*. 2011;3(6 suppl 1):S123-S131.21703569

Babb S.; et al., Chronic citicoline increases phosphodiesterases in the brains of healthy older subjects: An in vivo phosphorus magnetic resonance spectroscopy study. *Psychopharmacol* 2002, 161, 248–254.

Bagdas D.; et al., The antihyperalgesic effect of cytidine-5-diphosphate-choline in neuropathic and inflammatory pain models. *Behav. Pharm.* 2011, 22, 589–598.

Blusztajn J.K.; Slack B.E.; Mellott, T.J. Neuroprotective Actions of Dietary Choline. *Nutrients* 2017, 9, 815.

Brown E. S., et al., A randomized, double-blind, placebo-controlled trial of citicoline for cocaine dependence in bipolar I disorder. *American Journal of Psychiatry*, 172(10), 1014-1021. 2015.14070857

Brown ES, Gabrielson B. A randomized, double-blind, placebo-controlled trial of citicoline for bipolar and unipolar depression and methamphetamine dependence. *J Affect Disord*. 2012;143(1-3):257-260.22974472

Bruce S.E. Improvements in quantitative EEG following consumption of a natural citicoline-enhanced beverage. *Int. J. Food Sci. Nutr.* 2011, 63, 421–425.

Bruce S.E.; et al., Improvements in concentration, working memory and sustained attention following consumption of a natural citicoline–caffeine beverage. *Int. J. Food Sci. Nutr.* 2014, 65, 1003–1007.

Castagna A., et al., Studio CITIRIVAD: CITicoline plus RIVAstigmine in elderly patients affected with Dementia study. *Clin. Drug Investig.* 2016; 36: 1059–1065

Cavun S, Savci V. CDP-choline increases plasma ACTH and potentiates the stimulated release of GH, TSH and LH: the cholinergic involvement. *Fundam Clin Pharmacol*. 2004;18(5):513-523.15482372

Chutko L.S.; et al., Impairments to Cognitive Control in Patients with Somatoform Disorders and Their Treatment. *Neurosci. Behav. Physiol.* 2019, 50, 162–167.

Cotroneo AM, et al. Effectiveness and safety of citicoline in mild vascular cognitive impairment: the IDEALE study. *Clin Interv Aging*. 2013;8:131-137.23403474

D’Orlando K.J.; Sandage, B.W. Citicoline (CDP-Choline): Mechanisms of action and effects in ischemic brain injury. *Neurol. Res.* 1995, 17, 281–284.

Donmez G.; et al., SIRT1 protects against α -synuclein aggregation by activating molecular chaperones. *J. Neurosci.* 2012, 32, 124–132.

Emril D.R.; et al., Cytidine 5 diphosphocholine administration prevents peripheral neuropathic pain after sciatic nerve crush injury in rats. *J. Pain Res.* 2016, 9, 287–291.

Fioravanti M, Yanagi M. Cytidine diphosphocholine (CDP-choline) for cognitive and behavioural disturbances associated with chronic cerebral disorders in the elderly. *Cochrane Database Syst Rev*. 2005;(2):CD000269.15846601

Gareri P.; et al., Effectiveness and safety of citicoline in mild vascular cognitive impairment: The IDEALE study. *Clin. Interv. Aging* 2013, 8, 131–137.

Gareri P.; et al., The Citicholinage Study: Citicoline Plus Cholinesterase Inhibitors in Aged Patients Affected with Alzheimer’s Disease Study. *J. Alzheimer’s Dis.* 2017, 56, 557–565.

Gündoğdu E.B.; et al., CDP-choline modulates matrix metalloproteinases in rat sciatic injury. *J. Surg. Res.* 2016, 200, 655–663.

Herskovits A.Z.; Guarente, L.P. SIRT1 in Neurodevelopment and Brain Senescence. *Neuron* 2014, 81, 471–483.

Hurtado O.; et al. Neuroprotection afforded by prior citicoline administration in experimental brain ischemia: Effects on glutamate transport. *Neurobiol. Dis.* 2005, 18, 336–345.

Hurtado O.; et al., Citicoline (CDP-choline) increases Sirtuin1 expression concomitant to neuroprotection in experimental stroke. *J. Neurochem.* 2013, 126, 819–826.

Iulia C., et al., Citicoline—A neuroprotector with proven effects on glaucomatous disease. *Romanian J. Ophthalmol.* 2017, 61, 152–158.

Kaplan T.; et al., Investigation of the dose-dependency of citicoline effects on nerve regeneration and functional recovery in a rat model of sciatic nerve injury. *Turk. Neurosurg.* 2013, 24, 54–62.

Knott V.; et al., Neurocognitive effects of acute choline supplementation in low, medium and high performer healthy volunteers. *Pharm. Biochem. Behav.* 2015, 131, 119–129.

Licata SC, et al. Effects of daily treatment with citicoline: a double-blind, placebo-controlled study in cocaine-dependent volunteers. *J Addict Med.* 2011;5(1):57-64.21769048

McGlade E., et al., The Effect of Citicoline Supplementation on Motor Speed and Attention in Adolescent Males. *J. Atten. Disturbo* 2019; 23: 121–134

Mosharraf A.H.; Petkov, V.D. Effects of citicholine and of the combination citicholine + piracetam on the memory (experiments on mice). *Acta Physiol. Et Pharm. Bulg.* 1990, 16, 25–31.

Özay R.; et al., Citicoline improves functional recovery, promotes nerve regeneration, and reduces postoperative scarring after peripheral nerve surgery in rats. *Surg. Neurol.* 2007, 68, 615–622.

Poole NA, Agrawal N. Cholinomimetic agents and neurocognitive impairment following head injury: a systematic review. *Brain Inj.* 2008;22(7-8):519-534.18568705

Roohi-Azizi M.; et al., Citicoline Combination Therapy for Major Depressive Disorder. *Clin. Neuropharmacol.* 2017, 40, 1–5.

Roohi-Azizi M.; et al., Influence of citicoline on citalopram-induced antidepressant activity in depressive-like symptoms in male mice. *Physiol. Behav.* 2018, 195, 151–157.

Sarkar AK, et al. A rapid LC–ESI-MS/MS method for the quantitation of choline, an active metabolite of citicoline: Application to in vivo pharmacokinetic and bioequivalence study in Indian healthy male volunteers. *J PharmBiomedAnal.* 2012;71:144-147.22951317

Secades J.J. Citicoline for the Treatment of Head Injury: A Systematic Review and Meta-analysis of Controlled Clinical Trials. *J. Trauma Treat.* 2014, 4, 227.

Secades JJ, Lorenzo JL. Citicoline: pharmacological and clinical review, 2006 update. *Methods Find Exp Clin Pharmacol.* 2006 Sep

Secades JJ, Lorenzo JL. Citicoline: pharmacological and clinical review, 2006 update. *MethodsFindExpClinPharmacol.* 2006;28(suppl B):1-56.17171187

Shokouhi G.; et al., Effects of Citicoline on Level of Consciousness, Serum Level of Fetuin-A and Matrix Gla- Protein (MGP) in Trauma Patients with Diffuse Axonal Injury (DAI) and GCS ≤ 8. *Turk. J. Trauma Emerg. Surg.* 2014, 20, 410–416.

Spiers P.A.; et al., Citicoline Improves Verbal Memory in Aging. *Arch. Neurol.* 1996, 53, 441–448.

Synoradzki K., Grieb P. Citicoline: A Superior Form of Choline? *Nutrients.* 2019 Jul; 11 (7): 1569

Trimmel H.; et al., Citicoline in Severe Traumatic Brain Injury: Indications for Improved Outcome: A Retrospective Matched Pair Analysis From 14 Austrian Trauma Centers. *Wien KlinWochenschr.* 2018, 130, 37–44.

Xu J.; et al., Brain SIRT1 Mediates Metabolic Homeostasis and Neuroprotection. *Front. Endocrinol.* 2018, 9, 702.

Zafonte RD, et al. Effect of citicoline on functional and cognitive status among patients with traumatic brain injury: Citicoline Brain Injury Treatment Trial (COBRIT). *JAMA.* 2012;308(19):1993-2000.23168823

Zhenguang L.; et al., Effect of citicoline adjuvant therapy on mild cognitive impairment in Parkinson's disease. *Int. J. Clin. Exp. Med.* 2016, 9, 4593–4598.

CITRULLINA

Akashi K, Miyake C, Yokota A Citrulline, a novel compatible solute in drought-tolerant wild watermelon leaves, is an efficient hydroxyl radical scavenger. *FEBS Lett* (2001) 508:438–442;

Bendahan D, et al. Citrulline/malate promotes aerobic energy production in human exercising muscle. *Br J Sports Med.* (2002)

Briand J, et al. Use of a microbial model for the determination of drug effects on cell metabolism and energetics: study of citrulline-malate. *Biopharm Drug Dispos.* (1992)

Cynober L Amino acids metabolism. In: Lennarz WJ, Lane MD (eds) *Encyclopedia of biological chemistry.* New York, (2013) pp 91–96;

Cynober L, de Bandt JP, Moinard C. Leucine and citrulline: two major regulators of protein turnover. *World Rev Nutr Diet.* (2013)

Fatih Kiyici, et al. The Effect of Citrulline/Malate on Blood Lactate Levels in Intensive Exercise. *Biochem Genet.* (2017)

Faure C, et al. Citrulline enhances myofibrillar constituents expression of skeletal muscle and induces a switch in muscle energy metabolism in malnourished aged rats. *Proteomics.* (2013)

Faure C, et al. Leucine and citrulline modulate muscle function in malnourished aged rats. *Amino Acids.* (2012)

Fu, W.J., et al. Dietary L-arginine supplementation reduces fat mass in Zucker diabetic fatty rats. *J. Nutr.* 2005, 135, 714–721.

Giannesini B, et al. Citrulline malate supplementation increases muscle efficiency in rat skeletal muscle. *Eur J Pharmacol.* (2011)

Glenn JM, et al. Acute citrulline malate supplementation improves upper- and lower-body submaximal weightlifting exercise performance in resistance-trained females. *Eur J Nutr.* (2017)

Joffin, N., et al. Acute induction of uncoupling protein 1 by citrulline in cultured explants of white adipose tissue from lean and high-fat-diet-fed rats. *Adipocyte* 2015, 4, 129–134.

Joffin, N., et al. Citrulline reduces glyceroneogenesis and induces fatty acid release in visceral adipose tissue from overweight rats. *Mol. Nutr. Food Res.* 2014, 58, 2320–2330.

Le Plénier S, et al. Effects of leucine and citrulline versus non-essential amino acids on muscle protein synthesis in fasted rat: a common activation pathway. *Amino Acids.* (2012)

LuigiCormio et al. Oral L-Citrulline Supplementation Improves Erection Hardness in Men With Mild Erectile Dysfunction. *J. urology.*2010.08.028

Martinez-Sanchez A., et Al. Consumption of watermelon juice enriched in L-citrulline and pomegranate ellagitannins enhanced metabolism during physical exercise. *J. Agric. Food Chem.* 2017, 65, 4395–4404.

Matsugo S, et al. Free radical generating and scavenging compounds as a new type of drug. (1995) Current medicinal chemistry.

McKinley-Barnard S, et al. Combined L-citrulline and glutathione supplementation increases the concentration of markers indicative of nitric oxide synthesis. *J Int Soc Sports Nutr.* (2015)

Moinard C, et al. Dose-ranging effects of citrulline administration on plasma amino acids and hormonal patterns in healthy subjects: the Citrudose pharmacokinetic study. *Br J Nutr.* (2008).

Nakata M, Yada T. Endocrinology: nitric oxide-mediated insulin secretion in response to citrulline in islet beta-cells. *Pancreas.* (2003)

Norris KA, Schrimpf JE, Flynn JL, Morris SM Jr Enhancement of macrophage microbicidal activity: supplemental arginine and citrulline augment nitric oxide production in murine peritoneal macrophages and promote intracellular killing of *Trypanosoma cruzi*. *Infect Immun* (1995) 63:2793–2796;

Osowska S, et al. Citrulline modulates muscle protein metabolism in old malnourished rats. *Am J Physiol Endocrinol Metab.* (2006)

Osowska S, Moinard C, Neveux N, Loï C, Cynober L Citrulline increases arginine pools and restores nitrogen balance after massive intestinal resection. *Gut* (2004) 53:1781–1786

Pérez-Guisado J, Jakeman PM. Citrulline malate enhances athletic anaerobic performance and relieves muscle soreness. *J Strength Cond Res.* (2010)

Romero MJ, Platt DH, Caldwell RB, Caldwell RW Therapeutic use of citrulline in cardiovascular disease. *Cardiovasc Drug Rev* (2006) 24:275–290;

Rougé C, et al. Manipulation of citrulline availability in humans. *Am J Physiol Gastrointest Liver Physiol.* (2007)

Sase A, et al. Changes of hippocampal beta-alanine and citrulline levels are paralleling early and late phase of retrieval in the Morris Water Maze. *Behav Brain Res.* (2013).

Schwedhelm E., et al. Pharmacokinetic and pharmacodynamic properties of oral L-citrulline and L-arginine: Impact on nitric oxide metabolism. *Br. J. Clin. Pharmacol.* 2008;65:51–59.

Shafqat A. Citrulline and its effects on mood and cognitive function, (2016)

Shanely RA, et al. Comparison of watermelon and carbohydrate beverage on exercise-induced alterations in systemic inflammation, immune dysfunction, and plasma antioxidant capacity. *Nutrients.* 2016;8(8):518.

Shang F, Taylor A Ubiquitin-proteasome pathway and cellular responses to oxidative stress. *Free Radic Biol Med* (2011) 51:5–16

Sureda A, et al. L-citrulline-malate influence over branched chain amino acid utilization during exercise. *Eur J Appl Physiol.* (2010)

Thibault R, et al. Oral citrulline does not affect whole body protein metabolism in healthy human volunteers: results of a prospective, randomized, double-blind, cross-over study. *Clin Nutr.* (2011)

Tomlinson C, et al. Arginine synthesis from enteral glutamine in healthy adults in the fed state. *Am J Physiol Endocrinol Metab.* (2011)

van de Poll MC, et al. Interorgan amino acid exchange in humans: consequences for arginine and citrulline metabolism. *Am J Clin Nutr.* (2007)

Wax B, et al. Effects of supplemental citrulline malate ingestion during repeated bouts of lower-body exercise in advanced weightlifters. *J Strength Cond Res.* (2015)

Windmueller HG, Spaeth AE Source and fate of circulating citrulline. *Am J Physiol* (1981) 241:E473–E480;

Xin ZC, et al. Effects of icariin on cGMP-specific PDE5 and cAMP-specific PDE4 activities. *Asian J Androl.* (2003)

COLINA

Bekdash RA. Neuroprotective effects of choline and other methyl donors. *Nutrients* 2019;11:2995.

Taylor C Wallace, et al., Choline: The Neurocognitive Essential Nutrient of Interest to Obstetricians and Gynecologists. *Diet Suppl.* 2020;17(6):733-752

COPRINUS COMATUS

Asahi T et al., “A mushroom-derived amino acid, ergothioneine, is a potential inhibitor of inflammation-related DNA halogenation”. *Biosci Biotechnol Biochem.* 2016;80(2):313-7.

Dong K. K. et al., “A comparison of the relative antioxidant potency of L-ergothioneine and idebenone”. *J Cosmet Dermatol.* 2007 Sep;6(3):183-8.

Li W., et al., “The Prebiotic-Like Effects of *Coprinus comatus* Polysaccharides on Gut Microbiota in Normal Mice and Those with Acute Alcoholic Liver Injury: A Comparative Study”. *Evid Based Complement Alternat Med.* 2020 Nov 28;2020

Nowakowski P., et al., “The two faces of *Coprinus comatus*—Functional properties and potential hazards” 2020 Nov; 34(3): 2932-2944.

Zhou G. et Han C. “The co-effect of vanadium and fermented mushroom of *Coprinus comatus* on glycaemic metabolism.

Biological Trace Element Research, 124(1), 20–27.

Zhou S et al., “Hypoglycemic Activity of Polysaccharide from Fruiting Bodies of the Shaggy Ink Cap Medicinal Mushroom, *Coprinus comatus* (Higher Basidiomycetes), on Mice Induced by Alloxan and Its Potential Mechanism”. *Int J Med Mushrooms*. 2015;17(10):957-64.

CORDYCEPS

Ashraf SA, et al., Cordycepin for Health and Wellbeing: A Potent Bioactive Metabolite of an Entomopathogenic Medicinal Fungus and Its Nutraceutical and Therapeutic Potential. *Molecules*. 2020 Jun 12;25(12):2735.

Vince C Kreipke PhD et al. Effects of Concurrent Training and a Multi-Ingredient Performance Supplement Containing *Rhodiola rosea* and *Cordyceps sinensis* on Body Composition. 2020

CORTECCIA DI MAGNOLIA

Ai J., Wang X., Nielsen M. Honokiol and Magnolol Selectively Interact with GABAA Receptor Subtypes in vitro. *Pharmacology*. 2001 Jul;63(1):34-41.

Bernard P., et al., Modulating testosterone pathway: a new strategy to tackle male skin aging? *Clin Interv Aging*. 2012;7:351-61. doi: 10.2147/CIA.S34034. Epub 2012 Sep 13.

Fukuyama Y, et al., Neurotrophic activity of honokiol on the cultures of fetal rat cortical neurons. *Bioorg Med Chem Lett* 2002 Apr 22;12 (8):1163-6

Hou YC, et al., Honokiol and magnolol increased hippocampal acetylcholine release in freely-moving rats *Am J Chin Med*. 2000;28(3-4):379-84.

Kuribara H, et al., Honokiol, a putative anxiolytic agent extracted from magnolia bark, has no diazepam-like side-effects in mice. *J Pharm Pharmacol*. 1999 Jan;51(1):97-103

Liu S, et al., Multiple effects of honokiol on catecholamine secretion from adrenal chromaffin cells. *Proc Natl Sci Counc Repub China B*. 1989 Oct;13(4):307-13.

Pharmacopoeia Commission of PRC, Pharmacopoeia of the PRC, (English edition) 1988 People's Medical Publishing House, Beijing.

Qiu J, et al., Magnolol inhibits sodium currents in freshly isolated mouse dorsal root ganglion neurons *Clin Exp Pharmacol Physiol*. 2020 Oct 16.

Sarrica A., et al., Safety and Toxicology of Magnolol and Honokiol. *Planta Med*. 2018 Nov;84(16):1151-1164.

Zhu YP, Chinese Materia Medica: Chemistry, Pharmacology, and Applications, 1998 Harwood Academic Publishers, Amsterdam.

CRISINA

Carlos Borges Filho, et al., Neurochemical factors associated with the anti-depressant-like effect of chrysin in chronically stressed mice, *Eur J Pharmacol*, 2016 Nov 15;791:284-296

Dhawan K., et al, Beneficial effects of chrysin and benzoflavone on virility in 2-year-old male rats. *J. Med. Food*. 2002; 5: 43-48

Kellis Jr. J.T., Vickery L.E. Inhibition of human estrogen synthetase (aromatase) by flavones. *Science* (New York, NY). 1984; 225: 1032-1034

Laughton C.A. Binding characteristics of aromatase inhibitors and phytoestrogens to human aromatase. *J. Steroid Biochem. Mol. Biol*. 1997; 61: 107-115

V. Bortolotto, et al., Chrysin reverse the depressive like behavior induced by hypothyroidism in female mice by regulating hippocampal serotonin and dopamine, *Her J Pharmacol*. 2018 Mae 5;822:78-84

CROMO

Anderson, R.A., M.M. Polansky, and N.A. Bryden. Strenuous running: Acute effects on chromium, copper, zinc, and selected clinical variables in urine and serum of male runners. *Biol. Trace Element Res*. 6:327-336, 1984

Cui J-F, Ye H, Li Y-P, et al. Characterization and hypoglycemic activity of a rhamnan-type sulfated polysaccharide derivative. *Mar Drugs* 2019; 17; pii: E21

Davidson JR, Abraham K, Connor KM, McLeod MN. Effectiveness of chromium in atypical depression: a placebo-controlled trial. *Biol Psychiatry*. 2003 Feb 1;53(3):261-4. doi: 10.1016/s0006-3223(02)01500-7. PMID: 12559660

Doerner PG, Liao Y-H, Ding Z, et al. Chromium chloride increases insulin-stimulated glucose uptake in the perfused rat hindlimb. *Acta Physiol (Oxf)* 2014; 212:205–213

European Food Safety Authority. Scientific opinion on dietary reference values for chromium. *EFSA J* 2014; 12:3845

Evans, G.W. The effect of chromium picolinate on insulin controlled parameters in humans. *Znt. J. Biosoc. Med. Res*. 11: 163-180, 1989

Heffernan SM, Horner K, De Vito G, Conway GE. The role of mineral and trace element supplementation in exercise and athletic performance: A systematic review. *Nutrients* 2019; 11; pii: E696

Institute of Medicine. Dietary reference intakes for vitamin A, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Washington, D.C.: National Academies Press; 2001

Jamilian M, Foroozand F, Kavossian E, Kia M, Aghadavod E, Amirani E, Asemi Z. Effects of Chromium and Carnitine Co-supplementation on Body Weight and Metabolic Profiles in Overweight and Obese Women with Polycystic Ovary Syndrome: a Randomized, Double-Blind, Placebo-Controlled Trial. *Biol Trace Elem Res.* 2020 Feb;193(2):334-341. doi: 10.1007/s12011-019-01720-8

Liu L, Wang B, He Y, et al. Effects of chromium-loaded chitosan nanoparticles on glucose transporter 4, relevant mRNA, and proteins of phosphatidylinositol 3-kinase, Akt2-kinase, and AMP-activated protein kinase of skeletal muscles in finishing pig. *Biol Trace Elem Res* 2017; 178:36–43

Nair S. Metabolic effects of chromium – potential molecular mechanisms. In: Vincent JB, editor. *The nutritional biochemistry of chromium(III)*, 2nd ed. Amsterdam: Elsevier; 2019. pp. 175–191

Ren M, Mokrani A, Liang H, et al. Dietary chromium picolinate supplementation affects growth, whole body composition, and gene expression related to glucose metabolism and lipogenesis in juvenile blunt snout bream, *Megalobrama amblycephala*. *Biol Trace Elem Res* 2018; 185:205–215

Tsang C, Taghizadeh M, Aghabegheri E, et al. A meta-analysis of the effect of chromium supplementation on anthropometric indices of subjects with overweight or obesity. *Clin Obesity* 2019; e12313

Turget M, Cinar V, Pala R, et al. Biotin and chromium histidinate improve glucose metabolism and proteins expression levels of IRS-1, PPAR-g, and NK-KB in exercise-trained rats. *J Int Soc Sports Nutr* 2018; 15:45

Vincent JB. New evidence against chromium as an essential trace element. *J Nutr* 2017; 147:2212–19

Vincent JB. *The bioinorganic chemistry of chromium*. Chichester: John Wiley & Sons; 2013

CUMINO NERO

Asiaei F., et al., Neuroprotective effects of *Nigella sativa* extract upon the hippocampus in PTU-induced hypothyroidism juvenile rats: A stereological study. *Metab Brain Dis.* 2017 Oct;32(5):1755-1765.

Beheshti F., et al., The effects of *Nigella sativa* extract on hypothyroidism-associated learning and memory impairment during neonatal and juvenile growth in rats. *Nutr Neurosci.* 2017 Jan;20(1):49-59.

Farhangi M., Parvin D., et al., The effects of *Nigella sativa* on thyroid function, serum Vascular Endothelial Growth Factor (VEGF) – 1, Nesfatin-1 and anthropometric features in patients with Hashimoto's thyroiditis: a randomized controlled trial, *BMC Complement Altern Med.* 2016; 16: 471

Khalawi AA., et al., Can *Nigella Sativa* oil (NSO) reverse hypothyroid status induced by PTU in rat? biochemical and histological studies. *Life Sci J.* 2013;10(2):1–5.

Mohebbati R., et al., The effects of *Nigella Sativa* extract on renal tissue oxidative damage during neonatal and juvenile growth in propylthiouracil-induced hypothyroid rats. *Endocr Regul.* 2017 Apr 25;51(2):105-113.

Pakdel R., et al., The Effects of Hydroalcoholic Extract of *Nigella sativa* Seeds on Serum Estradiol and Prolactin Levels and obstetric Criteria due to Hypothyroidism in Rat. *Adv Biomed Res.* 2017 Dec 28;6:166.

Pop RM., Trifa AP., Popolo A., et al., *Nigella sativa*: Valuable perspective in the management of chronic diseases. *Iran J Basic Med Sci.* 2020;23(6):699-713.

DAO

Izquierdo-Casas J., et al., Diamine oxidase (DAO) supplement reduces headache in episodic migraine patients with DAO deficiency: A randomized double-blind trial. *Randomized Controlled Trial Clin Nutr.* 2019 Feb;38(1):152-158

7-KETO-DHEA

Sageman S. and Brown RP., 3-Acetyl-7-oxo-dehydroepiandrosterone for Healing Treatment-Resistant Posttraumatic Stress Disorder in Women: 5 Case Reports. *J. Clin. Psychiatry,* 2006. 67: p. 493–496

DMAA

Guner, A & Hasan, G: Examination of some toxicological parameters of dimethylamylamine when consumed alone or with caffeine: *Archives of Biological Sciences* 72(00) 2020.

EFEDRINA

Arne Astrup, et al. Thermogenic Synergism Between Ephedrine and Caffeine in Healthy Volunteers: A Double-Blind, Placebo-Controlled Study (1991)

Bret H. Goodpaster and Lauren M. Sparks (2017) Metabolic Flexibility in Health and Disease Translational Research Institute for Metabolism and Diabetes, Florida Hospital, Sanford Burnham Prebys Medical Discovery Institute, 301 East Princeton Street, Orlando, FL 32804, USA

CN Boozer, PA Daly. Herbal ephedra=caffeine for weight loss: a 6-month randomized safety and efficacy trial International Journal of Obesity (2002)

Daly PA, Krieger DR, Dulloo AG, Young JB, Landsberg L. Ephedrine, caffeine and aspirin: safety and efficacy for treatment of human obesity. Int J Obes Relat Metab Disord 1993

Jørgensen, S.B., Richter, E.A., and Wojtaszewski, J.F. (2006). Role of AMPK in skeletal muscle metabolic regulation and adaptation in relation to exercise. J. Physiol. 574, 17–31

M R Lee. The history of Ephedra (ma-huang) J R Coll Physicians Edinb 2011 Mar;41(1):78-84

Malchow-Moller A., Larsen S., et al., Ephedrine as an anorectic: the story of the 'Elsinore pill'. Int J Obes 1981; 5: 183 – 187

ELEUTEROCCO

Panossian A, Wikman G. Effects of Adaptogens on the Central Nervous System and the Molecular Mechanisms Associated with Their Stress-Protective Activity. Pharmaceuticals (Basel). 2010 Jan 19;3(1):188-224.

Yamauchi Y, et al., Memory Enhancement by Oral Administration of Extract of Eleutherococcus senticosus Leaves and Active Compounds Transferred in the Brain. Nutrients. 2019 May 22;11(5):1142.

EURYCOMA LONGIFOLIA (TONGKAT ALI)

Ang HH., et al., Contamination of mercury in tongkat Ali hitam herbal preparations. Food Chem Toxicol. 2006 Aug;44(8):1245-50

Ang HH., et al., Effects of Eurycoma longifolia Jack (Tongkat Ali) on the initiation of sexual performance of inexperienced castrated male rats. Exp Anim. 2000 Jan;49(1):35-8

Ang HH., et al., Sexual arousal in sexually sluggish old male rats after oral administration of Eurycoma longifolia Jack. J Basic Clin Physiol Pharmacol. 2004;15(3-4):303-9

Ang HH., et al., Studies on the anxiolytic activity of Eurycoma longifolia Jack roots in mice. Jpn J Pharmacol. 1999 Apr;79(4):497-500

Bassam A. Alahmadi, Effect of Herbal Medicine on Fertility Potential in Experimental Animals - an Update Review. Mater Sociomed. 2020 Jun; 32(2): 140–147

Bhat R., et al., Tongkat Ali (Eurycoma longifolia Jack): a review on its ethnobotany and pharmacological importance. Fitoterapia. 2010 Oct;81(7):669-79

Brunetti P., et al., Pharmacology of Herbal Sexual Enhancers: A Review of Psychiatric and Neurological Adverse Effects. Pharmaceuticals (Basel). 2020 Oct 14;13(10):309

Chan KL., et al., The effect of Eurycoma longifolia on sperm quality of male rats. Nat Prod Commun. 2009 Oct;4(10):1331-6.

Chen CK., et al., Effects of Eurycoma Longifolia Jack Supplementation Combined with Resistance Training on Isokinetic Muscular Strength and Power, Anaerobic Power, and Urinary Testosterone: Epitestosterone Ratio in Young Males. Int J Prev Med. 2019 Jul 5;10:118

Chinnappan SM., et al., Effect of herbal extract Eurycoma longifolia (Physta®) on female reproductive hormones and bone biochemical markers: an ovariectomised rat model study. BMC Complement Med Ther. 2020 Feb 5;20(1):31

Ezzat SM., et al., Brain Cortical and Hippocampal Dopamine: A New Mechanistic Approach for Eurycoma longifolia Well-Known Aphrodisiac Activity and Its Chemical Characterization. Evid Based Complement Alternat Med. 2019; 2019: 7543460

George A., et al., Phytoandrogenic properties of Eurycoma longifolia as natural alternative to testosterone replacement therapy. Andrologia. 2014 Sep;46(7):708-21

Henkel RR., et al., Tongkat Ali as a potential herbal supplement for physically active male and female seniors--a pilot study. Phytother Res. 2014 Apr;28(4):544-50

Ismail SB., et al., Randomized Clinical Trial on the Use of PHYSTA Freeze-Dried Water Extract of Eurycoma longifolia for the Improvement of Quality of Life and Sexual Well-Being in Men. Evid Based Complement Alternat Med. 2012;2012:429268

Joint Conference of BASEM and BASES. British Journal of Sports Medicine 2003;37:464-470 (report n. 007)

Khanam Z., et al., Phytochemical screening and antimicrobial activity of root and stem extracts of wild *Eurycoma longifolia* Jack (Tongkat Ali). Journal of King Saud University – Science. Volume 27, Issue 1, January 2015, Pages 23-30

Khanijo T., et al., Review Ergogenic Effect of Long Jack, Eurycoma Longifolia. Pharmacogn Rev. 2016 Jul-Dec; 10(20): 139–142.

Kotirum S., et al., Efficacy of Tongkat Ali (*Eurycoma longifolia*) on erectile function improvement: systematic review and meta-analysis of randomized controlled trials. *Complement Ther Med*. 2015 Oct;23(5):693-8

Li CH., et al., Evaluation of Acute 13-Week Subchronic Toxicity and Genotoxicity of the Powdered Root of Tongkat Ali (*Eurycoma longifolia* Jack). *Evidence-Based Complementary and Alternative Medicine*. Volume 2013 Article ID 102987

Low, B.S.; Choi, S.B.; Wahab, H.A.; Das, P.K.; Chan, K.L. Eurycomanone, the major quassinoid in *Eurycoma longifolia* root extract increases spermatogenesis by inhibiting the activity of phosphodiesterase and aromatase in steroidogenesis. *J. Ethnopharmacol*. 2013, 149, 201–207

Ooi FK., et al., Effects of a herbal ergogenic drink on cycling performance in young cyclists. *Malays J Nutr*. 2001 Mar;7(1):33-40

Rehman SU, et al., Review on a Traditional Herbal Medicine, *Eurycoma longifolia* Jack (Tongkat Ali): Its Traditional Uses, Chemistry, Evidence-Based Pharmacology and Toxicology. *Molecules* 2016, 21(3), 331

Rehman SU., et al., Review on a Traditional Herbal Medicine, *Eurycoma longifolia* Jack (Tongkat Ali): Its Traditional Uses, Chemistry, Evidence-Based Pharmacology and Toxicology. *Molecules*. 2016 Mar 10;21(3):331

Solomon MC., et al., In vivo effects of *Eurycoma longifolia* Jack (Tongkat Ali) extract on reproductive functions in the rat. *Andrologia*. 2014 May;46(4):339-48

Talbott SM, Chapter 63 - Human Performance and Sports Applications of Tongkat Ali (*Eurycoma longifolia*). *Nutrition and Enhanced Sports Performance (Second Edition)*. Muscle Building, Endurance, and Strength. 2019, Pages 729-734

Talbott SM., et al., Effect of Tongkat Ali on stress hormones and psychological mood state in moderately stressed subjects. *J Int Soc Sports Nutr*. 2013; 10: 28.

Tambi MIBM., et al., *Eurycoma longifolia* Jack in managing idiopathic male infertility. *Asian J Androl*. 2010 May; 12(3): 376–380.

Tambi MIBM., et al., Standardised water-soluble extract of *Eurycoma longifolia*, Tongkat ali, as testosterone booster for managing men with late-onset hypogonadism? *Andrologia*. 2012 May;44 Suppl 1:226-30

Tsai CH., et al., The Powdered Root of *Eurycoma longifolia* Jack Improves Beta-Cell Number and Pancreatic Islet Performance through PDX1 Induction and Shows Antihyperglycemic Activity in db/db Mice. *Nutrients*. 2020 Jul 16;12(7):2111

Wahab NA., et al., The Effect of *Eurycoma Longifolia* Jack on Spermatogenesis in Estrogen-Treated Rats. *Clinics (Sao Paulo)*. 2010 Jan; 65(1): 93–98.

FIENO GRECO

Mansoori A, et al., Effect of fenugreek extract supplement on testosterone levels in male: A meta-analysis of clinical trials. *Phytother Res*. 2020 Jul;34(7):1550-1555.

Rao A, et al., Influence of a Specialized *Trigonella foenum-graecum* Seed Extract (Libifem), on Testosterone, Estradiol and Sexual Function in Healthy Menstruating Women, a Randomised Placebo Controlled Study. *Phytother Res*. 2015 Aug;29(8):1123-30.

Yao D, et al., Advances on application of fenugreek seeds as functional foods: Pharmacology, clinical application, products, patents and market. *Crit Rev Food Sci Nutr*. 2020;60(14):2342-2352.

FORSKOLINA (COLEUS FORSKOHLII)

H. G. Joost, et al., Forskolin inhibits insulin-stimulated glucose transport in rat adipose cells by a direct interaction with the glucose transporter, *Molecular Pharmacology*, 1987, 31(3) 279-283

M. P. Godard, et al., Body composition and hormonal adaptations associated with forskolin consumption in overweight and obese men, *Obesity Research*, 2005 Aug;13(8):1335-43

S. Henderson, et al., Effects of *Coelus Forskohlii* Supplementation on Body Composition and Hematological Profiles in Midly Overweight Women, *Journal of International Society of Sports Nutrition*, 2005, N.54

FUCOXANTINA

Abidov M., et al., “The effects of Xanthigen in the weight management of obese premenopausal women with non-alcoholic fatty liver disease and normal liver fat”. *Diabetes, Obesity and Metabolism*, 2010, 12, 72-81.

D’Orazio N. et al., “Fucoxantina: a treasure from the sea”. *Mar Drugs*. 2012, 10(3):604-16.

Gammone M.A., et al., “Marine carotenoids against oxidative stress: Effects on human health”. *Mar. Drugs* 2015,13, 6226–6246.

Hashimoto T., et al., “Pharmacokinetics of fucoxanthinol in human plasma after the oral administration of kombu extract”. *Br. J. Nutr*. 2011;16:1–4.

Iio K., et al., “Single and 13-week oral toxicity study of fucoxanthin oil from microalgae in rats”. *Shokuhin Eiseigaku Zasshi*. 2011;52:183–189.

Karpinski T.M. and Adamczak A., “Fucoxanthin – An antibacterial carotenoid”. *Antioxidants* 2019, (8), 239.

Koo S.Y., et al., "Anti-obesity effect of standardized extract of microalga *Phaeodactylum tricornutum* containing fucoxanthin". *Mar. Drugs* 2019, 17, 311.

Maeda H., et al., "Dietary combination of fucoxanthin and fish oil attenuates the weight gain of white adipose tissue and decreases blood glucose in obese/diabetic KK-Ay mice". *J. Agric. Food Chem.* 2007;55:7701–7706.

Matsumoto M., et al., "Suppressive effects of the marine carotenoids, fucoxanthin and fucoxanthinol on triglyceride absorption in lymph duct-cannulated rats". *Eur. J. Nutr.* 2010;49:243–249.

Woo M.N., et al., "Fucoxanthin supplementation improves plasma and hepatic lipid metabolism and blood glucose concentration in high-fat fed C57BL/6N mice". *Chem Biol Interact* 2010 Aug 5; 186(3):316–22.

Xiang S., et al., "Fucoxanthin Inhibits β -Amyloid Assembly and Attenuates β -Amyloid Oligomer-Induced Cognitive Impairments". *J. Agric. Food Chem.* 2017 May 24; 65 (20): 4092–4102.

GABA

Hepsomali P., et al., Effects of Oral Gamma-Aminobutyric Acid (GABA) Administration on Stress and Sleep in Humans: A Systematic Review. *Front Neurosci*, 2020;

Hong KB., et al., Sleep-promoting effects of the GABA/5-HTP mixture in vertebrate models *Behav Brain Res.* 2016;310

Hong KB., et al., Two combined amino acids promote sleep activity in caffeine-induced sleepless model systems *Nutr Res Pract*, 2018 Jun;12(3)

Kim S., et al., GABA and l-theanine mixture decreases sleep latency and improves NREM sleep. *Pharm Biol.* 2019;57.

Powers M. E., et al., Growth Hormone Isoform Responses to GABA Ingestion at Rest and after Exercise. *Med. Sci. Sports Exerc.*, 2008 Vol. 40, No. 1

Powers M., GABA supplementation and growth hormone response. 2012, *Med Sport Sci.* 2012;

Yamatsu A., et al., Effect of oral γ -aminobutyric acid (GABA) administration on sleep and its absorption in humans; *Food Sci Biotechnol.* 2016; 25(2)

GINKGO BILOBA

Fehske C.J., Ginkgo biloba extract (EGb761) influences monoaminergic neurotransmission via inhibition of NE uptake, but not MAO activity after chronic treatment *Pharmacol Res.* 2009 Jul;60(1):

Fowler J.S., Evidence that ginkgo biloba extract does not inhibit MAO A and B in living human brain 2000 Jan 21;66(9) *Life Sci*

Kehr J., et al., Ginkgo biloba leaf extract (EGb 761®) and its specific acylated flavonol constituents increase dopamine and acetylcholine levels in the rat medial prefrontal cortex: possible implications for the cognitive enhancing properties of EGb 761® Published online by Cambridge University Press: 12 July 2012

Mei N., et al., Review of Ginkgo biloba-induced toxicity, from experimental studies to human case reports. 2017 *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 2;35(1):

Shah, et al., *Eur Neuropsychopharmacol* Ginkgo biloba normalises stress-elevated alterations in brain catecholamines, serotonin and plasma corticosterone levels. 2003 Oct;13(5):321–5.

Sloley B., Identification of Kaempferol as a Monoamine Oxidase Inhibitor and Potential Neuroprotectant in Extracts of Ginkgo Biloba Leaves. 2000, May; *Journal of Pharmacy and Pharmacology* 52(4)

White H.L., et al., Extracts of Ginkgo biloba leaves inhibit monoamine oxidase 1996;58(16)

Yoshitake L., et al., The Ginkgo biloba extract EGb 761(R) and its main constituent flavonoids and ginkgolides increase extracellular dopamine levels in the rat prefrontal cortex. *Br J Pharmacol* 2010 Feb 1;159(3):659–68.

GINSENG

Al-Dujaili EAS, et al., Effects of Ginseng Ingestion on Salivary Testosterone and DHEA Levels in Healthy Females: An Exploratory Study. *Nutrients.* 2020 May 28;12(6):1582.

Arring NM, et al., Ginseng as a Treatment for Fatigue: A Systematic Review. *J Altern Complement Med.* 2018 Jul;24(7):624–633.

Leung KW, Wong AS. Ginseng and male reproductive function. *Spermatogenesis.* 2013 Jul 1;3(3):e26391.

Shibata S., et al., Studies on saponins and sapogenins of ginseng. The structure of panaxatriol. *Tetrahedron Lett.* 1965;42:207–213.

GLUCURONOLACTONE

Storozhuk, Yaryna "Does Glucuronolactone Boost Energy? Benefits vs. Dangers". *SelfHacked.com* 2019-12-05. Retrieved 2020-10-23

Quigley, Ryan (2020-01-28). "D-Glucuronolactone: Benefits, Dosage & Side Effects". *BulkSupplements.com*. Retrieved 2020-10-23

Gonzalez AM., et al., Effect of a Pre-Workout Energy Supplement on Acute Multi-Joint Resistance Exercise - *J Sports Sci Med*. 2011 Jun; 10(2): 261–266

Alford C., et al., The effects of red bull energy drink on human performance and mood- *Clinical Trial Amino Acids* - 2001;21(2):139-50.

GLUTAMMINA

T.C. Welbourne, Increased plasma bicarbonate and growth hormone after an oral glutamine load, *The American Journal of Clinical Nutrition*, 1995, Vol. 61 (1058-1061)

L. Arwert, et al., Effects of an oral mixture containing glycine, glutamine and niacin on memory, GH and IGF-1 secretion in middle aged and elderly subjects, *Nutrition Neuroscience*, 2003 Oct;6(5):269-75

D. Huang, et al., Glutamate-glutamine and GABA in brain of normal aged and patients with cognitive impairment, *European Radiology*, 2017 Jul;27(7):2698-2705

S. Xu, et al., Chronic stress in a rat model of depression disturbs the glutamine-glutamate-GABA cycle in striatum, hippocampus, and cerebellum, *Neuropsychiatric Disease and Treatment*, 2020; 16: 557-570

GRIFFONIA SIMPLICIFOLIA

Cowen PJ and Browning M., What has serotonin to do with depression? *World Psychiatry*. 2015 Jun; 14(2): 158–160.

Albert PR. and Benkelfat C., The neurobiology of depression—revisiting the serotonin hypothesis. II. Genetic, epigenetic and clinical studies. *Philos Trans R SocLond B Biol Sci*. 2013 Apr 5; 368(1615): 20120535.

van Hiele L J., I-5-Hydroxytryptophan in depression: the first substitution therapy in psychiatry? The treatment of 99 out-patients with 'therapy-resistant' depressions. *Neuropsychobiology* 1980;6(4):230-40.

Kious BM, et al., An Open-Label Pilot Study of Combined Augmentation With Creatine Monohydrate and 5-Hydroxytryptophan for Selective Serotonin Reuptake Inhibitor- or Serotonin-Norepinephrine Reuptake Inhibitor-Resistant Depression in Adult Women *J Clin Psychopharmacol* 2017 Oct;37(5):578-583.

van Praag HM, et al., A pilot study of the predictive value of the probenecid test in application of 5-hydroxytryptophan as antidepressant. *Psychopharmacologia* 1972;25(1):14-21.

van Praag HM, Korf J., 5-Hydroxytryptophan as an antidepressant. The predictive value of the probenecid test. *J NervMentDis* 1974 May;158(5):331-7.

Shaw K, et al., Tryptophan and 5-hydroxytryptophan for depression. *Cochrane Database Syst Rev*. 2002;(1):CD003198.

van Praag HM, et al., 5-hydroxytryptophan in combination with clomipramine in "therapy-resistant" depressions. *Psychopharmacologia* 1974;38(3):267-9.

Pöldinger W, et al., A functional-dimensional approach to depression: serotonin deficiency as a target syndrome in a comparison of 5-hydroxytryptophan and fluvoxamine. *Psychopathology* 1991;24(2):53-81.

Purushottam Jangid, Prerna Malik, et al., Comparative study of efficacy of I-5-hydroxytryptophan and fluoxetine in patients presenting with first depressive episode *Asian J Psychiatr*. 2013 Feb;6(1):29-34.

Jacobsen JPR, et al., Adjunctive 5-Hydroxytryptophan Slow-Release for Treatment-Resistant Depression: Clinical and Preclinical Rationale. *Trends Pharmacol Sci* 2016 Nov;37(11):933-944.

Hinz M, et al., 5-HTP efficacy and contraindications *NeuropsychiatrDisTreat*. 2012; 8: 323–328.

Nihalani ND, et al., Fibromyalgia A Review for the Psychiatrist *Psychiatry (Edgmont)*. 2006 Apr; 3(4): 44–60.

Juhl JH Fibromyalgia and the serotonin pathway. *AlternMedRev* 1998 Oct;3(5):367-75.

Caruso I, et al., Double-blind study of 5-hydroxytryptophan versus placebo in the treatment of primary fibromyalgia syndrome. *J Int Med Res* May-Jun 1990;18(3):201-9.

Sarzi Puttini P, Caruso I., Primary fibromyalgia syndrome and 5-hydroxy-L-tryptophan: a 90-day open study. *J Int Med Res* 1992 Apr;20(2):182-9.

De Benedittis G, Massei R. Serotonin precursors in chronic primary headache. A double-blind cross-over study with L-5-hydroxytryptophan vs. placebo. *J Neurosurg Sci* Jul-Sep 1985;29(3):239-48.

Shell W, et al., A randomized, placebo-controlled trial of an amino acid preparation on timing and quality of sleep. *Am J Ther* Mar-Apr 2010;17(2):133-9.

Ki-Bae Hong, et al., Sleep-promoting effects of the GABA/5-HTP mixture in vertebrate models. *Behav Brain Res* 2016 Sep 1;310:36-41.

Heisler LK, et al. Serotonin reciprocally regulates melanocortin neurons to modulate food intake *Neuron* 2006 Jul 20;51(2):239-49.

Ceci F, Cangiano C, et al., The effects of oral 5-hydroxytryptophan administration on feeding behavior in obese adult female subjects *J NeuralTransm* 1989;76(2):109-17

Cangiano C, Ceci F, et al., Effects of 5-hydroxytryptophan on eating behavior and adherence to dietary prescriptions in obese adult subjects *Adv Exp Med Biol* 1991;294:591-3.

Cangiano C, Ceci F, et al., Eating behavior and adherence to dietary prescriptions in obese adult subjects treated with 5-hydroxytryptophan *Am J Clin Nutr* 1992 Nov;56(5):863-7.

Rondanelli M, et al., Relationship between the absorption of 5-hydroxytryptophan from an integrated diet, by means of Griffonia simplicifolia extract, and the effect on satiety in overweight females after oral spray administration *Eat Weight Disord* 2012 Mar;17(1):e22-8.

Rondanelli M, et al. Satiety and amino-acid profile in overweight women after a new treatment using a natural plant extract sublingual spray formulation. *Int J Obes (Lond)*. (2009)

Cangiano C, et al., Effects of oral 5-hydroxy-tryptophan on energy intake and macronutrient selection in non-insulindependent diabetic patients *Int J ObesRelatMetabDisord* 1998 Jul;22(7):648-54.

Amer A, Breu J, et al., 5-Hydroxy-L-tryptophan suppresses food intake in food-deprived and stressed rats. *PharmacolBiochemBehav* 2004 Jan;77(1):137-43.

Graeff FG, et al., Role of 5-HT in stress, anxiety, and depression *Pharmacol Biochem Behav* 1996 May;54(1):129-41.

Aggarwal Veena Puri M, and Sanjeev Puri, Serotonin and CGRP in Migraine. *Ann Neurosci*. 2012 Apr; 19(2): 88–94.

Hamel E., Serotonin and migraine: biology and clinical implications. *Cephalalgia* 2007 Nov;27(11):1293-300.

Titus F, et al., 5-Hydroxytryptophan versus methysergide in the prophylaxis of migraine. Randomized clinical trial. *Eur Neurol* 1986;25(5):327-9.

De Giorgis G, et al., Headache in association with sleep disorders in children: a psychodiagnostic evaluation and controlled clinical study--L-5-HTP versus placebo. *DrugsExpClin Res* 1987;13(7):425-33.

Longo G, et al., [Treatment of essential headache in developmental age with L-5-HTP (cross over double-blind study versus placebo)] *Pediatr Med Chir Mar-Apr* 1984;6(2):241-5.

Bono G, et al., Serotonin precursors in migrain eprophylaxis. *Adv Neurol* 1982;33:357-63.

Palego L, et al., Tryptophan Biochemistry: Structural, Nutritional, Metabolic, and Medical Aspects in Humans. *J Amino Acids*. 2016; 2016: 8952520.

F Titus, A Dávalos, J Alom, A Codina 5-Hydroxytryptophan versus methysergide in the prophylaxis of migraine. Randomized clinical trial. *Eur Neurol* 1986;25(5):327-9.

Birdsall TC 5-Hydroxytryptophan: a clinically-effective serotonin precursor. *Altern Med Rev* 1998 Aug;3(4):271-80.

Volpi-Abadie J, et al., Serotonin Syndrome. *Ochsner J*. 2013 Winter; 13(4): 533–540.

GUARANÀ

Bortolin, RC, et al., Guarana supplementation attenuated obesity, insulin resistance, and adipokines dysregulation induced by a standardized human Western diet via brown adipose tissue activation. *Phytother Res*. 2019 May;33(5).

Hamersky et al., Paullinia cupana Kunth (Sapindaceae): A review of its ethnopharmacology, phytochemistry and pharmacology. *Academic Journal*; 2013, n7

GUGGUL (COMMIPHORA MUKUL)

Panda S. and Kar A., "Gugulu (Commiphora mukul) induces triiodothyronine production: possible involvement of lipid peroxidation", *Life Sci*. 1999; 65(12): PL137-41.

Ragavi R. et al., "Commiphora mukul: An Overview", *Research J. Pharm. and Tech* 2018; 11(7): 3205-3208.

Sharma B. et al., "Effects of guggulsterone isolated from Commiphora mukul in high fat diet induced diabetic rats". *Food Chem Toxicol*. 2009 Oct;47(10):2631-9.

Shen T., et al., "The genus Commiphora: a review of its traditional uses, phytochemistry and pharmacology". *J. Ethnopharmacol*. 2012 Jul 13; 142(3): 319-30

Swam Nityanand and Kapoor N. K.: Cholesterol lowering activity of the various fractions of guggulu. *Ind. J. Exp. Biol.*, 1971 2: 395-6

Wang X. et al., "The hypolipidemic natural product Commiphora mukul and its component guggulsterone inhibit oxidative modification of LDL". *Atherosclerosis*. 2004 Feb;172(2):239-46.

GYMNEMA

Gaytán Martínez LA et al., "Effect of Gymnema sylvestre Administration on Glycemic Control, Insulin Secretion, and Insulin Sensitivity in Patients with Impaired Glucose Tolerance". *J Med Food*. 2021 Jan;24(1):28-32.

Khan F., et al., "Comprehensive Review on Phytochemicals, Pharmacological and Clinical Potentials of Gymnema sylvestre". *Frontiers in Pharmacology*. 2019 Oct 29:1223.

Nakamura Y., et al., "Fecal Steroid Excretion Is Increased in Rats by Oral Administration of Gymnemic Acids Contained in Gymnema sylvestre Leaves ". *J. Nutr*. 1999; 129(6), 1214–1222.

Porthuraju R., et al., "A systematic review of Gymnema sylvestre in obesity and diabetes management". *Sci. Food Agric.*, 2014 Mar 30; 94(5):834-40

Shanmugasundaram E. R. B., et al., "Possible regeneration of the islets of langerhans in streptozotocin-diabetic rats given gymnema sylvestre leaf extracts". *Journal of Ethnopharmacology* 30(3), 256:279

Tiwari P et al., "Phytochemical and pharmacological properties of *Gymnema sylvestre*: an important medicinal plant". *Biomed Res Int.* 2014;2014:830285.

Turner S et al., "Consuming *Gymnema sylvestre* Reduces the Desire for High-Sugar Sweet Foods. *Nutrients*". 2020 Apr 10;12(4):1046.

GYNOSTEMMA

Choi E. K., et al., "Supplementation with extract of *Gynostemma pentaphyllum* leaves reduces anxiety in healthy subjects with chronic psychological stress: A randomized, double-blind, placebo-controlled clinical trial". *Phytomedicine.* 2019 Jan;52:198-205.

Gauhar R., et al., "Heat-processed *Gynostemma pentaphyllum* extract improves obesity in ob/ob mice by activating AMP-activated protein kinase". *Biotechnol Lett* 2012;34:1607-1616.

Gauhar R., et al., "Heat-processed *Gynostemma pentaphyllum* extract improves obesity in ob/ob mice by activating AMP-activated protein kinase". *Biotechnol Lett* 2012;34:1607-1616

Norberg A. et al., "A novel insulin-releasing substance, phanoside, from the plant *Gynostemma pentaphyllum*" *J Biol Chem.* 2004 Oct 1;279(40):41361-7.

Park S. H., et al., "Antiobesity effect of *Gynostemma pentaphyllum* extract (actiponin): a randomized, double-blind, placebo-controlled trial". *Obesity (Silver Spring).* 2014 Jan;22(1):63-71.

HUPERZINE-A

Damar U., et al., Huperzine A as a neuroprotective and antiepileptic drug: a review of preclinical research. *Expert Rev Neurother.* 2016 Jun;16(6):671-80.

Gul A., et al., Huperzine-A response to cognitive impairment and task switching deficits in patients with Alzheimer's disease. *J Chin Med Assoc.* 2019 Jan;82(1):40-43.

Le TTM., et al., A novel huperzine A-producing endophytic fungus *Fusarium* sp. Rsp5.2 isolated from *Huperzia serrate*. *Biotechnol Lett.* 2020 Jun;42(6):987-995.

Riquelme R., et al., Huperzine-A administration recovers rat ovary function after sympathetic stress. *J Neuroendocrinol.* 2021 Jan;33(1):e12914.

Wang HY., et al., Huperzine A ameliorates obesity-related cognitive performance impairments involving neuronal insulin signaling pathway in mice. *Acta Pharmacol Sin.* 2020 Feb;41(2):145-153.

Yang G., et al., Huperzine A for Alzheimer's disease: a systematic review and meta-analysis of randomized clinical trials. *PLoS One.* 2013 Sep 23;8(9):e74916.

INDOLO-3-CARBINOLO e DIM

Ann N Y, Multifunctional aspects of the action of indole-3-carbinol as an antitumor agent, *Acad Sci.* 1999;889:204-213

Ann NY, Indole-3-carbinol: a novel approach of breast cancer prevention. *Acad Sci.* 1996;768:180-200.

IODIO

Auteurs Kristal A. Cohen J. Standford J. Les recherches originales étant publiées dans *The Journal of National Cancer Institute*, January 5, 2000.

Chaker, L., Bianco, A. C., Jonklaas, J. & Peeters, R. P. Hypothyroidism. *Lancet* 390, 1550–1562 (2017).

Chen N.T. et al., Aryl hydrocarbon receptor-mediated antioestrogenic and antitumorigenic activity of di-indolylmethane, *Carcinogenesis*, 1998, 19: 1631-1639.

Dalessandri K.M. et al., Pilot study: effect of 3,3'-di-indolylmethane supplements on urinary hormone metabolites in postmenopausal women with a history of early-stage breast cancer, *Nut. Cancer*, 2004, 50(2): 161-7.

De Leo, S., Lee, S. Y. & Braverman, L. E. Hyperthyroidism. *Lancet* 388, 906–918 (2016).

Dumont, J. et al. Ontogeny, anatomy, metabolism and physiology of the thyroid. *Thyroid Disease Manager* <https://www.thyroidmanager.org/chapter/ontogeny-anatomy-metabolism-and-physiology-of-the-thyroid> (2011).

Dupont E. et al., The prognostic value of altered estrogen metabolism in breast cancer, *Annals of surgical oncology*, 2000, 7(1): supplement.

Ford, G. & LaFranchi, S. H. Screening for congenital hypothyroidism: a worldwide view of strategies. *Best*

Gittoes, N. J. L. & Franklyn, J. A. Drug-induced thyroid disorders. *Drug Safety* 13, 46–55 (1995).

Hoogendoorn, E. H. et al. Thyroid function and prevalence of anti-thyroperoxidase antibodies in a population with borderline sufficient iodine intake: influences of age and sex. *Clin. Chem.* 52, 104–111 (2006).

Le H.T. et al., Plant derived 3,3'-di-indolylmethane is a strong androgen antagonist in human prostate cancer cells, *J. Biol. Chem.*, 2003 Mar 27.

Livelli di Assunzione Raccomandati di Nutrienti per la popolazione italiana (LARN) – Società Italiana di Nutrizione Umana (S.I.N.U.) – pag. 175:179.

Michnovicz J.J. et al., Changes in levels of urinary estrogen metabolites after oral indole-3-carbinol treatment in human, *J. Natl. Cancer Inst.*, 1997 May 21, 89(10): 718-23.

Muti P. et al., Metabolism and risk of breast cancer: a prospective analysis of 2:16 hydroxyestrone ratio in premenopausal and postmenopausal women, *Cancer Epidemiology*, 2000, 11: 635-640.

Nachshon-Kedmi M. et al., Therapeutic activity of 3'-di-indolylmethane on prostate cancer in an in vivo model, *Prostate*, 2004 Oct 1, 61(2): 153-60.

Pearce EN, Andersson M, Zimmermann MB. Global iodine nutrition: where do we stand in 2013? *Thyroid* 2013; 23:523–528.

Pract. Res. Clin. Endocrinol. Metab. 28, 175–187 (2014).

Rice, S. P., Boregowda, K., Williams, M. T., Morris, G. C. & Okosieme, O. E. A. Welsh-sparing dysphasia. *Lancet* 382, 1608 (2013).

World Health Organization (WHO). Assessment of iodine deficiency disorders and monitoring their elimination: a guide for programme managers. www.who.int/nutrition/publications/micronutrients/iodine-deficiency/9789241595827/en/. Accessed December 1, 2016.

Zumoff B., Hormonal profiles in women with breast cancer *Obstet Gyn Clin North America*, 1994;21(4):751-772

IPERICO

Alieh Eatemadnia et al., The effect of *Hypericum perforatum* on postmenopausal symptoms and depression: A randomized controlled trial. *Complementary Therapies in Medicine*. 2019 Aug; 45:109-113.

Carmen Concerto et al., *Hypericum perforatum* extract modulates cortical plasticity in humans. *Psychopharmacology (Berl)*. 2018 Jan;235(1):145-153.

Eldad Yechiam et al., The acute effect of *Hypericum perforatum* on short-term memory in healthy adults. *Psychopharmacology (Berl)*. 2019 Feb;236(2):613-623.

Matthew B Warren et al., Subchronic treatment with St John's wort produces a positive shift in emotional processing in healthy volunteers. *Journal of Psychopharmacology*. 2019 Feb;33(2):194-201.

Qin Xiang Ng et al., Clinical use of *Hypericum perforatum* (St John's wort) in depression: A meta-analysis. *Journal of Affective Disorders*. 2017 Mar 1; 210:211-221.

ISOFLAVONI DELLA SOIA

Bi JYX, Yu B, et al. Isoflavones: Anti-Inflammatory Benefit and Possible Caveats. *Nutrients*, 2016. 10;8(6):361

Clair RS and Anthony M. Soy, isoflavones and atherosclerosis. *Handb Exp Pharmacol*, 2005 (170):301-23

Demonty I, Lamarche B, et al. Role of isoflavones in the hypocholesterolemic effect of soy. *Nutr Rev*. 2003 61(6 pt 1) 189-203

Hüser S, Guth S, et al. Effects of isoflavones on breast tissue and the thyroid hormone system in humans: a comprehensive safety evaluation. *Arch Toxicol*, 2018 92(9):2703-2748

Irrera N, Pizzino G, et al. Dietary Management of Skin Health: The Role of Genistein. *Nutrients*, 2017;9(6):622

Lambert MNT and Jeppesen PB. Isoflavones and bone health in perimenopausal and postmenopausal women. *Curr Opin Clin Nutr Metab Care*, 2018 21(6):475-480

Lu Y and An Y. Dietary soybean isoflavones in Alzheimer's disease prevention of facts and underlying mechanisms. *Asia Pac J Clin Nutr*, 2018;27(5):946-954

Mazumdera AR and Hongsprabhasb P. Genistein as antioxidant and antibrowning agents in in vivo and in vitro: A review. *Biomedicine & Pharmacotherapy*, 2016 82:379-92

Messina M. Soy and Health Update: Evaluation of the Clinical and Epidemiologic Literature. *Nutrients*, 2016 61(4):117-31, 8(12):745

Mukunda V, Mukundb D, et al. Genistein: Its role in metabolic diseases and cancer. *Critical Reviews in Oncology / Hematology*, 2017 119:13-22

Nagata C, Inaba S, Kawakami N, Kakizoe T, Shimizu H. Inverse association of soy product intake with serum androgen and estrogen concentrations in Japanese men. *Nutrition And Cancer* . 2000;36(1):14-18.

Rizzo G and Baroni L. Soy, Soy Foods and Their Role in Vegetarian Diets. *Nutrients*, 2018 5;10(1):43.

Sukalingam K, Ganesan K, et al. An insight into the harmful effects of soy protein: A review. *Clin Ter*, 2015 166(3):131-9

Ziaei S and Halaby R. Dietary Isoflavones and Breast Cancer Risk. *Medicines*, 2017 7;4(2):18

KAVA KAVA

Apo S Aporosa et al., Kava drinking in traditional settings: Towards understanding effects on cognitive function. *Human Psychopharmacology*. 2020 Mar;35(2): e2725.

J Sarris et al., Kava for the treatment of generalized anxiety disorder RCT: analysis of adverse reactions, liver function, addiction, and sexual effects. *Phytotherapy Research: PTR*. 2013 Nov;27(11):1723-8.

J Sarris et al., The acute effects of kava and oxazepam on anxiety, mood, neurocognition; and genetic correlates: a randomized, placebo-controlled, double-blind study. *Human Psychopharmacology*. 2012 May;27(3):262-9.

Jerome Sarris et al., Kava in the treatment of generalized anxiety disorder: a double-blind, randomized, placebo-controlled study. *Journal of Clinical Psychopharmacology*. 2013 Oct;33(5):643-8.

Karen M Savage et al., Kava for the treatment of generalised anxiety disorder (K-GAD): study protocol for a randomised controlled trial. *Trials*. 2015 Nov 2;16:493.

Katelyn Smith et al., The effectiveness and safety of Kava Kava for treating anxiety symptoms: A systematic review and analysis of randomized clinical trials. *Complementary Therapies Clinical Practice*. 2018 Nov; 33:107-117.

Kenny Kuchta et al., Kava (Piper methysticum) Extract for the Treatment of Nervous Anxiety, Tension and Restlessness. *Drug Research (Stuttg)*. 2021 Feb;71(2):83-93.

Soo Liang Ooi et al., Kava for Generalized Anxiety Disorder: A Review of Current Evidence. *Journal of Alternative Complementary Medicine*. 2018 Aug;24(8):770-780.

LIQUIRIZIA

Adeneye, A.A. Subchronic and chronic toxicities of African medicinal plants. *Toxicol. Surv. Afr. Med. Plants* 2014, 99–133

Al-Snafi, A.E. *Glycyrrhiza glabra*: A phytochemical and pharmacological review. *J. Pharm.* 2018, 8, 1–17

Atieh Hajirahimkhan, et al., Estrogen Receptor (ER) Subtype Selectivity Identifies 8-Prenylapigenin as an ER β Agonist from *Glycyrrhiza inflata* and Highlights the Importance of Chemical and Biological Authentication. *J Nat Prod* 2018 Apr 27;81(4):966-975.

Chiara Sabbadin, et al., Licorice: From Pseudohyperaldosteronism to Therapeutic Uses 2019 Jul 18;10:484. doi: 10.3389/fendo.2019.00484. eCollection 2019.

Dalia Somjen, et al., Estrogen-like activity of licorice root constituents: glabridin and glabrene, in vascular tissues in vitro and in vivo. *J Steroid Biochem Mol Biol* 2004 Jul;91(3):147-55.

Decio Armanini Mee, et al., Licorice reduces serum testosterone in healthy women Volume 69, Issues 11–12, October–November 2004, Pages 763-766

Fatemeh Ashkar, et al., The Role of medicinal herbs in treatment of insulin resistance in patients with Polycystic Ovary Syndrome: A literature review. *Biomol Concepts*. 2020 Mar 26;11(1):57-75.

Hyun Yang, et al., Licorice ethanol extract improves symptoms of polycytic ovary syndrome in Letrozole-induced female rats- Integrative Medicine Research. Volume 7, Issue 3, September 2018, Pages 264-270

Hyun-Yong Kim, et al., Acute and subchronic toxicity study of nonpolar extract of licorice roots in mice. *Food Sci Nutr*. 2020 Apr 8;8(5):2242-2250.

Isbrucker, R.A.; Burdock, G.A. Risk and safety assessment on the consumption of Licorice root (*Glycyrrhiza* sp.), its extract and powder as a food ingredient, with emphasis on the pharmacology and toxicology of glycyrrhizin. *Regul. Toxicol. Pharmacol.* 2006, 4, 167–192

Lin Yang, et al., The anti-diabetic activity of licorice, a widely used Chinese herb. *J Ethnopharmacol*. 2020 Dec 5;263:113216.

Maryam Shamsi, et al., Protective effects of licorice extract on ovarian morphology, oocyte maturation, and embryo development in PCOS-induced mice: An experimental study *Int J Reprod Biomed*. 2020 Oct 13;18(10):865-876.

Nayak, C.; Singh, V.; Singh, K. *Glycyrrhiza glabra*-A multicentric clinical verification study. *Indian J. Res. Homeopath*. 2010, 4, 22–26.

Nayana Devang, et al., Effect of licorice on patients with HSD11B1 gene polymorphisms- a pilot study. *J Ayurveda Integr Med*. 2020 Aug 12;S0975-9476(18)30572-2.

Omar, H.R., et al., Licorice abuse: Time to send a warning message. *Ther. Adv. Endocrinol. Metab.* 2012, 3, 125–138

Rahele Kargozar, et al., A review of effective herbal medicines in controlling menopausal symptoms. *Electron Physician*. 2017 Nov 25;9(11):5826-5833.

Shuai Wang, et al., Evidence for Chemopreventive and Resilience Activity of Licorice: *Glycyrrhiza Glabra* and *G. Inflata* Extracts Modulate Estrogen Metabolism in ACI Rats 2018 Dec;11(12):819-830.

Tamir S., et al., Estrogen-like activity of glabrene and other constituents isolated from licorice root. *J Steroid Biochem Mol Biol*. 2001 Sep;78(3):291-8.

Vispute, S.; Khopade, A. *Glycyrrhiza glabra* Linn–Klitaka: A review. *Inter. J. Pharma Bio Sci*. 2011, 2, 42–51.

Wei Zhang, et al., Hypoglycemic effect of glycyrrhizic acid, a natural non-carbohydrate sweetener, on streptozotocin-induced diabetic mice. 2020 May 1;11(5):4160-4170.

LUPPOLO

Aghamiri V, et al., The effect of Hop (*Humulus lupulus* L.) on early menopausal symptoms and hot flashes: A randomized placebo-controlled trial. *Complement Ther Clin Pract*. 2016 May;23:130-5.

Chadwick LR, Pauli GF, Farnsworth NR. The pharmacognosy of *Humulus lupulus* L. (hops) with an emphasis on estrogenic properties. *Phytomedicine*. 2006 Jan;13(1-2):119-31.

Hamm AK, et al., The Effect of Hops (*Humulus lupulus* L.) Extract Supplementation on Weight Gain, Adiposity and Intestinal Function in Ovariectomized Mice. *Nutrients*. 2019 Dec 7;11(12):3004.

Hemachandra LP, et al., Hops (*Humulus lupulus*) inhibits oxidative estrogen metabolism and estrogen-induced malignant transformation in human mammary epithelial cells (MCF-10A).

Kyrou I, et al., Effects of a hops (*Humulus lupulus* L.) dry extract supplement on self-reported depression, anxiety and stress levels in apparently healthy young adults: a randomized, placebo-controlled, double-blind, crossover pilot study. *Hormones (Athens)*. 2017 Apr;16(2):171-180.

Mbachu OC, et al., SAR Study on Estrogen Receptor α/β Activity of (Iso)flavonoids: Importance of Prenylation, C-Ring (Un)Saturation, and Hydroxyl Substituents. *J Agric Food Chem*. 2020 Sep 30;68(39):10651-10663.

Nuutinen T. Medicinal properties of terpenes found in *Cannabis sativa* and *Humulus lupulus*. *Eur J Med Chem*. 2018 Sep 5;157:198-228.

Štulíková K, et al., Therapeutic Perspectives of 8-Prenylnaringenin, a Potent Phytoestrogen from Hops. *Molecules*. 2018 Mar 15;23(3):660.

MACA

Alcalde AM., Rabasa J., Does *Lepidium meyenii* (Maca) improve seminal quality?. Wiley Online Library. First published: 12 July 2020

Brooks NA., et al., Beneficial effects of *Lepidium meyenii* (Maca) on psychological symptoms and measures of sexual dysfunction in postmenopausal women are not related to estrogen or androgen content. *Menopause*. Nov-Dec 2008;15(6):1157-62.

Choi EH., et al., Supplementation of standardized lipid-soluble extract from maca (*Lepidium meyenii*) increases swimming endurance capacity in rats. Science Direct. *Journal of Functional Foods*. Volume 4, Issue 2, April 2012, Pages 568-573

Cobo B. *History of the New World*. Madrid, Spain: Biblioteca de Autores Españoles; 1956

Dini A, et al., Chemical composition of *Lepidium meyenii*. *Food Chemistry*. 1994;49(4):347-349.

Dording CM., et al., A Double-Blind, Randomized, Pilot Dose-Finding Study of Maca Root (*L. meyenii*) for the Management of SSRI-Induced Sexual Dysfunction. Wiley Online Library. First published: 13 August 2008

Fei W., et al., The effects of aqueous extract of Maca on energy metabolism and immunoregulation. *Eur J Med Res*. 2020 Jun 29;25(1):24.

Gasco M., et al., Dose-response effect of Red Maca (*Lepidium meyenii*) on benign prostatic hyperplasia induced by testosterone enanthate. *Phytomedicine*. 2007 Aug;14(7-8):460-4.

Gasco M., et al., Effect of chronic treatment with three varieties of *Lepidium meyenii* (Maca) on reproductive parameters and DNA quantification in adult male rats. *Andrologia*. 2007 Aug;39(4):151-8.

Gonzales Carla, et al., Effect of short-term and long-term treatments with three ecotypes of *Lepidium meyenii* (MACA) on spermatogenesis in rats. *J Ethnopharmacol*. 2006 Feb 20;103(3):448-54.

Gonzales Carla, et al., Effects of different varieties of Maca (*Lepidium meyenii*) on bone structure in ovariectomized rats. *Forsch Komplementmed*. 2010;17(3):137-43.

Gonzales G. F., et al., A mixture of extracts from Peruvian plants (black maca and yacon) improves sperm count and reduced glycemia in mice with streptozotocin-induced diabetes. *Toxicology Mechanisms and Methods*. 2013;23(7):509-518.

Gonzales GF. Biological effects of *Lepidium meyenii*, maca, a plant from the highlands of Peru. In: Singh VK, Bhardwaj R, Govil JN, Sharma RK, editors. *Natural Products*. Vol. 15. Houston, Tex, USA: Studium Press; 2006. pp. 209-234.

Gonzales GF. Ethnobiology and Ethnopharmacology of *Lepidium meyenii* (Maca), a Plant from the Peruvian Highlands. *Evid Based Complement Alternat Med*. 2012;2012:193496.

Gonzales GF., et al., Antagonistic effect of *Lepidium meyenii* (red maca) on prostatic hyperplasia in adult mice. *Andrologia*. 2008 Jun;40(3):179-85.

Gonzales GF., et al., Effect of *Lepidium meyenii* (MACA) on sexual desire and its absent relationship with serum testosterone levels in adult healthy men. *Andrologia*. 2002 Dec;34(6):367-72.

Gonzales GF., et al., Effect of two different extracts of red maca in male rats with testosterone-induced prostatic hyperplasia. *Asian J Androl*. 2007 Mar;9(2):245-51.

Gonzales GF., et al., *Lepidium meyenii* (Maca) improved semen parameters in adult men. *Asian J Androl*. 2001 Dec;3(4):301-3.

Gonzales GF., et al., *Lepidium meyenii* (Maca): a plant from the highlands of Peru--from tradition to science. *Forsch Komplementmed*. 2009 Dec;16(6):373-80.

Gonzales GF., et al., Red maca (*Lepidium meyenii*) reduced prostate size in rats. *Reprod Biol Endocrinol*. 2005 Jan 20;3:5.

Gonzales-Arimborgo C., et al., Acceptability, Safety, and Efficacy of Oral Administration of Extracts of Black or Red Maca (*Lepidium meyenii*) in Adult Human Subjects: A Randomized, Double-Blind, Placebo-Controlled Study. *Pharmaceuticals (Basel)*. 2016 Aug 18;9(3):49.

Guo SS., et al., Preservation of Cognitive Function by *Lepidium meyenii* (Maca) Is Associated with Improvement of Mitochondrial Activity and Upregulation of Autophagy-Related Proteins in Middle-Aged Mouse Cortex. *Hindawi. Evidence-Based Complementary and Alternative Medicine / 2016*. Volume 2016 |Article ID 4394261

Lee MS., et al., Maca (*Lepidium meyenii*) for treatment of menopausal symptoms: A systematic review. *Maturitas*. 2011 Nov;70(3):227-33.

Lee MS., et al., The use of maca (*Lepidium meyenii*) to improve semen quality: A systematic review. *Maturitas*. 2016 Oct;92:64-69.

Li Gengy, et al., Glucosinolate contents in maca (*Lepidium peruvianum* Chacón) seeds, sprouts, mature plants and several derived commercial products. *Economic Botany* volume 55, pages 255–262(2001)

Lopez-Fando A., et al., *Lepidium peruvianum* chacon restores homeostasis impaired by restraint stress. *Phytother Res*. 2004 Jun;18(6):471-4.

McCollom MM, et al., Analysis of macamides in samples of Maca (*Lepidium meyenii*) by HPLC-UV-MS/MS. *Phytochem Anal Nov-Dec 2005*;16(6):463-9

Melnikovova I., et al., Effect of *Lepidium meyenii* Walp. on Semen Parameters and Serum Hormone Levels in Healthy Adult Men: A Double-Blind, Randomized, Placebo-Controlled Pilot Study. *Evid Based Complement Alternat Med*. 2015;2015:324369.

Oshima M., Gu Y. W., Tsukada S. Effects of *Lepidium meyenii* Walp and *Jatropha macrantha* on blood levels of estradiol-17 β , progesterone, testosterone and the rate of embryo implantation in mice. *Journal of Veterinary Medical Science*. 2003;65(10):1145–1146.

Rubio J., et al., Aqueous and hydroalcoholic extracts of Black Maca (*Lepidium meyenii*) improve scopolamine-induced memory impairment in mice. *Food Chem Toxicol*. 2007 Oct;45(10):1882-90.

Rubio J., et al., Aqueous Extract of Black Maca (*Lepidium meyenii*) on Memory Impairment Induced by Ovariectomy in Mice. *Evid Based Complement Alternat Med*. 2011;2011:253958.

Rubio J., et al., Effect of three different cultivars of *Lepidium meyenii* (Maca) on learning and depression in ovariectomized mice. *BMC Complement Altern Med*. 2006 Jun 23;6:23.

Ruiz H. *Relación histórica del viaje a los reinos del Perú y Chile, 1777-1778*. Madrid, Spain: Academia de Ciencias Exactas, Físicas y Naturales; 1952

Shin B-C., et al., Maca (*L. meyenii*) for improving sexual function: a systematic review. *BMC Complement Altern Med*. 2010 Aug 6;10:44.

Shin, S.H., et al., Gelatinized and Fermented Powders of *Lepidium meyenii* (Maca) Improve Physical Stamina and Epididymal Sperm Counts in Male Mice (2008). Korea Agricultural Science Digital Library

Steinbrecher A., et al., Dietary glucosinolate intake and risk of prostate cancer in the EPIC-Heidelberg cohort study. *Int J Cancer*. 2009 Nov 1;125(9):2179-86.

Stojanovska L., et al., Maca reduces blood pressure and depression, in a pilot study in postmenopausal women. *Climacteric*. 2015 Feb;18(1):69-78.

Stone M., et al., A pilot investigation into the effect of maca supplementation on physical activity and sexual desire in sportsmen. *J Ethnopharmacol*. 2009 Dec 10;126(3):574-6.

Tafari S., et al., Chemical Analysis of *Lepidium meyenii* (Maca) and Its Effects on Redox Status and on Reproductive Biology in Stallions. *Molecules*. 2019 May; 24(10): 1981.

Uchiyama F., Jikyo T., Takeda R., Ogata M. *Lepidium meyenii* (Maca) enhances the serum levels of luteinising hormone in female rats. *Journal of Ethnopharmacology*. 2014;151(2):897–902.

Valerio Jr LG., et al., Toxicological aspects of the South American herbs cat's claw (*Uncaria tomentosa*) and Maca (*Lepidium meyenii*) : a critical synopsis. *Toxicol Rev*. 2005;24(1):11-35.

Valerio LG, Gonzales GF. Toxicological aspects of the South American herbs cat's claw (*Uncaria tomentosa*) and maca (*Lepidium meyenii*): a critical synopsis. *Toxicological Reviews*. 2005;24(1):11–35

Wang Z., et al., Influence of *Lepidium meyenii* walp on lipid and bone mass in ovariectomized rats. *Wei Sheng Yan Jiu*. 2009 Jul;38(4):420-2, 425.

Ybañez-Julca RO., et al., Maca extracts and estrogen replacement therapy in ovariectomized rats exposed at high altitude. *Reprod Med Biol*. 2020 Nov 11;20(1):88-95

Zhang Y., et al., Effect of ethanol extract of *Lepidium meyenii* Walp. on osteoporosis in ovariectomized rat. *J Ethnopharmacol*. 2006 Apr 21;105(1-2):274-9.

Zheng BL., et al., Effect of Aqueous Extract from *Lepidium meyenii* on Mouse Behavior in Forced Swimming Test. *Quality Management of Nutraceuticals*. Chapter 18 pp 258-268. ACS Symposium Series Vol. 803

MAITAKE

- Adachi, Y.; et al., Enhancement of cytokine production by macrophages stimulated with (1→3)-β-D-glucan, grifolan (GRN), isolated from *Grifola frondosa*. *Biol. Pharm. Bull.* 1994, 17, 1554–1560
- Chan, J.Y.-Y.; et al., Enhancement of in vitro and in vivo anticancer activities of polysaccharide peptide from *Grifola frondosa* by chemical modifications. *Pharm. Biol.* 2011, 49, 1114–1120
- Chen, G.-t.; Ma, X.-m.; Liu, S.-t.; Liao, Y.-l.; Zhao, G.-q. Isolation, purification and antioxidant activities of polysaccharides from *Grifola frondosa*. *Carbohydr. Polym.* 2012, 89, 61–66
- Chen, S.; et al., Pyrrole alkaloids and ergosterols from *Grifola frondosa* exert anti-α-glucosidase and antiproliferative activities. *J. Funct. Foods* 2018, 43, 196–205
- Chen, Y.; et al., Hypoglycemic activity and gut microbiota regulation of a novel polysaccharide from *Grifola frondosa* in type 2 diabetic mice. *Food Chem. Toxicol.* 2019, 126, 295–302
- Cohen, N.; et al., Chemical composition and nutritional and medicinal value of fruit bodies and submerged cultured mycelia of culinary-medicinal higher Basidiomycetes mushrooms. *Int. J. Med. Mushrooms* 2014, 16, 273–291
- Cui, F.; et al., Purification and partial characterization of a novel anti-tumor glycoprotein from cultured mycelia of *Grifola frondosa*. *Int. J. Biol. Macromol.* 2013, 62, 684–690
- Fan L, et al., A Polysaccharide Extract from Maitake Culinary-Medicinal Mushroom, *Grifola frondosa* (Agaricomycetes) Ameliorates Learning and Memory Function in Aluminum Chloride-Induced Amnesia in Mice. *Int J Med Mushrooms.* 2019;21(11):1065-1074. doi: 10.1615/IntJMedMushrooms.2019032914. PMID: 32450016
- Gu, C.-Q.; et al., Isolation, identification and function of a novel anti-HSV-1 protein from *Grifola frondosa*. *Antivir. Res.* 2007, 75, 250–257
- Han, C.; Cui, B. Pharmacological and pharmacokinetic studies with agaricoglycerides, extracted from *Grifola frondosa*, in animal models of pain and inflammation. *Inflammation* 2012, 35, 1269–1275
- He, X.; et al., Extraction, identification and antimicrobial activity of a new furanone, grifolaone A, from *Grifola frondosa*. *Nat. Prod. Res.* 2016, 30, 941–947
- Hobbs C. *Grifola frondosa* monograph. Santa Cruz, CA: Botanica Press; 1995:110-115
- Kabir, Y.; Yamaguchi, M.; Kimura, S. Effect of Shiitake (*Lentinus edodes*) and Maitake (*Grifola frondosa*) mushrooms on blood pressure and plasma lipids of spontaneously hypertensive rats. *J. Nutr. Sci. Vitaminol.* 1987, 33, 341–346
- Kawagishi, H.; et al., Isolation and characterization of a lectin from *Grifola frondosa* fruiting bodies. *BBA Gen. Subj.* 1990, 1034, 247–252
- Kodama, N.; Komuta, K.; Sakai, N.; Nanba, H. Effects of D-Fraction, a polysaccharide from *Grifola frondosa* on tumor growth involve activation of NK cells. *Biol. Pharm. Bull.* 2002, 25, 1647–1650
- Kodama, N.; Murata, Y.; Nanba, H. Administration of a polysaccharide from *Grifola frondosa* stimulates immune function of normal mice. *J. Med. Food* 2004, 7, 141–145
- Konno, S.; Alexander, B.; Zade, J.; Choudhury, M. Possible hypoglycemic action of SX-fraction targeting insulin signal transduction pathway. *Int. J. Gen. Med.* 2013, 6, 181–187
- Kubo K, Nanba H. The effect of maitake mushrooms on liver and serum lipids. *Altern Ther Health Med* 1996; 2:62-66
- Kubo, K.; Nanba, H. Anti-hyperlipidosis effect of Maitake fruit body (*Grifola frondosa*). *I. Biol. Pharm. Bull.* 1997, 20, 781–785
- Lee, B.C.; et al., Biological activities of the polysaccharides produced from submerged culture of the edible Basidiomycete *Grifola frondosa*. *Enzym. Microb. Technol.* 2003, 32, 574–581
- Lei, H.; Ma, X.; Wu, W. Anti-diabetic effect of an α-glucan from fruit body of maitake (*Grifola frondosa*) on KK-Ay mice. *J. Pharm. Pharmacol.* 2007, 59, 575–582
- Li, X.; Zeng, F.; Huang, Y.; Liu, B. The positive effects of *Grifola frondosa* heteropolysaccharide on NAFLD and regulation of the gut microbiota. *Int. J. Mol. Sci.* 2019, 20, 5302
- Li, X.-Q.; Liu, A.-J. Relationship between heat treatment on structural properties and antitumor activity of the cold-water soluble polysaccharides from *Grifola frondosa*. *Glycoconj. J.* 2020, 37, 107–117
- Lin, J.-T.; Liu, W.-H. o-Orsellinaldehyde from the submerged culture of the edible mushroom *Grifola frondosa* exhibits selective cytotoxic effect against Hep 3B cells through apoptosis. *J. Agric. Food Chem.* 2006, 54, 7564–7569
- Liu, L.; et al., Natural polysaccharides exhibit anti-tumor activity by targeting gut microbiota. *Int. J. Biol. Macromol.* 2019, 121, 743–751
- Masuda, Y.; Kodama, N.; Nanba, H. Macrophage J774. 1 cell is activated by MZ-Fraction (Klasma-MZ) polysaccharide in *Grifola frondosa*. *Mycoscience* 2006, 47, 360–366
- Meng, M.; et al., Isolation, purification, structural analysis and immunostimulatory activity of water-soluble polysaccharides from *Grifola Frondosa* fruiting body. *Carbohydr. Polym.* 2017, 157, 1134–1143
- Nanba, H.; Kubo, K. Antitumor Substance Extracted from *Grifola*. U.S. Patent 5,854,404, 29 December 1998
- Ohno, N.; et al., Antitumor activity and structural characterization of glucans extracted from cultured fruit bodies of *Grifola frondosa*. *Chem. Pharm. Bull.* 1984, 32, 1142–1151

Ohtsuru M. Anti-obesity activity exhibited by orally administered powder of maitake mushrooms (*Grifola frondosa*). *Anshin*. 1992:198-200

Su, C.-H.; et al., A (1→6)-Branched (1→4)-β-d-Glucan from *Grifola frondosa* Inhibits Lipopolysaccharide-Induced Cytokine Production in RAW264.7 Macrophages by Binding to TLR2 Rather than Dectin-1 or CR3 Receptors. *J. Nat. Prod.* 2020, 83, 231–242

Tsao, Y.-W.; et al., Characterization of a novel maitake (*Grifola frondosa*) protein that activates natural killer and dendritic cells and enhances antitumor immunity in mice. *J. Agric. Food Chem.* 2013, 61, 9828–9838

Wang, Y.; et al., A heteropolysaccharide, l-fuco-d-manno-1, 6-α-d-galactan extracted from *Grifola frondosa* and antiangiogenic activity of its sulfated derivative. *Carbohydr. Polym.* 2014, 101, 631–641

Xiao, C.; Wu, Q.; Xie, Y.; Zhang, J.; Tan, J. Hypoglycemic effects of *Grifola frondosa* (Maitake) polysaccharides F2 and F3 through improvement of insulin resistance in diabetic rats. *Food Funct.* 2015, 6, 3567–3575

Yeh, J.-Y.; et al., Antioxidant properties and antioxidant compounds of various extracts from the edible basidiomycete *Grifola frondosa* (Maitake). *Molecules* 2011, 16, 3197–3211

Zhang, Y.; Mills, G.L.; Nair, M.G. Cyclooxygenase inhibitory and antioxidant compounds from the mycelia of the edible mushroom *Grifola frondosa*. *J. Agric. Food Chem.* 2002, 50, 7581–7585

Zhao, C.; et al., Structural characterization and antiviral activity of a novel heteropolysaccharide isolated from *Grifola frondosa* against enterovirus 71. *Carbohydr. Polym.* 2016, 144, 382–389

Zhao, F.; et al., Synergistic apoptotic effect of d-fraction from *Grifola frondosa* and vitamin C on hepatocellular carcinoma SMMC-7721 cells. *Integr. Cancer Ther.* 2017, 16, 205–214

Zhuang, C.; Kawagishi, H.; Preuss, H.G. Glycoprotein with Antidiabetic, Antihypertensive, Antiobesity and Antihyperlipidemic Effects from *Grifola frondosa*, and a Method for Preparing Same. U.S. Patent 7,214,778, 8 May 2007

MAQUI

Alvarado J., et al., “Delphinol® standardized maqui berry extract significantly lowers blood glucose and improves blood lipid profile in prediabetic individuals in three-month clinical trial”. *Panminerva Medica*; 2016 September;58(3 Suppl 1):1-6

Briebesca-Cruz I., et al., “Maqui berry (*Aristotelia chilensis*) extract improves memory and decreases oxidative stress in male rat brain exposed to ozone”. *Nutr Neurosci.* 2019 Jul 28:1-13.

Davinelli S. et al., “A Randomized Clinical Trial Evaluating the Efficacy of an Anthocyanin-Maqui Berry Extract (Delphinol®) on Oxidative Stress Biomarkers” *Journal Of The American College Of Nutrition*; 2015;34, No. S1, 28–33

Fuentealba J. et al., “Synaptic silencing and plasma membrane dyshomeostasis induced by amyloid-β peptide are prevented by *Aristotelia chilensis* enriched extract”. *J. Alzheimers Dis.*; 2012; 31 (4): 879-89.

Genskowky E. et al., “Determination of polyphenolic profile, antioxidant activity and antibacterial properties of maqui [*Aristotelia chilensis* (Molina) Stuntz] a Chilean blackberry”. *J Sci Food Agric*; 2016 Sep; 96 (12):423-42

Miranda-Rottmann S., et al., “Juice and phenolic fractions of the berry *Aristotelia chilensis* inhibit LDL oxidation in vitro and protect human endothelial cells against oxidative stress”. *J Agric Food Chem.* 2002 Dec 18;50(26):7542-7.

Sandoval V., et al., “Lyophilized Maqui (*Aristotelia chilensis*) Berry Induces Browning in the Subcutaneous White Adipose Tissue and Ameliorates the Insulin Resistance in High Fat Diet-Induced Obese Mice”. *Antioxidants (Basel)*. 2019 Sep 1;8(9):360.

MELAGRANA (PUNICA GRANATUM L.)

HUBER Roman, et al. Pomegranate (*Punica granatum*) Seed Oil for Treating Menopausal Symptoms: An Individually Controlled Cohort Study. *Alternative Therapies in Health & Medicine*, 2017, 23.2.

MORI-OKAMOTO Junko, et al. Pomegranate extract improves a depressive state and bone properties in menopausal syndrome model ovariectomized mice. *Journal of ethnopharmacology*, 2004, 92.1: 93-101.

TRAN Hoang Ngoc Ai, et al. Pomegranate (*Punica granatum*) seed linolenic acid isomers: concentration-dependent modulation of estrogen receptor activity. *Endocrine research*, 2010, 35.1: 1-16.

MELONE AMARO

Fernandes, N.P.; Lagishetty, C.V.; Panda, V.S.; Naik, S.R. An experimental evaluation of the antidiabetic and antilipidemic properties of a standardized *Momordica charantia* fruit extract”. *BMC Complement. Altern. Med.* 2007, 7, 29

Hossain M., et al., “Antihyperglycemic and Antihyperlipidemic of Karala (*Momordica charantia*) Fruits in Streptozotocin Induced Diabetic Rats”. *Journal of Environmental Science and Natural Resources*, 2012; 5(1), 29-37.

Jia S., et al., “Recent Advances in *Momordica charantia*: Functional Components and Biological Activities”. *Int. J. Mol. Sci.* 2017,18(12), 2555

Krawinkel M. B., et al., “Bitter gourd reduces elevated fasting plasma glucose levels in an intervention study among prediabetes in Tanzania”. *Journal of ethnopharmacology*; 2018 Apr 24; 216:1-7.

MORINGA OLEIFERA

- Anwas F., et al., "Moringa oleifera: a food plant with multiple medicinal uses". *Phytothe Res-* 2007 Jan; 21(1): 17-25
- Chauhan A. P., et al., "Extension of life span and stress tolerance modulated by DAF-16 in *Caenorhabditis elegans* under the treatment of *Moringa oleifera* extract". *3 Biotech*. 2020 Dec; 10(12):504
- Islam M. T., et al., "Anxiolytic-like effects of *Moringa oleifera* in Swiss mice". *Cell. Mol. Biol. (Noisy-le-grand)*. 2020 Jun 25;66(4):73-77.
- Mehta L. K., et al., "Effect of fruits of *Moringa oleifera* on the lipid profile of normal and hypercholesterolaemic rabbits". *J Ethnopharmacol* 2003 Jun; 86(2-3): 191–195
- Mishra G., et al., "Traditional uses, phytochemistry and pharmacological properties of *Moringa oleifera* plant: An overview". *Der Pharmacia Lettre*, 2011, 3(2): 141-164
- Monera T. G., et al., "*Moringa oleifera* leaf extracts inhibit 6 β -hydroxylation of testosterone by CYP3A4". *J Infect Dev Ctries*. 2008 Oct 1; 2(5): 379-383
- Ndong M., et al., "Effects of Oral Administration of *Moringa oleifera* Lam on Glucose Tolerance in Goto-Kakizaki and Wistar Rats". *J. Clin. Biochem Nutr*. 2007 May; 40(3): 229-33
- Razis A. F. A., et al., "Health benefits of *Moringa oleifera*". *Asian Pac. J. Cancer Prev.*; 2014, 15(20), 8571-76.
- Shih M. C., et al., "Effect of different parts (leaf, stem and stalk) and seasons (summer and winter) on the chemical compositions and antioxidant activity of *Moringa oleifera*". *Int J Mol Sci*. 2011;12(9):6077-88
- Siddhuraju P. et Becker K., "Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa oleifera* Lam.) leaves". *J Agric Food Chem*. 2003 Apr 9;51(8):2144-55

MUCUNA PRURIENS

- Cilia R., et al., *Mucuna pruriens* in Parkinson disease: A double-blind, randomized, controlled, crossover study. *Neurology*. 2017;89(5)
- Rana DG & Galani VJ, Dopamine mediated antidepressant effect of *Mucuna pruriens* seeds in various experimental models of depression. *AYU*, 2014; 35(1)
- Tavares LT., et al., *Mucuna pruriens* Administration Minimizes Neuroinflammation and Shows Anxiolytic, Antidepressant and Slimming Effects in Obese Rats. *Molecules*. 2020 Dec; 25(23)

MUIRA PUAMA

- Brunetti P., et al., Pharmacology of Herbal Sexual Enhancers: A Review of Psychiatric and Neurological Adverse Effects. *Pharmaceuticals (Basel)*. 2020 Oct; 13(10): 309
- Corazza O., et al., Sexual Enhancement Products for Sale Online: Raising Awareness of the Psychoactive Effects of Yohimbine, Maca, Horny Goat Weed, and Ginkgo biloba. *BioMed Research International / 2014*. Article ID 841798 (hindawi.com)
- Da Silva AL., et al., Anxiogenic properties of *Ptychopetalum olacoides* Benth. (Marapuama) - PubMed (nih.gov). *Phytother Res*. 2002 May;16(3):223-6
- Da Silva AL., et al., Memory retrieval improvement by *Ptychopetalum olacoides* in young and aging mice. *J Ethnopharmacol*. 2004 Dec;95(2-3):199-203.
- Da Silva AL., et al., MK801- and scopolamine-induced amnesias are reversed by an Amazonian herbal locally used as a "brain tonic". *Psychopharmacology (Berl)*. 2009 Jan;202(1-3):165-72.
- Da Silva AL., et al., Promnesic effects of *Ptychopetalum olacoides* in aversive and non-aversive learning paradigms – PubMed. *J Ethnopharmacol*. 2007 Feb 12;109(3):449-57
- Da Silva AL., et al., Promnesic effects of *Ptychopetalum olacoides* in aversive and non-aversive learning paradigms. *J Ethnopharmacol*. 2007 Feb 12;109(3):449-57
- Da Silva AL., et al., Serotonin receptors contribute to the promnesic effects of *P. olacoides* (Marapuama). *Physiol Behav*. 2008 Sep 3;95(1-2):88-92
- Ferrini MG., et al., Effect of ginger, *Paullinia cupana*, *muira puama* and L-citrulline, singly or in combination, on modulation of the inducible nitric oxide- NO-cGMP pathway in rat penile smooth muscle cells. *Nitric Oxide*. 2018 Jun 1;76:81-86
- Figueiró M., et al., Acetylcholinesterase inhibition in cognition-relevant brain areas of mice treated with a nootropic Amazonian herbal (Marapuama). *Phytomedicine*. 2010 Oct;17(12):956-62
- Figueiró M., et al., The Amazonian herbal Marapuama attenuates cognitive impairment and neuroglial degeneration in a mouse Alzheimer model. *Phytomedicine*. 2011 Feb 15;18(4):327-33.
- Fukuyama Y, et al., The search for, and chemistry and mechanism of, neurotrophic natural products. *J Nat Med*. 2020; 74(4): 648–671.

Li R, et al., Clerodane diterpenes: sources, structures, and biological activities. *Nat Prod Rep*. 2016 Oct 28; 33(10): 1166–1226.

Lim Peter HC, Asian herbals and aphrodisiacs used for managing ED. *Transl Androl Urol*. 2017 Apr; 6(2): 167–175.

Nguyen S., et al., Reduction of oxidative stress markers in the corpora cavernosa and media of penile dorsal artery in middle-aged rats treated with COMP-4. *Int J Impot Res*. 2021 Jan;33(1):67-74.

Nguyen S., et al., Reduction of oxidative stress markers in the corpora cavernosa and media of penile dorsal artery in middle-aged rats treated with COMP-4. *Int J Impot Res*. 2021 Jan;33(1):67-74.

Nguyen S., et al., Safety and efficacy of daily Revactin® in men with erectile dysfunction: a 3-month pilot study. *Transl Androl Urol*. 2018 Apr; 7(2): 266–273

Piato AL, et al., Antidepressant profile of *Ptychopetalum olacoides* Benth (Marapuama) in mice. *Phytother Res*. 2009 Apr;23(4):519-24.

Piato AL, et al., Anti-stress effects of the "tonic"*Ptychopetalum olacoides* (Marapuama) in mice. *Phytomedicine*. 2010 Mar;17(3-4):248-53

Piato AL, et al., Effects of Marapuama in the chronic mild stress model: further indication of antidepressant properties. *J Ethnopharmacol*. 2008 Jul 23;118(2):300-4

Powers CN, et al., A molecular docking study of phytochemical estrogen mimics from dietary herbal supplements. In *Silico Pharmacology*, 22 Mar 2015, 3:4

Siqueira I.R., et al., Psychopharmacological properties of *Ptychopetalum olacoides* Benth (Olacaceae) *Pharm. Biol*. 1998;36:327–334.

Siqueira I.R., et al., *Ptychopetalum olacoides*, a traditional Amazonian “nerve tonic”, possesses anticholinesterase activity. *Pharmacol. Biochem. Behav*. 2003;75:645–650.

Siqueira IR., et al., Antioxidant activities of *Ptychopetalum olacoides* ("muirapuama") in mice brain. *Phytomedicine*. 2007 Nov;14(11):763-9

Siqueira IR., et al., Neuroprotective effects of *Ptychopetalum olacoides* Benth (Olacaceae) on oxygen and glucose deprivation induced damage in rat hippocampal slices. *Life Sci*. 2004 Aug 27;75(15):1897-906

Siqueira IR., et al., Psychopharmacological Properties of *Ptychopetalum Olacoides* benth (Olacaceae). *Pharmaceutical Biology*: Vol 36, No 5. 29 sept. 2008 (tandfonline.com)

Tang W., et al., Eight new clerodane diterpenoids from the bark of *Ptychopetalum olacoides*. *Nat Prod Commun*. 2011 Mar;6(3):327-32.

Tian X., et al., Qualitative and quantitative analysis of chemical constituents of *Ptychopetalum olacoides* Benth. *Nat Prod Res*. 2018 Feb;32(3):354-357

Trindade EP, et al., Laboratory-Scale Preparation and Characterization of Dried Extract of Muirapuama (*Ptychopetalum olacoides* Benth) by Green Analytical Techniques. *Molecules*. 2020 Mar; 25(5): 1095.

Vaz Z.R., Mata L.V., Calixto J.B. Analgesic effect of the herbal medicine Catuama in thermal and chemical models of nociception in mice. *Phyther. Res*. 1997;11:101–106.

Waynberg J., et al., Effects of Herbal vX on libido and sexual activity in premenopausal and postmenopausal women. *Adv Ther*. Sep-Oct 2000;17(5):255-62

Wayneberg J. Yohimbine vs Muira puama in the treatment of erectile dysfunction. *The American J of Natural Medicine* 1994;1:8-9.

Wood Matthew, *The Book of Herbal Wisdom: Using Plants as Medicines* Paperback – September 15, 1997

MYO-INOSITOLE

Baillargeon JP., Luorno MJ., et al., Uncoupling between insulin and release of a D-chiro-inositol-containing inositol phosphoglycan mediator of insulin action in obese women with polycystic ovary syndrome. *Metab Syndr Relat Disord*. 2010 Apr;8(2):127-36.

Benjamin J., Agam G., et al., Inositol treatment in psychiatry. *Psychopharmacol Bull*. 1995;31(1):167-75.

Carlomagno & Unfer (2011), Inositol safety: clinical evidences. *Eur Rev Med Pharmacol Sci*, 15: 931-936

Carlomagno G., et al., Myo-inositol in the treatment of premenstrual dysphoric disorder. *Hum Psychopharmacol*. 2011 Oct; 26(7):526-30.

Cheang KI., et al., Insulin-stimulated release of D-chiro-inositol-containing inositol phosphoglycan mediator correlates with insulin sensitivity in women with polycystic ovary syndrome. *Metabolism*. 2008 Oct; 57(10): 1390-7.

Ciotta L., Stracquadanio M., et al., Effects of myo-inositol supplementation on oocyte's quality in PCOS patients: a double blind trial. *Eur Rev Med Pharmacol Sci*. 2011 May; 15(5): 509-14.

Colazingari S., et al., (2013). “The combined therapy myo-inositol plus D-chiro-inositol, rather than D-chiro-inositol, is able to improve IVF outcomes: results from a randomized controlled trial.” *Arch Gynecol Obstet* 288(6): 1405-1411.

Costantino D., Minozzi G., et al., Metabolic and hormonal effects of myo-inositol in women with polycystic ovary syndrome: a double-blind trial. *Eur Rev Med Pharmacol Sci*. 2009 Mar-Apr;13(2):105-10.

Croze ML., Soulage CO., Potential role and therapeutic interests of myo-inositol in metabolic diseases. *Biochimie* 2013 95 1811–1827. 10.1016/j.biochi.2013.05.011

Cunningham J., Yonkers KA., et al., Update on research and treatment of premenstrual dysphoric disorder. *Harv Rev Psychiatry*. 2009; 17(2):120-37.

Fruzzetti F., Perini D., et al., Comparison of two insulin sensitizers, metformin and myo-inositol, in women with polycystic ovary syndrome (PCOS). *Gynecol Endocrinol*. 2017 Jan; 33 (1): 39-42

Genazzani AD., Lanzoni C., et al., Myo-inositol administration positively affects hyperinsulinemia and hormonal parameters in overweight patients with polycystic ovary syndrome. *Gynecol Endocrinol*. 2008 Mar;24(3):139-44.

Genazzani AD., Prati A., et al., Differential insulin response to myo-inositol administration in obese polycystic ovary syndrome patients. *Gynecol. Endocrinol*. 2012. 28 969–973.

Gerli S., Mignosa M., et al., Effects of inositol on ovarian function and metabolic factors in women with PCOS: a randomized double blind placebo-controlled trial. *Eur Rev Med Pharmacol Sci*. 2003 Nov-Dec; 7(6):151-9.

Giordano D., Corrado F., et al., Effects of myo-inositol supplementation in postmenopausal women with metabolic syndrome: a perspective, randomized, placebo-controlled study. *Menopause*. 2011 Jan;18(1):102-4

Hirschberg AL. Polycystic ovary syndrome, obesity and reproductive implications. *Womens Health (Lond Engl)*. 2009 Sep; 5(5):529-40

Jamilian H., Jamilian M., et al., Comparison of myo-inositol and metformin on mental health parameters and biomarkers of oxidative stress in women with polycystic ovary syndrome: a randomised, double-blind, placebo-controlled trial. *J Psychosom Obstet Gynaecol*. 2018 Dec; 39(4): 307-314

Jamilian M., Farhat P., et al. Comparison of myo-inositol and metformin on clinical, metabolic and genetic parameters in polycystic ovary syndrome: A randomized controlled clinical trial. *Clin Endocrinol (Oxf)*. 2017;87(2):194–200.

Jung TS., et al., Determination of urinary Myo-/chiro-inositol ratios from Korean diabetes patients. *Yonsei Med J*. 2005 Aug 31;46(4):532-8.

Lovieno N., Dalton ED., et al., Second-tier natural antidepressants: Review and critique. *Journal of Affective Disorders*. 130 (2011): 343-357.

Merviel P., et al., Impact of myo-inositol treatment in women with polycystic ovary syndrome in assisted reproductive technologies. *BMC. Review. Reproductive Health* volume 18, Article number: 13 (2021)

Minozzi M., Costantino D., et al., The effect of a combination therapy with myo-inositol and a combined oral contraceptive pill versus a combined oral contraceptive pill alone on metabolic, endocrine, and clinical parameters in polycystic ovary syndrome. *Gynecol Endocrinol*. 2011 Nov;27(11):920-4.

Minozzi M., D'Andrea G., et al., Treatment of hirsutism with myo-inositol: a prospective clinical study. *Reprod Biomed Online*. 2008 Oct;17(4):579-82.

Minozzi M., et al., “The Combined therapy myo-inositol plus D-Chiro-inositol, in a

Monastra G., et al., Combining treatment with myo-inositol and D-chiro-inositol (40:1) is effective in restoring ovary function and metabolic balance in PCOS patients. *Gynecol Endocrinol*. 2017;33(1):1–9.

Nierenberg AA., et al., Treatment-resistant bipolar depression: a STEP-BD equipose randomized effectiveness trial of antidepressant augmentation with lamotrigine, inositol, or risperidone. *Am J Psychiatry*. 2006 Feb;163(2):210-6

Nierenberg AA., Ostacher MJ., et al., Treatment-resistant bipolar depression: a STEP-BD equipose randomized effectiveness trial of antidepressant augmentation with lamotrigine, inositol, or risperidone. *Am J Psychiatry*. 2006; 163: 210–216.

Nordio M., E. Proietti “The combined therapy with myo-inositol and D-chiroinositol reduces the risk of metabolic disease in PCOS overweight patients compared to myoinositol supplementation alone.” *Eur Rev Med Pharmacol Sci*. 2012 16(5): 575-581.

Nordio M., Pajalich R., Combined treatment with Myo-inositol and selenium ensures euthyroidism in subclinical hypothyroidism patients with autoimmune thyroiditis. *J Thyroid Res*. 2013;2013:424163

Nordio M., Basciani S., Treatment with Myo-Inositol and Selenium Ensures Euthyroidism in Patients with Autoimmune Thyroiditis. *Int J Endocrinol*. 2017; 2017: 2549491

Norman RJ., Dewailly D., et al., Polycystic ovary syndrome. *The Lancet*, Volume 370, Issue 9588, Pages 685-697, 25 August 2007

Papaleo E., et al., Myo-inositol in patients with polycystic ovary syndrome: a novel method for ovulation induction. *Gynecol Endocrinol*. 2007 Dec; 23(12):700-3.

Papaleo E., Unfer V., et al., Myo-inositol in patients with polycystic ovary syndrome: a novel method for ovulation induction. *Gynecol Endocrinol*. 2007 Dec;23(12):700-3. Epub 2007 Oct 10.

Papaleo E., Unfer V., et al., Myo-inositol may improve oocyte quality in intracytoplasmic sperm injection cycles. A prospective, controlled, randomized trial. *Fertil Steril*. 2009 May;91(5):1750-4.

physiological ratio, reduces the cardiovascular risk by improving the lipid profile in PCOS patients.” *Eur Rev Med Pharmacol Sci*. 2013. 17(4): 537-540.

quality in intracytoplasmic sperm injection cycles. A prospective, controlled, randomized

Rizzo P., Raffone E., Benedetto V., Effect of the treatment with myo-inositol plus folic acid plus melatonin in comparison with a treatment with myo-inositol plus folic acid on oocyte quality and pregnancy outcome in IVF cycles. A prospective, clinical trial. *Eur Rev Med Pharmacol Sci*. 2010 Jun;14(6):555-61.

Rocha AL., Oliviera FR., et al., Recent advances in the understanding and management of polycystic ovary syndrome. *F1000 Research*. 2019 Apr 26; 8: F1000 Faculty-Rev-565

Rotterdam ESHRE/ASRM-Sponsored PCOS Consensus Workshop Group: Revised 2003 consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome. *Fertil Steril*. 2004; 81(1):19–25.

Susuki S., et al., Urinary chiro-inositol excretion is an index marker of insulin sensitivity in Japanese type II diabetes. *Diabetes Care*. 1994 Dec;17(12):1465-8.

Tagliaferri V., Romualdi D., et al., Metformin vs myo-inositol: which is better in obese polycystic ovary syndrome patients? A randomized controlled crossover study. *Clin Endocrinol (Oxf)*. 2017;86(5):725–30. 10.1111/cen.13304

Teede HJ., Misso ML., Costello MF., et al., Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndrome. *Hum Reprod*. 2018;33(9):1602–18.

trial.” *Eur Rev Med Pharmacol Sci* 15(4): 452-457.

Unfer V., Carlomagno G., et al., Effects of myo-inositol in women with PCOS: a systematic review of randomized controlled trials. *Gynecol. Endocrinol*. 2012. 28 509–515.

Unfer, V., et al. (2011). “Myo-inositol rather than D-chiro-inositol is able to improve oocyte

Wang R., Mol BW., The Rotterdam criteria for polycystic ovary syndrome: evidence-based criteria? *Hum Reprod*. 2017;32(2):261–4.

NOOPEPT

Ostrovkaia R. U., et al., “Neuroprotective effect of novel cognitive enhancer noopept on AD-related cellular model involves the attenuation of apoptosis and tau hyperphosphorylation”; *J. Biomed. Sci*. 2014 Aug 6; 2(1):74

Ostrovkaia R. U., et al., “The nootropic and neuroprotective proline-containing dipeptide noopept restores spatial memory and increases immunoreactivity to amyloid in an Alzheimer's disease model”; *J. Psychopharmacol*. 2007 Aug; 21(6):611-9

Ostrovkaia R. U., et al., “The original novel nootropic and neuroprotective agent noopept”; *Eksp Klin Farmakol Sep-Oct 2002*;65(5):66-72

Perihan G., et al., “Effects of noopept on cognitive functions and pubertal process in rats with diabetes”; *Life Sci*. 2019 Sep 15; 233: 116698.

Vakhitov a Y. V., et al., “Molecular Mechanism Underlying the Action of Substituted Pro-Gly Dipeptide Noopept”; *Acta Naturae*; 2016 Jan-Mar; 8(1): 82-89

Zhiliuk V. I., et al., “Role of functional state of neuronal mitochondria of cerebral cortex in mechanisms of nootropic activity of neuroprotectors in rats with alloxan hyperglycemia”, *Eksp. Klin. Farmakol*. 2015; 78(2): 10-4

OMEGA-3

Abbott K., et al., Dietary supplementation with docosahexaenoic acid rich fish oil increases circulating levels of testosterone in overweight and obese men. *Prostaglandins Leukot Essent Fatty Acids*. 2020 Dec;163:102204.

Alessandra Borsini A., et al., Il ruolo degli acidi grassi omega-3 nella prevenzione della riduzione indotta dai glucocorticoidi nella neurogenesi ippocampale umana e nell'aumento dell'apoptosi. *Psichiatria traslazionale volume 10*, Numero articolo: 219 (2020)

Hennebelle M., et al., Influence of Omega-3 Fatty Acid Status on the Way Rats Adapt to Chronic Restraint Stress. *PLoS One*. 2012; 7 (7): e42142.

ORNITINA

Cynober L, et al. Action of ornithine alpha-ketoglutarate, ornithine hydrochloride, and calcium alpha-ketoglutarate on plasma amino acid and hormonal patterns in healthy subjects. *J Am Coll Nutr*. (1990)

Cynober L. Metabolic interaction between ornithine and alpha-ketoglutarate as a basis for the action of ornithine alpha-ketoglutarate. *Clin Nutr*. (1993)

Elam RP, et al. Effects of arginine and ornithine on strength, lean body mass and urinary hydroxyproline in adult males. *J Sports Med Phys Fitness*. (1989)

Evain-Brion D, et al. Simultaneous study of somatotrophic and corticotrophic pituitary secretions during ornithine infusion test. *Clin Endocrinol (Oxf)*. (1982)

Haruka Matsuo et al. Effects of time of L-ornithine administration on the diurnal rhythms of plasma growth hormone, melatonin, and corticosterone levels in mice. *Chronobiol Int* 2015 Mar;32(2):225-34.

Jones ME. Conversion of glutamate to ornithine and proline: pyrroline-5-carboxylate, a possible modulator of arginine requirements. *J Nutr*. (1985)

Kokubo T, et al. A randomized, double-masked, placebo-controlled crossover trial on the effects of L-ornithine on salivary cortisol and feelings of fatigue of flushers the morning after alcohol consumption. *Biopsychosoc Med.* (2013)

Krebs HA, Hems R, Lund P. Accumulation of amino acids by the perfused rat liver in the presence of ethanol. *Biochem J.* (1973)

Morris SM Jr. Regulation of enzymes of the urea cycle and arginine metabolism. *Annu Rev Nutr.* (2002)

Rees CJ, et al. Effect of L-ornithine-L-aspartate on patients with and without TIPS undergoing glutamine challenge: a double blind, placebo controlled trial. *Gut.* (2000)

Wallace HM, Fraser AV, Hughes A. A perspective of polyamine metabolism. *Biochem J.* (2003)

Wallace HM. The physiological role of the polyamines. *Eur J Clin Invest.* (2000)

Yee Yin Ho et al. L-Ornithine stimulates growth hormone release in a manner dependent on the ghrelin system *Food Funct* 2017 Jun 1;8(6):2110-2114.

Zajac A, et al. Arginine and ornithine supplementation increases growth hormone and insulin-like growth factor-1 serum levels after heavy-resistance exercise in strength-trained athletes. *J Strength Cond Res.* (2010)

Ziegler TR, et al. Ornithine ingestion and growth hormone release in bodybuilders. *Nutrition Research*, 10 (3), pp. 239-245, 1990

ORTICA (URTICA DIOICA)

Asadi-Samani M, et al., A screening of growth inhibitory activity of Iranian medicinal plants on prostate cancer cell lines. *Biomedicine (Taipei).* 2018 Jun;8(2):8.

Bakhshae M, et al., Efficacy of Supportive Therapy of Allergic Rhinitis by Stinging Nettle (*Urtica dioica*) root extract: a Randomized, Double-Blind, Placebo- Controlled, Clinical Trial. *Iran J Pharm Res.* 2017 Winter;16(Suppl):112-118. PMID: 29844782; PMCID: PMC5963652.

Chatterji S, Fogel D. Study of the effect of the herbal composition SR2004 on hemoglobin A1c, fasting blood glucose, and lipids in patients with type 2 diabetes mellitus. *Integr Med Res.* 2018 Sep;7(3):248-256.

Cicero AFG, et al., Nutraceutical treatment and prevention of benign prostatic hyperplasia and prostate cancer. *Arch Ital Urol Androl.* 2019 Oct 2;91(3).

Dhouibi R, et al., Screening of pharmacological uses of *Urtica dioica* and others benefits. *Prog Biophys Mol Biol.* 2020 Jan; 150:67-77.

El Haouari M, Rosado JA. Phytochemical, Anti-diabetic and Cardiovascular Properties of *Urtica dioica* L. (*Urticaceae*): A Review. *Mini Rev Med Chem.* 2019;19(1):63-71.

Erfani Majd N, Moradi HR, Moftakhar P. The Effects of *Urtica Dioica* L. Root Extract on Rat Testis. *Anatomical Sciences.* 2017; 14(2):83-90.

Esposito S, et al., Therapeutic Perspectives of Molecules from *Urtica dioica* Extracts for Cancer Treatment. *Molecules.* 2019 Jul 29;24(15):2753.

Fattahi S, et al., *Urtica dioica* inhibits cell growth and induces apoptosis by targeting Ornithine decarboxylase and Adenosine deaminase as key regulatory enzymes in adenosine and polyamines homeostasis in human breast cancer cell lines. *Cell Mol Biol (Noisy-le-grand).* 2018 Feb 28;64(3):97-102.

Fattahi S., et al., 2014. Total Phenolic and Flavonoid Contents of Aqueous Extract of Stinging Nettle and In Vitro Antiproliferative Effect on Hela and BT-474 Cell Lines, in *International Journal of molecular and cellular medicine*, vol.3(2), pp.102-7

Hryb DJ, Khan MS, Romas NA, Rosner W. The effect of extracts of the roots of the stinging nettle (*Urtica dioica*) on the interaction of SHBG with its receptor on human prostatic membranes. *Planta Med.* 1995 Feb;61(1):31-2. doi: 10.1055/s-2006-957993. PMID: 7700987.

Jalili C, Salahshoor MR, Naseri A. Protective effect of *Urtica dioica* L against nicotine-induced damage on sperm parameters, testosterone and testis tissue in mice. *Iran J Reprod Med.* 2014 Jun;12(6):401-8. PMID: 25071848; PMCID: PMC4111888.

Lichius JJ, Renneberg H, Blaschek W, Aumüller G, Muth C. The inhibiting effects of components of stinging nettle roots on experimentally induced prostatic hyperplasia in mice. *Planta Med.* 1999 Oct;65(7):666-8. doi: 10.1055/s-2006-960844. PMID: 10575383.

Nahata A, Dixit VK. Ameliorative effects of stinging nettle (*Urtica dioica*) on testosterone-induced prostatic hyperplasia in rats. *Andrologia.* 2012 May;44 Suppl 1:396-409. doi: 10.1111/j.1439-0272.2011.01197. x. Epub 2011 Aug 2. PMID: 21806658.

Özalkaya E, et al., Effect of a galactagogue herbal tea on breast milk production and prolactin secretion by mothers of preterm babies. *Niger J Clin Pract.* 2018 Jan;21(1):38-42.

Patel SS, Gupta S, Udayabanu M. *Urtica dioica* modulates hippocampal insulin signaling and recognition memory deficit in streptozotocin induced diabetic mice. *Metab Brain Dis.* 2016 Jun;31(3):601-11.

Rahimzadeh M, et al., Evaluation of alpha- amylase inhibition by *Urtica dioica* and *Juglans regia* extracts. *Iran J Basic Med Sci.* 2014 Jun;17(6):465-9. PMID: 25140210; PMCID: PMC4137939.

Ranjbari A, et al., In vivo and in vitro evaluation of the effects of *Urtica dioica* and swimming activity on diabetic factors and pancreatic beta cells. *BMC Complement Altern Med*. 2016 Mar 15; 16:101.

Safarinejad MR. *Urtica dioica* for treatment of benign prostatic hyperplasia: a prospective, randomized, double-blind, placebo-controlled, crossover study. *J Herb Pharmacother*. 2005;5(4):1-11. PMID: 16635963.

Schöttner M, Gansser D, Spiteller G. Lignans from the roots of *Urtica dioica* and their metabolites bind to human sex hormone binding globulin (SHBG). *Planta Med*. 1997 Dec;63(6):529-32. doi: 10.1055/s-2006-957756. PMID: 9434605.

Ziaei R, et al., The effect of nettle (*Urtica dioica*) supplementation on the glycemic control of patients with type 2 diabetes mellitus: A systematic review and meta-analysis. *Phytother Res*. 2020 Feb;34(2):282-294.

PSICOBOTICI

Allen, A.P.; et al., *Bifidobacterium longum* 1714 as a translational psychobiotic: Modulation of stress, electrophysiology and neurocognition in healthy volunteers. *Transl. Psychiatry* 2016, 6, 939.

Bravo JA, et al. (2011). Ingestion of *Lactobacillus* strain regulates emotional behavior and central GABA receptor expression in a mouse via the vagus nerve. *Proc Natl Acad Sci U S A* 108: 16050–16055.

Desbonnet L, Garrett L, Clarke G, Bienenstock J, Dinan TG (2008). The probiotic *Bifidobacteria infantis*: an assessment of potential antidepressant properties in the rat. *J Psychiatr Res* 43: 164–174.

Dinan TG, Cryan JF (2012). Regulation of the stress response by the gut microbiota: implications for psychoneuroendocrinology. *Psychoneuroendocrinology* 37: 1369–1378.

Diop, L.; Guillou, S.; Durand, H. Probiotic food supplement reduces stress-induced gastrointestinal symptoms in volunteers: A double-blind, placebo-controlled, randomized trial. *Nutr. Res*. 2008, 28, 1–5.

Han A, Sung Y-B, Chung S-Y, Kwon M-S (2014). Possible additional antidepressant-like mechanism of sodium butyrate: targeting the hippocampus. *Neuropharmacology* 81: 292–302.

Kato-Kataoka, A.; et al. Fermented milk containing *Lactobacillus casei* strain shirota preserves the diversity of the gut microbiota and relieves abdominal dysfunction in healthy medical students exposed to academic stress. *Appl. Environ. Microbiol*. 2016, 82, 3649–3658.

Kelly JR, Clarke G, Cryan JF, Dinan TG (2016b). Brain–gut–microbiota axis: challenges for translation in psychiatry. *Ann Epidemiol* 26: 366–372.

Kelly JR, et al. (2017). Lost in translation? The potential psychobiotic *Lactobacillus rhamnosus* (JB-1) fails to modulate stress or cognitive performance in healthy male subjects. *Brain Behav Immun* 61: 50–59.

McNutt MD, Liu S, Manatunga A, Royster EB, Raison CL, Woolwine BJ et al. (2012). Neurobehavioral effects of interferon- α in patients with hepatitis-C: symptom dimensions and responsiveness to paroxetine. *Neuropsychopharmacology* 37: 1444–1454.

Messaoudi, M. et al. Assessment of psychotropic-like properties of a probiotic formulation (*Lactobacillus helveticus* R0052 and *Bifidobacterium longum* R0175) in rats and human subjects. *Br. J. Nutr*. 2011, 105, 755–764.

Moussaoui N, et al. (2014). Changes in intestinal glucocorticoid sensitivity in early life shape the risk of epithelial barrier defect in maternal- deprived rats. *PLoS One* 9: e88382.

O'Brien SM, Scott LV, Dinan TG (2004). Cytokines: abnormalities in major depression and implications for pharmacological treatment. *Hum Psychopharmacol Clin Exp* 19: 397–403.

Ogawa S, Fujii T, Koga N, Hori H, Teraishi T, Hattori K et al. (2014). Plasma L-tryptophan concentration in major depressive disorder: new data and meta-analysis. *J Clin Psychiatry* 75: e906–e915.

PYGEUM AFRICANUM

Allkanjari O, Vitalone A. What do we know about phytotherapy of benign prostatic hyperplasia? *Life Sci*. 2015 Apr 1; 126:42-56.

Bodeker G, van 't Klooster C, Weisbord E. *Prunus africana* (Hook.f.) Kalkman: the overexploitation of a medicinal plant species and its legal context. *J Altern Complement Med*. 2014 Nov;20(11):810-22.

Coulson S, et al., A phase II randomised double-blind placebo-controlled clinical trial investigating the efficacy and safety of ProstateEZE Max: an herbal medicine preparation for the management of symptoms of benign prostatic hypertrophy. *Complement Ther Med*. 2013 Jun;21(3):172-9

Mantovani F. *Serenoa repens* in benign prostatic hypertrophy: analysis of 2 Italian studies. *Minerva Urol Nefrol*. 2010 Dec;62(4):335-40. PMID: 20944533.

Michele Iannone, et al., Influence of Saw palmetto and *Pygeum africana* extracts on the urinary concentrations of endogenous anabolic steroids: Relevance to doping analysis, *Phytomedicine Plus*, Volume 1, Issue 1, 2021, 100005, ISSN 2667-0313

Larré S, Camparo P, Comperat E, et al., Biological effect of human serum collected before and after oral intake of *Pygeum africanum* on various benign prostate cell cultures. *Asian J Androl*. 2012;14(3):499-504.

J. Salinas-Casado, et al., Revisión sobre la experiencia y evidencias del *Pygeum africanum* en Urología, *Actas Urológicas Españolas*, Volume 44, Issue 1, 2020, Pages 9-13, ISSN 0210-4806

Richard Komakech, et al., "A Review of the Potential of Phytochemicals from *Prunus africana* (Hook f.) Kalkman Stem Bark for Chemoprevention and Chemotherapy of Prostate Cancer", *Evidence-Based Complementary and Alternative Medicine*, vol. 2017, Article ID 3014019, 10 pages, 2017.

Stamatiou KN, Moschouris H. A prospective interventional study in chronic prostatitis with emphasis to clinical features. *Urol J*. 2014 Sep 6;11(4):1829-33. PMID: 25194085.

QUERCETINA

A. R. Rivera, et al., Anti-breast cancer potential of quercetin via the Akt/AMPK/mTOR signaling cascade, *PLoS One*, 2016; 11(6): e0157251

Alexander Victor Anand David, et al., Overviews of Biological Importance of Quercetin: A Bioactive Flavonoid. *Pharmacogn Rev*. 2016 Jul-Dec; 10(20): 84–89

Ashley B Ward, Quercetin inhibits prostate cancer by attenuating cell survival and inhibiting anti-apoptotic pathways, *World J Surg Oncol*, 2018 Jun 14;16(1):108

Bhaskar S, Sudhakaran PR, Helen A. Quercetin attenuates atherosclerotic inflammation and adhesion molecule expression by modulating TLR-NF- κ B signaling pathway. *Cell Immunol*. 2016 Dec;310:131-140. doi: 10.1016/j.cellimm.2016.08.011. Epub 2016 Aug 26.

Egert S., et al., Quercetin reduces systolic blood pressure and plasma oxidised low-density lipoprotein concentrations in overweight subjects with a high-cardiovascular disease risk phenotype: a double-blinded, placebo-controlled cross-over study. *Br J Nutr*. 2009 Oct;102(7):1065-74. doi: 10.1017/S0007114509359127. Epub 2009 Apr 30.

Eid HM., Haddad PS. The antidiabetic potential of quercetin: underlying mechanisms. *Curr Med Chem*. 2017;24:355–64.

Jahan S., et al., Therapeutic potentials of Quercetin in management of polycystic ovarian syndrome using Letrozole induced rat model: a histological and a biochemical study. *J Ovarian Res*. 2018;11:26.

Lesjak M., et al., Antioxidant and anti-inflammatory activities of quercetin and its derivatives. *J Funct Foods*. 2018;40:68–75.

Pfeuffer M, et al., Effect of quercetin on traits of the metabolic syndrome, endothelial function and inflammatory parameters in men with different APOE isoforms. *Nutr Metab Cardiovasc Dis*. 2011 Nov 23

Shi G-J., et al., In vitro and in vivo evidence that quercetin protects against diabetes and its complications: a systematic review of the literature. *Biomed Pharmacother*. 2019;109:1085–99.

Zhang X., et al., Inhibition effect and mechanisms of quercetin on surgically induced endometriosis. *Sichuan Da Xue Xue Bao Yi Xue Ban*. 2009 Mar;40(2):228-31, 244.

Zhuang M.F., et al., Preliminary study of quercetin affecting the hypothalamic-pituitary-gonadal axis on rat endometriosis model. *Evid Based Complement Alternat Med*. 2014;2014:781684. doi: 10.1155/2014/781684. Epub 2014 Oct 28.

REISHI (GANODERMA LUCIDUM)

Grant P, Ramasamy S. An update on plant derived anti-androgens. *Int J Endocrinol Metab*. 2012 Spring;10(2):497-502. doi: 10.5812/ijem.3644.

Yuan S, Yang Y, et al., *Ganoderma lucidum* Rhodiola compound preparation prevent D-galactose-induced immune impairment and oxidative stress in aging rat model. *Sci Rep*. 2020 Nov 6;10(1):19244.

Cör D, et al., Antitumour, Antimicrobial, Antioxidant and Antiacetylcholinesterase Effect of *Ganoderma Lucidum* Terpenoids and Polysaccharides: A Review. *Molecules*. 2018 Mar 13;23(3):649.

Ren ZL, et al., *Ganoderma lucidum* extract ameliorates MPTP-induced parkinsonism and protects dopaminergic neurons from oxidative stress via regulating mitochondrial function, autophagy, and apoptosis. *Acta Pharmacol Sin*. 2019 Apr;40(4):441-450.

Sanodiya BS, et al., *Ganoderma lucidum*: a potent pharmacological macrofungus. *Curr Pharm Biotechnol*. 2009 Dec;10(8):717-42.

RESVERATROLO

Abdollahi S., et al., The Effect of Resveratrol Supplementation on Cardio-Metabolic Risk Factors in Patients with Type 2 Diabetes: A Randomized, Double-Blind Controlled Trial. *Phytother Res*. 2019 Dec;33(12):3153-3162.

Asgary S., et al., Effect of resveratrol on metabolic syndrome components: A systematic review and meta-analysis. *Rev Endocr Metab Disord*. 2019 Jun;20(2):173-186.

Asgary S., et al., Effect of resveratrol on metabolic syndrome components: A systematic review and meta-analysis. *Rev Endocr Metab Disord*. 2019 Jun;20(2):173-186.

Bhatt JK., Thomas S, Nanjan MJ. Resveratrol supplementation improves glycemic control in type 2 diabetes mellitus. *Nutr Res.* 2012 Jul;32(7):537-41.

Brasnyó P., et al., Resveratrol improves insulin sensitivity, reduces oxidative stress and activates the Akt pathway in type 2 diabetic patients. *Br J Nutr.* 2011 Aug;106(3):383-9.

Chen S., et al., Resveratrol improves insulin resistance, glucose and lipid metabolism in patients with non-alcoholic fatty liver disease: a randomized controlled trial. *Dig Liver Dis.* 2015 Mar;47(3):226-32.

Hoseini A., et al., The effects of resveratrol on metabolic status in patients with type 2 diabetes mellitus and coronary heart disease. *Food Funct.* 2019 Sep 1;10(9):6042-6051.

Khodabandehloo H., et al., Resveratrol supplementation decreases blood glucose without changing the circulating CD14⁺CD16⁺ monocytes and inflammatory cytokines in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled study. *Nutr Res.* 2018 Jun; 54:40-51.

Knop FK., et al., Thirty days of resveratrol supplementation does not affect postprandial incretin hormone responses, but suppresses postprandial glucagon in obese subjects. *Diabet Med.* 2013 Oct;30(10):1214-8.

Liu K., et al., Effect of resveratrol on glucose control and insulin sensitivity: a meta-analysis of 11 randomized controlled trials. *Am J Clin Nutr.* 2014 Jun;99(6):1510-9.

Méndez-del Villar M., et al., Effect of resveratrol administration on metabolic syndrome, insulin sensitivity, and insulin secretion. *Metab Syndr Relat Disord.* 2014 Dec;12(10):497-501.

Raimundo AF., et al., Combined effect of interventions with pure or enriched mixtures of (poly)phenols and anti-diabetic medication in type 2 diabetes management: a meta-analysis of randomized controlled human trials. *Eur J Nutr.* 2020 Jun;59(4):1329-1343.

The Bidirectional Interactions between Resveratrol and Gut Microbiota: An Insight into Oxidative -Stress and Inflammatory Bowel Disease Therapy. *Biomed Res Int.* 2019 Apr 24.

Xue M., et al., Improved Glycemic Control and Vascular Function in Overweight and Obese Subjects by Glyoxalase 1 Inducer Formulation. *Diabetes.* 2016 Aug;65(8):2282-94.

RHODIOLA ROSEA

Amsterdam JD et al., *Rhodiola rosea* L. as a putative botanical antidepressant 2016 *Phytomedicine*, 23

Bangratz, M. et al., A preliminary assessment of a combination of rhodiola and saffron in the management of mild-moderate depression. 2018, *Neuropsychiatr Dis Treat*, 13;14:

Bystritsky, A et al., A pilot study of *Rhodiola rosea* (Rhodax) for generalized anxiety disorder (GAD). 2008, *J Altern Complement Med*; 14

Cayer, C et al., Characterization of the anxiolytic activity of Nunavik *Rhodiola rosea*. 2013; *Planta Med* Oct;79(15):

Cropley, M et al., The Effects of *Rhodiola rosea* L. Extract on Anxiety, Stress, Cognition and Other Mood Symptoms 2015, *Phytother Res*, Dec;29(12):

Darbinian, V et al., Clinical trial of *Rhodiola rosea* L. extract SHR-5 in the treatment of mild to moderate depression. 2007; *Nord J Psychiatry* 61(5)

Gao, L et al., Antidepressant effects of *Rhodiola* capsule combined with sertraline for major depressive disorder: A randomized double-blind placebo-controlled clinical trial. *J Affect Disord* 2020;265

Kapalka, G., *counseling men and boys with ADHD*. 2010. Routledge ed.

Koop T et al., Effects of a *Rhodiola rosea* extract on mental resource allocation and attention: An event-related potential dual task study. *Phytotherapy Research.* 2020;1–11.

Mao JJ et al., *Rhodiola rosea* versus sertraline for major depressive disorder: A randomized placebo-controlled trial. 2015 *Phytomedicine*, 23.

SAM-e (S-ADENOSIL-METIONINA)

Cuomo A, et al., Adenosylmethionine (SAME) in major depressive disorder (MDD): a clinician-oriented systematic review. *Ann Gen Psychiatry.* 2020 Sep 5;19:50.

Ornoy A, et al., Adenosine Methionine (SAME) and Valproic Acid (VPA) as Epigenetic Modulators: Special Emphasis on their Interactions Affecting Nervous Tissue during Pregnancy. *Int J Mol Sci.* 2020 May 25;21(10):3721.

Vergani L, et al., New Perspectives of S-Adenosylmethionine (SAME) Applications to Attenuate Fatty Acid-Induced Steatosis and Oxidative Stress in Hepatic and Endothelial Cells. *Molecules.* 2020 Sep 15;25(18):4237.

SAW PALMETTO (SERENOA REPENS)

Allkanjari, O., & Vitalone, A. (2015). What do we know about phytotherapy of benign prostatic hyperplasia? *Life sciences*, 126, 42-56.

Awad, A. B., Fink, C. S., Williams, H., & Kim, U. (2001). In vitro and in vivo (SCID mice) effects of phytosterols on the growth and dissemination of human prostate cancer PC-3 cells. *European Journal of Cancer Prevention*, 10(6), 507-513.

Bernichtein, S., et al., (2015). Anti-inflammatory properties of Lipidosterolic Extract of *Serenoa Repens* (Permixon®) in a mouse model of prostate hyperplasia. *The Prostate*, 75(7), 706-722.

Braeckman, J., et al., (1997). Efficacy and safety of the extract of *Serenoa repens* in the treatment of benign prostatic hyperplasia: therapeutic equivalence between twice and once daily dosage forms. *Phytotherapy Research: An International Journal Devoted to Medical and Scientific Research on Plants and Plant Products*, 11(8), 558-563.

Chughtai, B., Lee, R., Te, A., & Kaplan, S. (2011). Role of inflammation in benign prostatic hyperplasia. *Reviews in Urology*, 13(3), 147.

Freeman, M. R., & Solomon, K. R. (2011). Cholesterol and benign prostate disease. *Differentiation*, 82(4-5), 244-252.

Gandaglia, G., et al., (2013). The role of chronic prostatic inflammation in the pathogenesis and progression of benign prostatic hyperplasia (BPH). *BJU international*, 112(4), 432-441.

Klippel, K. F., Hiltl, D. M., Schipp, B., & German BPH-Phyto study group. (1997). A multicentric, placebo-controlled, double-blind clinical trial of β -sitosterol (phytosterol) for the treatment of benign prostatic hyperplasia. *British Journal of Urology*, 80(3), 427-432.

Latil, A., et al., (2015). Effects of hexanic extract of *Serenoa repens* (Permixon® 160 mg) on inflammation biomarkers in the treatment of lower urinary tract symptoms related to benign prostatic hyperplasia. *The Prostate*, 75(16), 1857-1867.

Raynaud, J. P., Cousse, H., & Martin, P. M. (2002). Inhibition of type 1 and type 2 5 α -reductase activity by free fatty acids, active ingredients of Permixon®. *The Journal of steroid biochemistry and molecular biology*, 82(2-3), 233-239.

Scholtyssek, C., et al., (2009). Characterizing components of the Saw Palmetto Berry Extract (SPBE) on prostate cancer cell growth and traction. *Biochemical and biophysical research communications*, 379(3), 795-798.

Suzuki, M., et al., (2009). Pharmacological effects of saw palmetto extract in the lower urinary tract. *Acta Pharmacologica Sinica*, 30(3), 271-281.

Vahlensieck Jr, W., et al., (1993). Benign prostatic hyperplasia--treatment with sabal fruit extract. A treatment study of 1,334 patients. *Fortschritte der Medizin*, 111(18), 323-326.

Vitalone, A., et al., (2003). Extracts of various species of *Epilobium* inhibit proliferation of human prostate cells. *Journal of pharmacy and pharmacology*, 55(5), 683-690.

von Holtz, R. L., Fink, C. S., & Awad, A. B. (1998). β -sitosterol activates the sphingomyelin cycle and induces apoptosis in LNCaP human prostate cancer cells. *Nutr Cancer*. 1998;32(1):8-12

Weisser, H., et al., (1996). Effects of the Sabal serrulata extract IDS 89 and its subfractions on 5 α -reductase activity in human benign prostatic hyperplasia. *The Prostate*, 28(5), 300-306.

Yang, Y., et al., (2007). Saw Palmetto induces growth arrest and apoptosis of androgen-dependent prostate cancer LNCaP cells via inactivation of STAT 3 and androgen receptor signaling. *International journal of oncology*, 31(3), 593-600.

SELENIO

Arbogast, S.; Ferreiro, A. Selenoproteins and protection against oxidative stress: Selenoprotein N as a novel player at the crossroads of redox signaling and calcium homeostasis. *Antioxid. Redox Signal*. 2010, 12, 893–904.

Frączek-Jucha M, et al., Selenium deficiency and the dynamics of changes of thyroid profile in patients with acute myocardial infarction and chronic heart failure. *Kardiologia Pol* 2019;77: 674–82.

Guyot, H.; Rollin, F. The diagnosis of selenium and iodine deficiencies in cattle. Le diagnostic des carences en sélénium et iode chez les bovins 2007, 151, 166–191.

Kawai M, Shoji Y, Onuma S, Etani Y, Ida S. Thyroid hormone status in patients with severe selenium deficiency. *Clin Pediatr Endocrinol* 2018;27: 67–74.

Kobayashi R, et al., Thyroid function in patients with selenium deficiency exhibits high free T4 to T3 ratio. *Clin Pediatr Endocrinol*. 2021;30(1):19-26.

Olivieri O, et al. Low selenium status in the elderly influences thyroid hormones. *Clin Sci (Lond)* 1995;89: 637–42.

Rayman MP, et al. Randomized controlled trial of the effect of selenium supplementation on thyroid function in the elderly in the United Kingdom. *Am J Clin Nutr* 2008;87: 370–8.

Rayman MP. Selenium and human health. *Lancet* 2012;379: 1256–68.

Schrauzer, G.N. Selenomethionine: A review of its nutritional significance, metabolism and toxicity. *J. Nutr.* 2000, 130, 1653–1656.

Shenkin A. Selenium in intravenous nutrition. *Gastroenterology* 2009;137(Suppl): S61–9.

Vinton NE, Dahlstrom KA, Strobel CT, Ament ME. Macrocytosis and pseudoalbuminism: manifestations of selenium deficiency. *J Pediatr* 1987;111: 711–7.

Weeks BS, Hanna MS, Cooperstein D. Dietary selenium and selenoprotein function. *Med Sci Monit* 2012;18: RA127–32.

SEMI DI ZUCCA (CUCURBITA PEPO L.)

- Allkanjari, O. & Vitalone A. What do we know about phytotherapy of benign prostatic hyperplasia? *Life sciences* 126 (2015): 42-56.
- Coulson S. et al., A phase II randomised double-blind placebo-controlled clinical trial investigating the efficacy and safety of ProstateEZE Max: a herbal medicine preparation for the management of symptoms of benign prostatic hypertrophy. *Complementary therapies in medicine* 21.3 (2013): 172-179.
- Hong H. et al., Effects of pumpkin seed oil and saw palmetto oil in Korean men with symptomatic benign prostatic hyperplasia. *Nutrition research and practice* 3.4 (2009). 3(4): 323-327.
- Rolnik, A. & Olas, B. Vegetables from the Cucurbitaceae family and their products: Positive effect on human health. *Nutrition* (2020), 78: 110788.

SULFORAFANO

- Atwell, L.L., et al., "Sulforaphane Bioavailability and Chemopreventive Activity in Women Scheduled for Breast Biopsy". *Cancer Prevention Research*, 8:1184. Published December 2015
- De Figueiredo SM., et al., "The Antioxidant Properties of Organosulfur Compounds (sulforaphane)". *Recent Pat Endocr Metab Immune Drug Discov.* 2015;9(1):24-39
- Jae Kwan Kim, et al., "Current Potential Health Benefits of Sulforaphane". *EXCLI J.* 2016; 15: 571–577
- Mastuo T., et al., "Molecular Mechanisms of the Anti-Cancer Effects of Isothiocyanates from Cruciferous Vegetables in Bladder Cancer". *Molecules.* 2020 Feb; 25(3): 575.
- Muller L., et al., "Effects of Broccoli Sprouts and Live Attenuated Influenza Virus on Peripheral Blood Natural Killer Cells: A Randomized, Double Blind Study". *PLOS One.* 2016; 11(1): e0147742
- Riedl AM., et al., "Oral Sulforaphane Increases Phase II Antioxidant Enzymes in the Human Upper Airway". *Clin Immunol.* 2009 Mar; 130(3): 244–251
- Santín-Márquez R, Alarcón, et al., "Sulforaphane—role in aging and neurodegeneration". *GeroScience.* 2019 Oct; 41(5): 655–670.

TAURINA

- Harris Ripps and Wen Shen, Review: Taurine: A "very essential" amino acid. *Mol Vis.* 2012; 18: 2673-86
- Harty PS, Nutritional and Supplementation Strategies to Prevent and Attenuate Exercise-Induced Muscle Damage: a Brief Review. *Sports Med Open.* 2019 Dec; 5: 1.
- MCCarty MF, A taurine-supplemented vegan diet may blunt the contribution of neutrophil activation to acute coronary events *Med Hypotheses.* 2004;63(3) 2673–2686.
- O'Donnel, CP et al., Adjunctive Taurine in First-Episode Psychosis: A Phase 2, Double-Blind, Randomized, Placebo-Controlled Study *J Clin Psychiatry* 2016 Dec;77(12):
- Ruan Y et al., Taurine Supplementation Improves Erectile Function in Rats with Streptozotocin-induced Type 1 Diabetes via Amelioration of Penile Fibrosis and Endothelial Dysfunction. *J Sex Med.* 2016;13(5)
- Yang J et al., Taurine Enhances the Sexual Response and Mating Ability in Aged Male Rats. *Taurine* 8 pp 347-355

TÈ VERDE

- Edele Mancini et al., Green tea effects on cognition, mood and human brain function: A systematic review. *Phytomedicine.* 2017 Oct 15;34:26-37.
- Fahimeh Haghghatdoost et al., Effect of green tea on plasma leptin and ghrelin levels: A systematic review and meta-analysis of randomized controlled clinical trials. *Nutrition.* 2018 Jan;45:17-23.
- Guilherme Balsan et al., Effect of yerba mate and green tea on paraoxonase and leptin levels in patients affected by overweight or obesity and dyslipidemia: a randomized clinical trial. *Nutrition Journal.* 2019 Jan 19;18(1):5.
- Hui Wang et al., Effect of green tea consumption on human brain function in resting-state functional MRI. *Asia Pacific Journal Clinic Nutrition.* 2019;28(4):740-746.
- Jackson L Williams et al., The Effects of Green Tea Amino Acid L-Theanine Consumption on the Ability to Manage Stress and Anxiety Levels: a Systematic Review. *Plant Foods Human Nutrition.* 2020 Mar;75(1):12-23.
- Keiko Unno et al., Reduced Stress and Improved Sleep Quality Caused by Green Tea Are Associated with a Reduced Caffeine Content. *Nutrients.* 2017 Jul 19;9(7):777.
- Robert E. Smith et al., The Role of the Nrf2/ARE Antioxidant System in Preventing Cardiovascular Diseases. *Diseases.* 2016 Nov 11;4(4):34.
- Tahereh Farkhondeh et al., The Protective Effects of Green Tea Catechins in the Management of Neurodegenerative Diseases: A Review. *Current Drug Discovery Technologies.* 2019;16(1):57-65.

Thornfeldt C.R et al., Superior Efficacy of an Herbal-based Cosmeceutical Compared with Common Prescription and Cosmetic Antiaging Therapies. *Journal Drugs Dermatology* 2016;15:218–223.

Xiangbing Mao et al., Oxidative stress-induced diseases and tea polyphenols. *Oncotarget*. 2017 Sep 14;8(46):81649-81661.

Y Liu et al., The Effects of Green Tea Extract on Working Memory in Healthy Women. *Journal Nutrition Health Aging*. 2018;22(3):446-450.

TEANINA

Chanaka N Kahathuduwa et al., Effects of L-theanine-caffeine combination on sustained attention and inhibitory control among children with ADHD: a proof-of-concept neuroimaging RCT. *Scientific Report* 2020 Aug 4;10(1):13072.

Guoqi Zhu et al., Synaptic modification by L-theanine, a natural constituent in green tea, rescues the impairment of hippocampal long-term potentiation and memory in AD mice. *Neuropharmacology*. 2018 Aug; 138:331-340.

Hossein Akbarialiabad et al., Green Tea, a medicinal food with promising neurological benefits. *Current Neuropharmacology*. 2020 May 29.

Jackson L Williams et al., The Effects of Green Tea Amino Acid L-Theanine Consumption on the Ability to Manage Stress and Anxiety Levels: a Systematic Review. *Plant Foods Human Nutrition* 2020 Mar;75(1):12-23.

Jerome Sarris et al., L-theanine in the adjunctive treatment of generalized anxiety disorder: A double-blind, randomised, placebo-controlled trial. *Journal Psychiatr Research*. 2019 Mar; 110:31-37.

Keiko Unno et al., Theanine, Antistress Amino Acid in Tea Leaves, Causes Hippocampal Metabolic Changes and Antidepressant Effects in Stress-Loaded Mice. *International Journal of Molecular Science*. 2020 Dec 28;22(1):193.

Manjun Shenet., L-theanine ameliorate depressive-like behavior in a chronic unpredictable mild stress rat model via modulating the monoamine levels in limbic-cortical-striatal-pallidal-thalamic-circuit related brain regions. *Phytother Research*. 2019 Feb;33(2):412-421.

Shinsuke Hidese et al., Effects of chronic l-theanine administration in patients with major depressive disorder: an open-label study. *Acta Neuropsychiatrica*. 2017 Apr;29(2):72-79.

Shinsuke Hidese et al., Effects of L-Theanine Administration on Stress-Related Symptoms and Cognitive Functions in Healthy Adults: A Randomized Controlled Trial. *Nutrients*. 2019 Oct 3;11(10):2362.

Shintaro Ogawa et al., Effects of L-theanine on anxiety-like behavior, cerebrospinal fluid amino acid profile, and hippocampal activity in Wistar Kyoto rats. *Psychopharmacology (Berl)*. 2018 Jan;235(1):37-45

Suhyeon Kim et al., GABA and l-theanine mixture decreases sleep latency and improves NREM sleep. *Pharmaceutical Biology*. 2019 Dec;57(1):65-73.

Tharaka L Dassanayake et al., L-theanine improves neurophysiological measures of attention in a dose-dependent manner: a double-blind, placebo-controlled, crossover study. *Nutritional Neuroscience*. 2020 Aug 11;1-11.

Vittoria Borgonetti et al., Novel Therapeutic Approach for the Management of Mood Disorders: In Vivo and in Vitro Effect of a Combination of L-Theanine, *Melissa officinalis* L. and *Magnolia officinalis* Rehder & E.H. Wilson. *Nutrients*. 2020 Jun 17;12(6):1803.

TIROSINA e NAT

Jongkees BJ, et al., Effect of tyrosine supplementation on clinical and healthy populations under stress or cognitive demands--A review. *J Psychiatr Res*. 2015 Nov;70:50-7.

Mahoney CR, et al., Tyrosine supplementation mitigates working memory decrements during cold exposure. *Physiol Behav*. 2007 Nov 23;92(4):575-82.

TRIBULUS TERRESTRIS

Abd El Salam MA., et al., *Tribulus terrestris* versus placebo in the treatment of erectile dysfunction and LUTS in patients with late-onset hypogonadism: A placebo-controlled study. *Urologia*. 2019 May;86(2)

Postigo S., et al., Assessment of the Effects of *Tribulus Terrestris* on Sexual Function of Menopausal Women. *Rev. Bras. Ginecol. Obstet.* vol.38 no.3 Rio de Janeiro Mar. 2016 <https://doi.org/10.1055/s-0036-1571472>

Roaiah MF., et al., Pilot Study on the Effect of Botanical Medicine (*Tribulus terrestris*) on Serum Testosterone Level and Erectile Function in Aging Males With Partial Androgen Deficiency (PADAM). *J Sex Marital Ther*. 2016 18;42(4)

Sanagoo S., et al., Effect of *Tribulus terrestris* L. on sperm parameters in men with idiopathic infertility: A systematic review *Complement Ther Med*; 2019 Feb;42:95-103

Stefanescu S., et al., A Comprehensive Review of the Phytochemical, Pharmacological, and Toxicological Properties of *Tribulus terrestris*. *Biomolecules* 2020 May; 10(5): 752

TRIPTOFANO

- Badawy, Abdulla A-B. "Kynurenine Pathway of Tryptophan Metabolism: Regulatory and Functional Aspects." *International journal of tryptophan research : IJTR* vol. 10 1178646917691938. 15 Mar. 2017
- Berger, Miles, John A. Gray, and Bryan L. Roth. "The expanded biology of serotonin." *Annual review of medicine* 60 (2009): 355-366.
- Blask, David E. "Melatonin, sleep disturbance and cancer risk." *Sleep medicine reviews* 13.4 (2009): 257-264
- Bortolato, Marco, Kevin Chen, and Jean C. Shih. "The degradation of serotonin: role of MAO." *Handbook of Behavioral Neuroscience*. Vol. 21. Elsevier, 2010.203-218.
- Bravo, R et al. "Tryptophan-enriched cereal intake improves nocturnal sleep, melatonin, serotonin, and total antioxidant capacity levels and mood in elderly humans." *Age (Dordrecht, Netherlands)* vol. 35,4 (2013): 1277-85.
- Friedman, Mendel. "Analysis, Nutrition, and Health Benefits of Tryptophan." *International journal of tryptophan research: IJTR* vol. 11 1178646918802282. 26 Sep. 2018
- Jenkins, Trisha A., et al. "Influence of Tryptophan and Serotonin on Mood and Cognition with a Possible Role of the Gut-Brain Axis." *Nutrients* vol. 8,1 56. 20 Jan. 2016,
- John D. Fernstrom, Effects and Side Effects Associated with the Non-Nutritional Use of Tryptophan by Humans, in *The Journal of Nutrition*, vol. 142, n. 12, 17 ottobre 2012, pp. 2236S–2244S, DOI:10.3945/jn.111.157065
- Nerissa L. Soh et Garry Walter, Tryptophan and depression: can diet alone be the answer?, in *Acta Neuropsychiatrica*, vol. 23, n. 1, 2011/02, pp. 3–11, DOI:10.1111/j.1601-5215.2010.00508.x
- Wurtman R. J., et al., Precursor control of neurotransmitter synthesis, in *Pharmacological Reviews*, vol. 32, n. 4, 1980-12, pp. 315–335.
- Singh Mahaveer and Hemant R. Jadhav. "Melatonin: functions and ligands." *Drug discovery today* 19.9 (2014): 1410-1418.
- Palego, Lionella, et al. "Tryptophan biochemistry: structural, nutritional, metabolic, and medical aspects in humans." *Journal of Amino Acids* 2016 (2016).
- Wang X, Baumann MH, Dersch CM, Rothman RB, Restoration of 3,4-methylenedioxymethamphetamine-induced 5-HT depletion by the administration of L-5-hydroxytryptophan, in *Neuroscience*, vol. 148, n. 1, agosto 2007, pp. 212–20,

VITAMINA D

- K. Lagowska, The relationship between vitamin D Status and the menstrual cycle in young women: a preliminary study, *Nutrients* 2018, 10(11), 1729
- Y. Xue, et al., Effect of vitamin D on biochemical parameters in polycystic ovary syndrome women: a meta-analysis, *Arch Gynecol Obstet*. 2017 Feb;295(2):487-469

ZAFFERANO

- Abedimanesh N., et al., Saffron and crocin improved appetite, dietary intakes and body composition in patients with coronary artery disease - *J Cardiovasc Thorac Res*. 2017;9(4):200-208
- Ayati Z., et al., Saffron for mild cognitive impairment and dementia: a systematic review and meta-analysis of randomised clinical trials - *BMC Complement Med Ther*. 2020 Nov 9;20(1):333
- Dwyer AV., et al., Herbal medicines, other than St. John's Wort, in the treatment of depression: a systematic review - *Altern Med Rev*. 2011 Mar;16(1):40-9
- Ettehadi Hosseinali, et al., Aqueous Extract of Saffron (*Crocus sativus*) Increases Brain Dopamine and Glutamate Concentrations in Rats. *J Behav Brain Sci*. 2013;3:315–319.
- Fukui H., et al., Psychological and neuroendocrinological effects of odor of saffron (*Crocus sativus*) - *Phytomedicine*. 2011 Jun 15;18(8-9):726-30.
- Gout B., et al., Satiereal, a *Crocus sativus* L extract, reduces snacking and increases satiety in a randomized placebo-controlled study of mildly overweight, healthy women - *Nutr Res*. 2010 May;30(5):305-13
- Kamalipour M., et al., Cardiovascular effects of saffron: an evidence-based review - *J Tehran Heart Cent*. Spring 2011;6(2):59-61
- Kang C., et al., Saffron (*Crocus sativus* L.) increases glucose uptake and insulin sensitivity in muscle cells via multipathway mechanisms - *Food Chem*. 2012 Dec 15;135(4):2350-8
- Kashani L, et al., Comparison of Saffron versus Fluoxetine in Treatment of Mild to Moderate Postpartum Depression: A Double-Blind, Randomized Clinical Trial. *Pharmacopsychiatry*. 2017 Mar;50(2):64-68.
- Kashani L., et al., Saffron for treatment of fluoxetine-induced sexual dysfunction in women: randomized double-blind placebo-controlled study - *Hum Psychopharmacol*. 2013 Jan;28(1):54-60
- Khazdair MR, et al., The effects of *Crocus sativus* (saffron) and its constituents on nervous system: A review. *Avicenna J Phytomed*. 2015;5(5):376-391.

Maleki-Saghooni N., et al., A systematic review and meta-analysis of clinical trials on saffron (*Crocus sativus*) effectiveness and safety on erectile dysfunction and semen parameters - *Avicenna J Phytomed.* May-Jun 2018;8(3):198-209.

Modabbernia A., et al., Effect of saffron on fluoxetine-induced sexual impairment in men: randomized double-blind placebo-controlled trial - *Psychopharmacology (Berl)*. 2012 Oct;223(4):381-8

Moosavi S M, et al., The Effects of 40 and 80 mg Hydro- alcoholic Extract of *Crocus Sativus* in the Treatment of Mild to Moderate Depression. *J Mazandaran Univ Med Sci.* 2014; 24 (113) :48-53

Noorbala AA, et al., Hydro-alcoholic extract of *Crocus sativus* L. versus fluoxetine in the treatment of mild to moderate depression: a double-blind, randomized pilot trial. *J Ethnopharmacol.* 2005 Feb 28;97(2):281-4.

Pakfetrat A., et al., Evaluation of the effectiveness of crocin isolated from saffron in treatment of burning mouth syndrome: A randomized controlled trial - *Avicenna J Phytomed.* Nov-Dec 2019;9(6):505-516.

Poma A., et al., Anti-inflammatory properties of drugs from saffron crocus - *Antiinflamm Antiallergy Agents Med Chem.* 2012;11(1):37-51

Pourmasoumi M, et al., Clinical evidence on the effects of saffron (*Crocus sativus* L.) on cardiovascular risk factors: A systematic review meta-analysis. *Pharmacol Res.* 2019 Jan;139:348-359.

Rajabi F., et al., Saffron for the Management of Premenstrual Dysphoric Disorder: A Randomized Controlled Trial - *Adv Biomed Res.* 2020; 9: 60.

Rajabian A, et al., A Review of Potential Efficacy of Saffron (*Crocus sativus* L.) in Cognitive Dysfunction and Seizures. *Prev Nutr Food Sci.* 2019 Dec;24(4):363-372.

Ranjbar H., et al., Effects of saffron (*Crocus sativus*) on sexual dysfunction among men and women: A systematic review and meta-analysis - *Avicenna J Phytomed.* Sep-Oct 2019;9(5):419-427.

Samarghandian S., et al., Immunomodulatory and antioxidant effects of saffron aqueous extract (*Crocus sativus* L.) on streptozotocin-induced diabetes in rats - *Indian Heart J.* 2017 Mar-Apr; 69(2): 151–159

Soeda S, et al., Crocin suppresses tumor necrosis factor-alpha-induced cell death of neuronally differentiated PC-12 cells. *Life Sci.* 2001;69:2887–2898.

Tóth B, et al., The Efficacy of Saffron in the Treatment of Mild to Moderate Depression: A Meta-analysis. *Planta Med.* 2019 Jan;85(1):24-31.

Vakili A, Einali MR, Bandegi AR. Protective effect of crocin against cerebral ischemia in a dose-dependent manner in a rat model of ischemic stroke. *J Stroke Cerebrovasc Dis.* 2014 Jan;23(1):106-13.

ZINCO

Adachi Y, et al., (2004). A new insulin- mimetic bis(allixinato) zinc(II) complex: Structure- activity relationship of zinc(II) complexes. *J. Biol. Inorg. Chem.*, 9: 885-893.

Bediz CS, Baltaci AK and Mogulkoc R (2003). Both zinc deficiency and supplementation effect plasma melatonin levels in rats. *Acta. Physiol. Hung.*, 90: 335- 339.

Bedwal RS and Bahuguna A (1994). Zinc, copper and selenium in reproduction. *Experientia.*, 50: 626-640.

Brandao-Neto J, Saturnino ACRD and Leite LD (2006). Lack of acute zinc effect on thyrotropin-releasing hormone-stimulated thyroid-stimulating hormone secretion during oral zinc tolerance test in healthy men. *Nutr. Res.*, 26:493-496.

Dicks D, Rojhani A and Cossack ZT (1993). The effect of growth hormone treatment on growth in zinc deficient rats. *Nutr. Res.*, 13: 701-713.

El Fékih N, Monia K, Schmitt S, Dorbani I, Küry S and Kamoun MR (2011). Transient symptomatic zinc deficiency in a breast-fed infant: relevance of a genetic study. *Nutrition.*, 27: 1087-1089.

Freake HC, Govoni KE, Guda K, Huang C and Zinn SA (2001). Actions and interactions of thyroid hormone and zinc status in growing rats. *J. Nutr.*, 131: 1135- 1141.

Ganapathy S and Volpe SL (1999). Zinc, exercise and thyroid hormone function. *Crit. Rev. Food Sci. Nutr.*, 39: 369-390.

Ganapathy S and Volpe SL (1999). Zinc, exercise and thyroid hormone function. *Crit. Rev. Food Sci. Nutr.*, 39: 369-390.

Hadden JW (1998). Thymic endocrinology. *Ann. N. Y. Acad. Sci.*, 840: 352-358.

Hartoma TR, Sotaniemi EA and Määttänen J (1979). Effect of zinc on some biochemical indices of metabolism. *Nutr. Metab.*, 23: 294-300.

Jansen J, Karges W and Rink L (2009). Zinc and diabetes- -clinical links and molecular mechanisms. *J. Nutr. Biochem.*, 20:399-417.

Kwok T, et al., (2010). ACE inhibitor use was associated with lower serum dehydroepian drosterone concentrations in older men. *Clin. Chim. Acta.*, 411:1122-1125.

Muhamed PK, Vadstrup S. Zinc is the most important trace element. *Ugeskr Laeger.* 2014 Mar 3;176(5):V11120654. PMID: 25096007 Review.

Müller P. Vegan Diet in Young Children. *Nestle Nutr Inst Workshop Ser.* 2020;93:103-110. doi: 10.1159/000503348. Epub 2020 Jan 28. PMID: 31991425 Review.

Nathan Cofnas (2019) Is vegetarianism healthy for children? *Critical Reviews in Food Science and Nutrition*, 59:13, 2052-2060, DOI: 10.1080/10408398.2018.1437024

Om AS and Chung KW (1996). Dietary zinc deficiency alters 5 alpha-reduction and aromatization of testosterone and androgen and estrogen receptors in rat liver. *J. Nutr.*, 126: 842-848.

Prasad AS (1969). A century of research on the metabolic role of zinc. *Am. J. Clin. Nutr.*, 22: 1215-1221.

Prasad AS (2009). Impact of the discovery of human zinc deficiency on health. *J. Am. Coll. Nutr.*, 28: 257-265.

Qadir MA, Ahmed M, Haq I and Ahmed S (2015). Improved limit of detection and quantitation development and validation procedure for quantification of zinc in Insulin by atomic absorption spectrometry. *Pak. J. Pharm. Sci.*, 28: 875-879.

Vallee BL and Falchuk KH (1993). The biochemical basis of zinc physiology. *Physiol. Rev.*, 73: 79-118.

Wada L and King JC (1986). Effect of low zinc intakes on basal metabolic rate, thyroid hormones and protein utilization in adult men. *J. Nutr.*, 116: 1045-1053.

Wolfgang Maret, Harold H Sandstead. Zinc requirements and the risks and benefits of zinc supplementation. *Review J Trace Elem Med Biol.* 2006;20(1):3-18.

BIBLIOGRAFIA-CAPITOLI

Aaron Kandola Moving to Beat Anxiety: Epidemiology and Therapeutic Issues with Physical Activity for Anxiety *Curr Psychiatry Rep.* 2018; 20

Accili D. Lilly lecture 2003: the struggle for mastery in insulin action: from triumvirate to republic. *Diabetes.* 2004; 53:1633–1642

Albarracin CA, Fuqua BC, Evans JL, Goldfine ID. Chromium picolinate and biotin combination improves glucose metabolism in treated, uncontrolled overweight to obese patients with type 2 diabetes. *Diabetes Metab Res Rev* 2008; 24:41–51

Al-Dujaili EA, Kenyon CJ, Nicol MR, Mason JI. Liquorice and glycyrrhetic acid increase DHEA and deoxycorticosterone levels in vivo and in vitro by inhibiting adrenal SULT2A1 activity. *Mol Cell Endocrinol.* 2011;336(1-2):102-9.

Alessandra Ferramosca. Herbicides glyphosate and glufosinate ammonium negatively affect human sperm mitochondria respiration efficiency. <https://doi.org/10.1016/j.reprotox.2020.11.011>

Alicigüzel Y, Aslan M. N-acetyl cysteine, L-cysteine, and beta-mercaptoethanol augment selenium-glutathione peroxidase activity in glucose-6-phosphate dehydrogenase-deficient human erythrocytes. *Clin Exp Med.* 2004;4(1):50-5.

Allen, MS. Physical activity as an adjunct treatment for erectile dysfunction. *Sex Med.* 2011 November ; 8(11):

Altirriba, J., Poher, A.-L., & Rohner-Jeanrenaud, F. (2015). Chronic oxytocin Administration as a treatment against impaired leptin signaling or leptin resistance in obesity. *Frontiers in Endocrinology*, 6,119

American Psychiatric Association (APA). *Diagnostic and statistical manual of mental disorders*. 5th edition. Washington, DC: APA; 2013

American Thyroid Association. *ATA Statement on the Potential Risks of Excess Iodine Ingestion and Exposure*. 2013 [online], <http://www.thyroid.org/ata-statement-on-the-potential-risks-of-excess-iodine-ingestion-and-exposure>.

American Thyroid Association. *ATA Statement on the Potential Risks of Excess Iodine Ingestion and Exposure*. 2013 [online], <http://www.thyroid.org/ata-statement-on-the-potential-risks-of-excess-iodine-ingestion-and-exposure>.

Anderson KE, Rosner W, Khan MS, et al. Diet-hormone interactions: protein/carbohydrate ratio alters reciprocally the plasma levels of testosterone and cortisol and their respective binding globulins in man. *Life Sci.* 1987;40(18):1761-8.

Andrews RC, Walker BR. Glucocorticoids and insulin resistance: old hormones, new targets. *Clin Sci (Lond).* 1999;96(5):513-23.

Ang, T.; Bruce, C.R.; Kowalski, G.M. Postprandial Aminogenic Insulin and Glucagon Secretion Can Stimulate Glucose Flux in Humans. *Diabetes* 2019, 68, 939–946

Angarita Dávila L, et al., Rol de la estevia y L-carnitina sobre el impacto glicémico de un suplemento nutricional en adultos [Role of the stevia and L-carnitine of a nutritional supplement on glycemic impact in adults]. *Nutr Hosp.* 2017 Nov 16;34(5):1455-1462. Spanish.

Anton SD, Morrison CD, Cefalu WT, Martin CK, Coulon S, Geiselman P, et al. Effects of chromium picolinate on food intake and satiety. *Diabetes Technol Ther* 2008;10: 405–12

Antoni FA. Hypothalamic control of adrenocorticotropin secretion: avances since the discovery of 41-residue corticotropin releasing of actor. *Endocr Rev.* 1986;7:351-78.

Arafah BM, Nishiyama FJ, Tlaygeh H, Hejal R. Measurement of salivary cortisol concentration in the assessment of adrenal function in critically ill subjects: a surrogate marker of the circulating free cortisol. *J Clin Endocrinol Metab.* 2007;92(8):2965-7.

Ashor AW, et al., Effects of vitamin C supplementation on glycaemic control: a systematic review and meta-analysis of randomised controlled trials. *Eur J Clin Nutr.* 2017 Dec;71(12):1371-1380.

Atmaca M, Kumru S, Tezcan E. Fluoxetine versus Vitex agnus castus extract in the treatment of premenstrual dysphoric disorder. *Hum Psychopharmacol.* 2003 Apr;18(3):191-5

Aylali O, Kirac S, Yilmaz M, et al. Does hypothyroidism affect gastrointestinal motility? *Gastroenterol Res Pract.* 2009;2009:1-7.

Aylali O, Kirac S, Yilmaz M, et al. Does hypothyroidism affect gastrointestinal motility? *Gastroenterol Res Pract.* 2009;2009:1-7.

Baburina Y, Odinkova I, Azarashvili T et al. 2',3'-Cyclic nucleotide 3'-phosphodiesterase as a messenger of protection of the mitochondrial function during melatonin treatment in aging. *Biochim Biophys Acta.* 2017;1859(1):94-103.

Bagger, J.I. et al., Effect of Oxyntomodulin, Glucagon, GLP-1, and Combined Glucagon + GLP-1 Infusion on Food Intake, Appetite, and Resting Energy Expenditure. *J. Clin. Endocrinol. Metab.* 2015, 100, 4541–4552

Bahniwal M, Little JP, Klegeris A. High Glucose Enhances Neurotoxicity and Inflammatory Cytokine Secretion by Stimulated Human Astrocytes. *Curr Alzheimer Res.* 2017 Jan 16

Bakhtazad, A., Vousooghi, N., Garmabi, B., & Zarrindast, M.R. (2016). CART peptide and opioid addiction: Expression changes in male rat brain. *Neuroscience*, 325, 63–73.

Ballardini D, et al. Uso di contraccettivi ormonali e tumore al seno: studio italiano esclude associazione, in “professione salute counseling e formazione alla prevenzione” aprile 2018, 45.

Bao PP, Shu XO, Zheng Y, et al Fruit, vegetable, and animal food intake and breast cancer risk by hormone receptor status. *Nutr Cancer.* 2012;64:806-19.

Barake M, Klinanski A, Tritos NA. Effects of recombinant human growth hormone therapy on bone mineral density in adults with growth hormone deficiency: a meta-analysis. *J Clin Endocrinol Metab.* 2014;99(3):852-60. • Barrett-Connor E, Von Muhlen DG, Kritz-Silverstein D. Bioavailable testosterone and depressed mood in older man: the Rancho Bernardo Study. *J Clin Endocrinol Metab.* 1999;84(2):573-7.

Baranowsska B, Singh SP, Soszynski P, Nowakowski J, Jeske W. (1987). The role of opiate, dopaminergic and adrenergic systems in the hypothalamo-pituitary dysfunction in obesity. *Acta Endocrinol* 116:22

Barnard ND et al. Diet and sex-hormone binding globulin, dysmenorrhea, and premenstrual symptoms. *Obstet Gynecol.* 2000 Feb;95(2):245-50

Barton DL. Prospective evaluation of vitamin E for hot flashes in breast cancer survivors. *J Clin Oncol.* 1998;16:495-500.

• Behre HM, Kliesch S, Leifke E, et al. Long-term effect of testosterone therapy on bone mineral density in hypogonadal men. *J Clin Endocrinol Metab.* 1997;82:2386-90.

Batterham, R.L., & Bloom, S.R. (2003). The gut hormone peptide YY regulates appetite. *Annals of the New York Academy of Sciences*, 994,162–168.

Beck-Nielsen H, Pedersen O & Lindskov HO (1980) Impaired cellular insulin binding and insulin sensitivity induced by high-fructose feeding in normal subjects. *American Journal of Clinical Nutrition* 33, 273–278

Behre HM, Simoni M, Nieschlag E. Strong association between serum levels of leptin and testosterone in men. *Clin Endocrinol.* 1997;47:237-40.

Bendich A. The potential for dietary supplements to reduce premenstrual syndrome (PMS) symptoms. *J Am Coll Nutr.* 2000 Feb;19(1):3-12.

Benton, D. To establish the parameters of optimal nutrition do we need to consider psychological in addition to physiological parameters? *Molecular Research Nutrition*, 2012

Benvenega S, Bartolone L, Pappalardo MA, et al. Altered intestinal absorption of L-thyroxine caused by coffee. *Thyroid.* 2008;18(3):293-301.

Benvenega S, Lakshmanan M, Trimarchi F. Carnitine is a naturally occurring inhibitor of thyroid hormone nuclear uptake. *Thyroid.* 2000;10:1043-50.

Benvenega S, Ruggeri RM, Russo A, et al. Usefulness of L-carnitine, a naturally occurring peripheral antagonist of thyroid hormone action, in iatrogenic hyperthyroidism: a randomized, double-blind, placebo-controlled clinical trial. *J Clin Endocrinol Metab.* 2001;86:3579-94.

Berding, K et al. Diet and the Microbiota-Gut-Brain Axis: Sowing the Seeds of Good Mental Health Online ahead of print. Mar 2021

Berk M, et al. So depression is an inflammatory disease, but where does the inflammation come from? *BMC Med* 2013).

Berk M. et al. The promise of N-acetylcysteine in neuropsychiatry. *Trends Pharmacol S*, 2013 b

Berridge MJ. Vitamin D deficiency and diabetes. *Biochem J.* 2017 Mar 24;474(8):1321-1332.

Bianchi V. Longevity: Il Segreto degli Ormoni. Bologna: OM Edizioni; 2017.

Bianco AC, Casula S. Thyroid hormone replacement therapy: three 'simple' questions, complex answers. *Eur Thyroid J.* 2012;1:88-98.

Bianco AC, Casula S. Thyroid hormone replacement therapy: three 'simple' questions, complex answers. *Eur Thyroid J.* 2012;1:88-98.

Biggio G., Concas A., Corda M.G., Giorgi O., Sanna E., Serra M. – GABAergic and dopaminergic transmission in the rat cerebral cortex: effect of stress, anxiolytic and anxiogenic drugs. *Pharmacol Ther* 48:121-142; 1990.

Biggio G., Sanna E., Serra M., Costa E. – GABA_A receptors and anxiety. In: Biaggio G (ed) – *Advances in biochemistry and psychopharmacology*, vol 48. Raven, New York; 1995.

Bivalacqua, TJ et al., Endothelial Dysfunction in Erectile Dysfunction: Role of the Endothelium

Blauwhoff-Buskermolen, S., et al., (2017). Plasma ghrelin levels are associated with anorexia but not cachexia in patients with NSCLC. *Frontiers in Physiology*, 8, 119.

Boucher J, Kleinridders A, Kahn CR. Insulin receptor signaling in normal and insulin-resistant states. *Cold Spring Harb Perspect Biol.* 2014;6(1): a009191. Published 2014 Jan 1.

Boudou P, Sobngwi E, Ibrahim F, et al. Hyperglycaemia acutely decreases circulating dehydroepiandrosterone levels in healthy men. *Clin Endocrinol (Oxf).* 2006;64(1):46-52.

Bourlon PM, et al. (1996) Relationship between calbindin-D28K levels in the A and B cells of the rat endocrine pancreas and the secretion of insulin and glucagon: influence of vitamin D3 deficiency and 1,25-dihydroxyvitamin D3. *J Endocrinol* 148, 223–232

Bradlow HL, Sepkovic DW, Telang NT, Osborne MP. Multifunctional aspects of the indeole-3-carinol as an antitumor agent. *Ann NY Acad Sci.* 1999;889:204-13.

Brambilla, F., Monteleone, P., & Maj, M. (2009). Glucagon-like peptide-1 secretion in bulimia nervosa. *Psychiatry Research*, 169, 82–85.

Bremner AP, Feddema P, Joske DJ, et al. Significant association between thyroid hormones and erythrocyte indices in euthyroid subjects. *Clin Endocrinol (Oxf).* 2012;76(2):304-11.

Brewerton, T. (1992). Serotonin function in depression: Effects of seasonality? *American Journal of Psychiatry*, 149, 1277.

Brian S. Dunlap and James R. Baile "Unlimited Energy, Restricted Carbohydrate Diet Improves Lipid Parameters in Obese Children" Jr. *Metabolic Syndrome and Related Disorders.* March 2008, 6(1): 32-36.

Broberger, C., et al., (1998). The neuropeptide Y/agouti gene-related protein (AGRP) brain circuitry in normal, anorectic, and monosodium glutamatetreated mice. *Proceedings of the National Academy of Sciences of the United States of America*, 95, 15043–15048. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9844012>

Brzozowska M, et al. Evaluation of influence of selenium, copper, zinc and iron concentrations on thyroid gland size in school children with normal ioduria. *Pol Merkur Lekarski.* 2006;20(120):672-7.

Brzozowska M, Kretowski A, Podkowicz K, et al. Evaluation of influence of selenium, copper, zinc and iron concentrations on thyroid gland size in school children with normal ioduria. *Pol Merkur Lekarski.* 2006;20(120):672-7.

Bulterijs S, Hull RS, Björk VCE, Roy AG. It is time to classify biological aging as a disease. *Front Genet.* 2015;6:205.

Bürgi H. Iodine excess. *Best Pract Res Clin Endocrinol Metab.* 2010;24(1):107-15.

Bürgi H. Iodine excess. *Best Pract Res Clin Endocrinol Metab.* 2010 ; 2 4 (1) :107-15.

Buttke DE, Sircar K, Martin C. Exposures to endocrine-disrupting chemicals and age of menarche in adolescent girls in NHANES (2003–2008). *Environ Health Perspect.* 2012;120(11):1613-1618. doi:1289/ehp.1104748

Calles-Escandón, J. Insulin dissociates hepatic glucose cycling and glucagon-induced thermogenesis in man. *Metabolism* 1994, 43, 1000–1005

Campbell, J.E.; Drucker, D.J. Islet alpha cells and glucagon critical regulators of energy homeostasis. *Nat. Rev. Endocrinol.* 2015, 11, 329–338

Cantorna MT. Vitamin D and autoimmunity: is vitamin D status an environmental factor affecting autoimmune disease prevalence? *Proc Soc Exp Biol Med.* 2000;223:230-3.

Cantorna MT. Vitamin D and autoimmunity: is vitamin D status an environmental factor affecting autoimmune disease prevalence? *Proc Soc Exp Biol Med.* 2000;223:230-3.

Casals-Casas C, Desvergne B. Endocrine disruptors: from endocrine to metabolic disruption. *Annu Rev Physiol.* 2011;73:135-62. doi: 10.1146/annurev-physiol-012110-142200. PMID: 21054169.

Casanueva FF, Borrás CG, Burguera B, Lima L, Muruais C, Tresguerres JAF, Devesa J. (1987). Growth hormone and prolactin secretion after growth hormone releasing hormone administration in anorexia nervosa patients, normal controls and tamoxifen pretreated volunteers. *Clin Endocrinol* 27:250.

Casanueva FF, Burguera B, Casabiell X, Alvarez C, Muruais C, Dominguez F, Dieguez C. (1988). Levels of neuroendocrine and pharmacologic regulation of growth hormone secretion. En: *Neuroendocrine Perspectives.* Wass AH, Scanlon MF (Eds.). Springer-Verlag, New York p 177.

Caspar-Bauguil S, Montastier E, Galinon F, Frisch-Benarous D, Salvayre R, Ritz P. Anorexia nervosa patients display a deficit in membrane long chain poly-unsaturated fatty acids. *Clin Nutr.* 2012;31(3):386–90

Castrioto, A., Thobois, S., Carnicella, S., Maillet, A., & Krack, P. (2016). Emotional manifestations of PD: Neurobiological basis. *Movement Disorders*, 31, 1103–1113.

Catassi C, Elli L, Bonaz B, et al. Diagnosis of Non-Celiac Gluten Sensitivity (NCGS): The Salerno Experts' Criteria. *Nutrients*. 2015;7(6):4966-77.

Caturegli P, De Remigis A, Chuang K, et al. Hashimoto's thyroiditis: celebrating the centennial through the lens of the Johns Hopkins hospital surgical pathology records. *Thyroid*. 2013;23(2):142-50.

Caturegli P, et al. Hashimoto's thyroiditis: celebrating the centennial through the lens of the Johns Hopkins hospital surgical pathology records. *Thyroid*. 2013;23(2):142-50.

Chang HC, Doerge DR. Dietary genistein inactivates rat thyroid peroxidase in vivo without an apparent hypothyroid effect. *Toxicol Appl Pharmacol*. 2000;168(3):244-52.

Chao JK et al., Erectile Dysfunction, Hormone Levels, Inflammation in Male Patients with Metabolic Syndrome 2018 *Journal of Men's Health* 14(4):Jian-Kang Chao

Charmandari E, Nicolaidis NC, Chrousos GP. Adrenal insufficiency. *Lancet*. 2014;383(9935):2152-67. • Choi J, Kim TH, Choi TY, Lee Ms. Ginseng for health care: a systematic review of randomized controlled trials in Korean literature. *PLoS One*. 2013;8(4):e59978.

Chen M, Bergman RN, Porte D Jr: Insulin resistance and beta-cell dysfunction of aging: The importance of dietary carbohydrate. *J Clin Endocrinol Metab* 67:951-957, 1988

Chertow BS, et al. (1994) Effects of vitamin A deficiency and repletion on rat glucagon secretion. *Pancreas* 9, 475–484

Chidiac CW. An update on the medical consequences of anorexia nervosa. *Curr Opin Pediatr*. 2019 Aug;31(4):448-453.

Chorazy PA, Himelhoch S, Hopwood NJ, et al. Persistent hypothyroidism in an infant receiving a soy formula: case report and review of the literature. *Pediatrics*. 1995;96:148-50.

Chow ET, Mahalingaiah S. Cosmetics use and age at menopause: is there a connection? *Fertil Steril*. 2016;106(4):978-990. doi:10.1016/j.fertnstert.2016.08.020

Christensen M, et al.,. Glucose-dependent insulinotropic polypeptide: a bifunctional glucose-dependent regulator of glucagon and insulin secretion in humans. *Diabetes* 2011; 60:3103–9

Chrousos GP, Gold PW. The concepts of stress and stress system disorders. Overview of physical and behavioral homeostasis. *JAMA*. 1992;267(9):1244-52.

Chrousos GP. Clinical applications of corticotropin releasing factor. *Ann Intern Med*. 1985;102(3):344-58.

Chun JN, Cho M, So I, Jeon KH. The protective effects of Schisandra chinensis fruit extract and its lignans against cardiovascular disease: a review of the molecular mechanisms. *Fitoterapia*. 2014;97:224-33.

Cinemre H, Bilir C, Gokosmanoglu F, Bahcebasi T. Hematologic effects of levothyroxine in iron-deficient subclinical hypothyroid patients: a randomized, double-blind, controlled study. *J Clin Endocrinol Metab*. 2009;94(1):151-6.

Cinemre H, Bilir C, Gokosmanoglu F, Bahcebasi T. Hematologic effects of levothyroxine in iron-deficient subclinical hypothyroid patients: a randomized, double-blind, controlled study. *J Clin Endocrinol Metab*. 2009;94(1):151-6.

Clark, J.T., Kalra, P.S., Crowley, W.R., & Kalra, S.P. (1984). Neuropeptide Y and human pancreatic polypeptide stimulate feeding behavior in rats. *Endocrinology*, 115, 427–429

Clow A, Huckelbridge F, Stadler T, et al. The cortisol awakening response: more than a measure of HPA axis function. *Neurosci Biobehav Rev*. 2010;35(1):97-103.

Collomp R, Labsy Z, Zorgati H, et al. Therapeutic glucocorticoid administration alters the diurnal pattern of dehydroepiandrosterone. *Endocrine*. 2014;46(3):668-71.

Comhaire F, Mahmoud A. Preventing diseases of the prostate in the elderly using hormones and nutraceuticals. *Aging Male*. 2004;7(2):155-69.

Contempré B, Duale NL, Dumont JE, et al. Effect of selenium supplementation on thyroid hormonal metabolism in an iodine and selenium, deficient population. *Clin Endocrinol (Oxf)*. 1992;36:579-83.

Contempré B, Dumont JE, Ngo B, et al. Effect of selenium supplementation in hypothyroid subjects of an iodine and selenium-deficient area: the possible danger of indiscriminate supplementation of iodine-deficient subjects with selenium. *J Clin Endocrinol Metab*. 1991;73:213-5.

Contempré B, et al. Effect of selenium supplementation in hypothyroid subjects of an iodine and selenium-deficient area: the possible danger of indiscriminate supplementation of iodine-deficient subjects with selenium. *J Clin Endocrinol Metab*. 1991;73:213-5.

Contempré B, et al. Effect of selenium supplementation on thyroid hormonal metabolism in an iodine and selenium, deficient population. *Clin Endocrinol (Oxf)*. 1992;36:579-83.

Corona G, Giagulli VA, Maseroli E, et al. Therapy of endocrine disease: testosterone supplementation and body composition: results from a meta-analysis study. *Eur J Endocrinol*. 2016;174:R99-116.

Corona G, Rastrelli G, Giagulli VA, et al. Dehydroepiandrosterone supplementation in elderly men: a meta-analysis study of placebo-controlled trials. *J Clin Endocrinol Metab*. 2013;98(9):3615-26.

Cramer DW. Characteristics of women with a family history of ovarian cancer. I. Galactose consumption and metabolism. *Cancer*. 1994;74(4):109-17.

Cryer, P.E. Minireview: Glucagon in the Pathogenesis of Hypoglycemia and Hyperglycemia in Diabetes. *Endocrinology* 2012, 153, 1039–1048

Cutolo M, Brizzolara R, Atzeni F, et al. The immunomodulatory effects of estrogens: clinical relevance in immune-mediated rheumatic diseases. *Ann N Y Acad Sci.* 2010;1193:36-42.

D.Y. Jones. (1987). Influence of dietary fat on self-reported menstrual symptoms. *Physiol Behav*, 40, pp. 483–487.

Dahl P, Danzi S, Klein I. Thyrotoxic cardiac disease. *Curr Heart Fail Rep.* 2008;5(3):170-6.

Dallman MF, Akana SF, Levin N. Corticosteroids and the control of function in the hypothalamus-pituitary-adrenal (HPA) AXIS. *Ann N Y Acad Sci.* 1994;746:22-31.

Damsgaard C, et al. Whole-grain intake, reflected by dietary records and biomarkers, is inversely associated with circulating insulin and other cardiometabolic markers in 8-to 11-year-old children. *J Nutr.* 2017;147(5):816–824.

Darshan S, Doreswamy R. Patented anti-inflammatory plant drug development from traditional medicine. *Phytother Res.* 2004; 18(5):343-47.

Davidson MB, Harris MD, Ziel FH. (1988). Suppression of sleep-induced growth hormone secretion by anticholinergic agent abolishes dawn phenomenon. *Diabetes* 37:166

Davis SR. Testosterone treatment: psychological and physical effects in postmenopausal women. *Menopausal Med.* 2001;9(2):1-6.

Davis SR. The use of testosterone after menopause. *J Br Menopause Soc.* 2004;10(2):65-9.

De Oliveira, GV et al., Acute effect of dietary nitrate on forearm muscle oxygenation, blood volume and strength in older adults: A randomized clinical trial. *Plos One*; 2017 (130)

De Souza MC, Walker AF, Robinson PA, Bolland K. A synergistic effect of a daily supplement for 1 month of 200 mg magnesium plus 50 mg vitamin B6 for the relief of anxiety-related premenstrual symptoms: a randomized, double-blind, crossover study. *J Womens Health Gend Based Med.* 2000 Mar;9(2):131-9.

Dharia S, Parker CR Jr. Adrenal androgens and aging. *Semin Reprod Med.* 2004;22(4):361-8.

Di Renzo GC, Conry JA, Blake J, et al. International Federation of Gynecology and Obstetrics opinion on reproductive health impacts of exposure to toxic environmental chemicals. *Int J Gynaecol Obstet.* 2015;131(3):219-225. doi:10.1016/j.ijgo.2015.09.002

Diaz-Arjonilla, M. et al., Obesity, low testosterone levels and erectile dysfunction. *Int J Impot Res* 21, 2009

Díaz-Cruz ES, Brueggemeier RW. Interrelationships between cyclooxygenases and aromatase: unraveling the relevance of cyclooxygenase inhibitors in breast cancer. *Anticancer Agents Med Chem.* 2006;6(3):221-32.

Diaz-Marsa M, Carrasco JL, Cesar J, Hollander E, Saiz J. Decreased platelet monoaminoxidase in female anorexia nervosa. *Acta Psychiatr Scand.* 2000; 101:226-30

Divi RL, Chang HC, Doerge DR. Anti-thyroid isoflavones from soybean: isolation, characterization, and mechanisms of action. *Biochem Pharmacol.* 1997;54:1087-96.

Dodson RE, Nishioka M, Standley LJ, Perovich LJ, Brody JG, Rudel RA. Endocrine disruptors and asthma-associated chemicals in consumer products. *Environ Health Perspect.* 2012;120(7):935-943. doi:1289/ehp.1104052

Dorin RI, Pai HK, Ho JT, et al. Validation of a simple method of estimating plasma free cortisol: role of cortisol binding to albumin. *Clin Biochem.* 2009;42(1-2):64-71.

Drugarin D, Negru S, Koreck A, et al. The pattern of a T(H)1 cytokine in autoimmune thyroiditis. *Immunol Lett.* 2000;71:73-7.

Drugarin D, Negru S, Koreck A, et al. The pattern of a T(H)1 cytokine in autoimmune thyroiditis. *Immunol Lett.* 2000;71:73-7.

Duarte GC, Tomimori EK, de Camargo RY, et al. Excessive iodine intake and ultrasonographic thyroid abnormalities in schoolchildren. *J Pediatr Endocrinol Metab.* 2009;22(4):327-34 .

Duckworth WC, Kitabchi AE (1981) Insulin metabolism and degradation. *Endocr Rev* 2: 210–233

Dunning AM, Dowsett M, Healey CS, et al. Polymorphisms associated with circulating sex hormone levels in postmenopausal women. *J Natl Cancer Inst.* 2004;96: 936-45.

Duntas LH, Brenta G. Thyroid hormones: a potential ally to LDL-cholesterol-lowering agents. *Hormones (Athens).* 2016;15(4):500-10.

Duntas LH, Papanastasiou L, Mantzou E, Koutras DA. Incidence of sideropenia and effects of iron repletion treatment in women with subclinical hypothyroidism. *Exp Clin Endocrinol Diabetes.* 1999;107(6):356-60.

Duntas LH, Papanastasiou L, Mantzou E, Koutras DA. Incidence of sideropenia and effects of iron repletion treatment in women with subclinical hypothyroidism. *Exp Clin Endocrinol Diabetes.* 1999;107(6):356-60.

E Barrett-Connor , D von Mühlen, G A Laughlin, A Kripke Endogenous levels of dehydroepiandrosterone sulfate, but not other sex hormones, are associated with depressed mood in older women: the Rancho Bernardo Study. *J Am Geriatr Soc.* 1999 Jun;47(6):685-91. doi: 10.1111/j.1532-5415.1999.tb01590.x.

E P. S O. Minireview: the brain as a molecular target for diabetic therapy. *Endocrinology.* 2006;147: 2664–2669

E Sebokova 1, M L Garg, A Wierzbicki, A B Thomson, M T Clandinin Alteration of the lipid composition of rat testicular plasma membranes by dietary (n-3) fatty acids changes the responsiveness of Leydig cells and testosterone synthesis. *Nutr.* 1990 Jun;120(6):610-8. doi: 10.1093/jn/120.6.610.

Eckel RH. Lipoprotein lipase. A multifunctional enzyme relevant to common metabolic diseases. *N Engl J Med.* 1989;320:1060-8.

Eddy, K.T., et al., (2015). Appetite regulatory hormones in women with anorexia nervosa: Binge-eating/purging versus restricting type. *Journal of Clinical Psychiatry*, 76, 19–24.

Effraimidis G, Wiersinga WM. Mechanisms in endocrinology: autoimmune thyroid disease: old and new players. *Eur J Endocrinol.* 2014;170(6)R241-52.

Effraimidis G, Wiersinga WM. Mechanisms in endocrinology: autoimmune thyroid disease: old and new players. *Eur J Endocrinol.* 2014;170(6)R241-52.

Eftekhari MH, Eshraghian MR, Mozaffari-Khosravi H, et al. Effect of iron repletion and correction of iron deficiency on thyroid function in iron-deficient Iranian adolescent girls. *Pak J Biol Sci.* 2007;10(2):255-60.

Eftekhari MH, et al. Effect of iron repletion and correction of iron deficiency on thyroid function in iron-deficient Iranian adolescent girls. *Pak J Biol Sci.* 2007;10(2):255-60.

Elder CR, Gullion CM, Funk KL, et al. Impact of sleep, screen time, depression and stress on weight change in the intensive weight loss phase of the LIFE study. *Int J Obes (Lond).* 2012;36(1):86-92.

Erectile Responses in Rats with Type I Diabetes. *Sex Med.* 2011 November; 8(11):

Eyles DW et al. Vitamin D, effects on brain development, adult brain function and the links between low levels of vitamin D and neuropsychiatric disease. *Front Neuroendocrinol* 2013; 34

Facchinetti F, Borella P, Sances G, Fioroni L, Nappi RE, Genazzani AR. Oral magnesium successfully relieves premenstrual mood changes. *Obstet Gynecol.* 1991 Aug;78(2):177-81.

Facchinetti F, Sances G, Borella P, Genazzani AR, Nappi G. Magnesium prophylaxis of menstrual migraine: effects on intracellular magnesium. *Headache.* 1991 May;31(5):298-301.

Fagerberg P Negative Consequences of Low Energy Availability in Natural Male Bodybuilding *Int J Sport Nutr Exerc Metab* 2017

Fairburn CG, Harrison PJ. Eating disorders. *Lancet.* 2003 Feb 1;361(9355):407-16. Review. PubMed PMID: 12573387

Fan Y, Xu S, Zhang H, et al. Selenium supplementation for autoimmune thyroiditis: a systematic review and meta-analysis. *Int J Endocrinol.* 2014;2014:ID904573.

Fan Y, Xu S, Zhang H, et al. Selenium supplementation for autoimmune thyroiditis: a systematic review and meta-analysis. *Int J Endocrinol.* 2014;2014:ID904573.

Farman N, Rafestin-Oblin ME. Multiple aspects of mineralocorticoid selectivity. *Am J Physiol Renal Physiol.* 2001;280(2):F181-92.

Feart C, Pallet V, Boucheron C, et al. Aging affects the retinoic acid and the triiodothyronine nuclear receptor mRNA expression in human peripheral blood mononuclear cells. *Eur J Endocrinol.* 2005;152(3):449-58.

Fekete, C., et al., (2012). Activation of anorexigenic pro-opiomelanocortin neurones during refeeding is independent of vagal and brainstem inputs. *Journal of Neuroendocrinology*, 24, 1423–1431.

Felten DL, Felten SY, Madden KS. Fundamental aspects of neural immune signaling. *Psychoter Psychosom.* 1993;60(1):46-56.

Felten SY, Felten DL. Innervation of lymphoid tissue. In: Ader R, Felten DL, Cohen N (Eds.). *Psychoneuroimmunology*. 2nd Edition. New York: Academic Press; 1991, pp. 27-61.

Feoeker, M., et al., (2011). Screening for anorexia nervosa via measurement of serum leptin levels. *Journal of Neural Transmission (Vienna, Austria: 1996)*, 118, 571–578.

Fernández-Real JM, Grasa M, Casamitjana R, Ricart W. The insulin resistance syndrome and the binding capacity of cortisol binding globuline (CBG) in men and women. *Clin Endocrinol (Oxf).* 2000;52(1):93-9.

Files JA, Ko MG, Pruthi S. Bioidentical hormone therapy. *Mayo Clin Proc.* 2011;86(7):673-80.

Fiore C, Eisenhut M, Ragazzi E, et al. A history of the therapeutic use of liquorice in Europe. *J Ethnopharmacol.* 2005;99(3):317-24.

Firth, J et al. What Is the Role of Dietary Inflammation in Severe Mental Illness? A Review of Observational and Experimental Findings. *Frontiers in Psychiatry*; 2019; 10

Flak, J.N., & Myers, M.G. (2016). Minireview: CNS mechanisms of leptin action. *Molecular Endocrinology (Baltimore, Md.)*, 30, 3–12.

Flament MF, Bissada H, Spettigue W. Evidence-based pharmacotherapy of eating disorders. *Int J Neuropsychopharmacol.* 2012 Mar;15(2):189-207.

Flynn RW, Bonellie SR, Jung RT, et al. Serum thyroid-stimulating hormone concentration and morbidity from cardiovascular disease and fractures in patients on long-term thyroxine therapy. *J Clin Endocrinol Metab.* 2010;95(1):186-93.

Franklyn JA, Betteridge J, Daykin J, et al. Long-term thyroxine treatment and bone mineral density. *Lancet*. 1992;340(8810):9-13.

Frayn KN & Kingman SM (1995) Dietary sugars and lipid metabolism in humans. *American Journal of Clinical Nutrition* 62, 250S–261S

Freeman ME, Houpt TA. The hypothalamus. In: Conn PM (Ed.). *Neuroscience in medicine*. 2nd Edition. Totowa: Humana Press; 2002, pp. 293-345.

Freitas J, Santos R, Azevedo E, et al. Clinical improvement in patients with orthostatic intolerance after treatment with bisoprolol and fludrocortisone. *Clin Auton Res*. 2000;10(5):293-9.

Friesema EC, Jansen J, Visser TJ. Thyroid hormone trans- porters. *Biochem Soc Trans*. 2005; 33:228-32.

Friesema EC, Jansen J, Visser TJ. Thyroid hormone transporters. *Biochem Soc Trans*. 2005; 33:228-32.

Frisch R.E., McArthur J.W. – Menstrual cycles: fatness as a determinant of minimum weight for height necessary for their maintenance or onset. *Science* 185:949-951; 1974.

Froy O, Miskin R. Effect of feeding regimens on circadian rhythms: implications for aging and longevity. *Aging (Albany NY)*. 2010;2(1):7-27.

Fui, MN et al., Lowered testosterone in male obesity: mechanisms, morbidity and management..*Asian J Androl*. 2014; 16(2

Fukagawa NK, Anderson JW, Hageman G, et al: Highcarbohydrate, high-fiber diets increase peripheral insulin sensitivity in healthy young and old adults. *Am J Clin Nutr* 52:524-528, 1990

Fuss, J., Steinle, J., et al., (2015). A runner’s high depends on cannabinoid receptors in mice. *Proceedings of the National Academy of Sciences of the United States of America*, 112, 13105–13108

Gabel K, et al., Differential Effects of Alternate-Day Fasting Versus Daily Calorie Restriction on Insulin Resistance. *Obesity (Silver Spring)*. 2019 Sep;27(9):1443-1450.

Gaetani, S., Kaye, W.H., Cuomo, V., & Piomelli, D. (2008). Role of endocannabinoids and their analogues in obesity and eating disorders. *Eating and Weight Disorders*, 13, e42–e48.

Galesanu C, Lisnic N, Teslaru R, et al. [Lipids profile in a group of hypothyroid patients vs. treated hypothyroid patients.] *Rev Med Chir Soc Med Nat Iasi*. 2004;108:554-60.

Galland L. Applying person-centered diagnosis to the problem of chronic fatigue. 7th International Symposium of Functional Medicine. Gib Harbor: Institute for Functional Medicine; 2000.

Galusca, B., et al., (2015). Neuropeptide Y and a-MSH circadian levels in two populations with low body weight: Anorexia nervosa and constitutional thinness. *PLoS One*, 10, e0122040.

Ganapathy AA et al., Medicinal plants as a potential source of Phosphodiesterase-5 inhibitors: A review *Journal of Ethnopharmacology*. **2020-**

Gasior M, Rogawski MA, Hartman AL. Neuroprotective and disease modifying effects of the ketogenic diet. *Behav Pharmacol*. 2006; Sep;17(5-6):431-9. Review.

Gatti R, Antonelli G, Prearo M, et al. Cortisol assays and diagnostic laboratory procedures in human biological fluids. *Clin Biochem*. 2009;42(12):1205-17.

Genazzani A.D., Lanzoni C., Ricchieri F., Santagni S., Rattighieri E., Chierchia E., Monteleone P., Jasonni V.M. – Acetyl-L-Carnitine (ALC) administration positively affects reproductive axis in hypogonadotropic women with functional hypothalamic amenorrhea. *J Endocrinol Invest* 34:287-291; 2011.

Genazzani A.D., Petraglia F., Algeri I., Gastaldi M., Calvani M., Botticelli G., Genazzani A.R. – Acetyl-L-Carnitine as a possible drug in the treatment of hypothalamic amenorrhea. *Acta Obstet Gynecol Scand* 70:487-492; 1991. 46.

Genazzani A.D., Petraglia F., Fabbri G., Monzani A., Montanini V., Genazzani A.R. – Evidence of luteinizing hormone secretion in hypothalamic amenorrhea associated with weight loss. *Fertil Steril* 54:222-226; 1990

Gerber GS, Fitzpatrick JM. The role of a lipido-sterolic extract of *Serenoa repens* in the management of lower urinary tract symptoms associated with benign prostatic hyperplasia. *BJU Int*. 2004;94(3):338-44.

Gerich JE, et al. Characterization of the glucagon response to hypoglycemia in man. *J Clin Endocrinol Metab* 1974; 38:77–82

Gerli S et al. Randomized double- blind placebo-controlled trial: effects of myo-inositol on ovarian function and metabolic factors in women with PCOS *Eur Rev Med Pharmacol Sci* 2007;11:347-54

Gibson EL, Checkley S, Papadopulos A, et al. Increased salivary cortisol reliably induced by a protein-rich midday meal. *Psychosom Med*. 1999;61(2):214-24.

Gibson-Smith, D et al. Association of food groups with depression and anxiety disorders *European Journal of Nutrition* 2020, 59 Suppl 11

Gijsbers L, Ding EL, Malik VS et al. Consumption of dairy foods and diabetes incidence: a dose-response meta-analysis of observational studies. *Am J Clin Nutr*. 2016;103(4):1111-24

Glade MJ, Smith K. Phosphatidylserine and the human brain: metabolism and function. *Prog Lipid Res*. 2014;56:1-18.

Goodwin GM, Fairburn CG, Cowen PJ. Dieting changes serotonergic function in women, not men: implications for the aetiology of anorexia nervosa? *Psychological Medicine*. 1987;17:839–42

Gorwood, P., et al., (2016). New insights in anorexia nervosa. *Frontiers in Neuroscience*, 10, 256.

Grimnes G, Emaus N, Joakimsen RM, et. al. The relationship between serum TSH and bone mineral density in men and postmenopausal women: the Tromsø study. *Thyroid*. 2008;18(11):1147-55.

Grindler NM, Allsworth JE, Macones GA, Kannan K, Roehl KA, Cooper AR. Persistent organic pollutants and early menopause in U.S. women. *PLoS One*. 2015;10(1):e0116057. doi:1371/journal.pone.0116057

Grossman A. Corticotropin-releasing hormone: basic physiology and clinical application. In: DeGroot L (Ed.). *Endocrinology*. 3rd Edition. Philadelphia: WB Saunders; 1995, pp. 341-54.

Grow DR. Metabolism of endogenous and exogenous reproductive hormones. *Obstet Gynecol Clin North Am*. 2002;29(3):425-36.

Gruenwald J, Freder J, Armbruster N. Cinnamon and health. *Crit Rev Food Sci Nutr*. 2010 Oct;50(9):822-34.

Guay A, Munarriz R, Jacobson J, et al. Serum androgen levels in healthy premenopausal women with and without sexual dysfunction: Part A. Serum androgen levels in women aged 20-49 years with no complaints of sexual dysfunction. *Int J Impot Res*. 2004;16(2):112-20.

Gullo D, Latina A, Frasca F, et al. Levothyroxine mono- therapy cannot guarantee euthyroidism in all athyreotic patients. *PLoS One*. 2011;6(8):e22552.

Gullo D, Latina A, Frasca F, et al. Levothyroxine monotherapy cannot guarantee euthyroidism in all athyreotic patients. *PLoS One*. 2011;6(8):e22552.

H. Adlercreutz, Western diet and Western diseases: Some hormonal and biochemical mechanisms and associations. *Scand J Clin Lab Invest* 50 (1990), pp. 3–23.

Hagberg KW, Divan HA, Persson R, et al. Risk of erectile dysfunction associated with use of 5-alfa reductase inhibitors for benign prostatic hyperplasia or alopecia. *BMJ*. 2016;354:i4823.

Haleem DJ. Improving therapeutics in anorexia nervosa with tryptophan. *Life Sci*. 2017 Jun 1; 178:87-93.

Halse R, Bonavaud SM, Armstrong JL, McCormack JG, Yeaman SJ (2001) Control of glycogen synthesis by glucose, glycogen, and insulin in cultured human muscle cells. *Diabetes* 50: 720–726

Hammouda F, Messaoudi I, El Hani J, et al. Reversal of cadmium-induced thyroid dysfunction by selenium, zinc, or their combination in rat. *Biol Trace Elem Res*. 2008;126(1-3):194-203.

Hanausek M. Detoxifying cancer causin agents to prevent cancer. *Integr Cancer Ther*. 2003;2(2):139-44.

Hansen FM, Fahmy N, Nielsen JH. The influence of sexual hormones on lipogenesis and lipolysis in reat fat cells. *Acta Endocrinol (Copenh)*. 1980;95(4):566-70.

Harris DM, Go VL. Vitamin D and colon carcinogenesis. *J Nutr*. 2004;124(12 Suppl):3463S-71SJ .

Hartgens F, Kuipers H. Effects of androgenic-anabolic steroids in athletes. *Sports Med*. 2004;34(8):513-54.

Hartz AJ, Bentler S, Noyes R, et al. Randomized controlled trial of Siberian ginseng for chronic fatigue. *Psychol Med*. 2004;34(1):51-61.

Harvie MN, Pegington M, Mattson MP, et al. The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. *Int J Obes (Lond)* 2011; 35:714-727

Hashemipour S, Esmailzadehha N, Mohammadzadeh M, Ziaee A. Association of meat and dairy consumption with normal weight metabolic obesity in men: The Qazvin Metabolic Disease Study. *Eat Weight Disord*. 2016;21(3):419–425

Heaney JL, Carroll D, Phillips AC. Physical activity, life events stress, cortisol, DHEA: preliminary findings that physical activity may buffer against the negative effects of stress. *J Aging Phys Act*. 2014;22(4):465-73.

Hebebrand, J., et al., (2003). Hyperactivity in patients with anorexia nervosa and in semistarved rats: Evidence for a pivotal role of hypoleptinemia. *Physiology & Behavior*, 79, 25–37.

Hechter O, Grossman A, Chatterton RT Jr. Relationship of dehydroepiandrosterone and cortisol in disease. *Med Hypotheses*. 1997;49(1):85-91.

Heilmann P, Heide J, Hundertmark S, Schöneshöfer M. Administration of glycyrrhetic acid: significant correlation between serum levels and the cortisol/cortisone-ration in serum and urine. *Exp Clin Endocrinol Diabetes*. 1999;107(6):370-8.

Hellhammer DH, Wust S, Kudielka BM. Salivary cortisol as a biomarker in stress research. *Psychoneuroendocrinology*. 2009;34(2):163-71.

Herisson, F.M., Brooks, L.L., Waas, J.R., Levine, A.S., & Olszewski, P.K. (2014). Functional relationship between oxytocin and appetite for carbohydrates versus saccharin. *Neuroreport*, 25, 909–914.

Hero M, Wickman S, Hanhijarvi R, et al. Pubertal upregulation of erythropoiesis in boys is determined primarily by androgen. *J Pediatr*. 2005;146(2):245-52.

Herrero Ó, Aquilino M, Sánchez-Argüello P, Planelló R. The BPA-substitute bisphenol S alters the transcription of genes related to endocrine, stress response, and biotransformation pathways in the aquatic midge *Chironomus riparius* (Diptera, Chironomidae). *PLoS One*. 2018;13(2):e0193387. doi:1371/journal.pone.0193387

Hesch RD, Kenemans P. Hormonal prevention of breast cancer: proposal for a change in paradigm. *Br J Obstet Gynaecol*. 1999;106(10):1006-18.

Himsworth HP. Diabetes Mellitus: its differentiation into insulin-sensitive and insulin-insensitive types. *The Lancet*. 1936; 227:127–130

Hirosumi, J., et al., (2002). A central role for JNK in obesity and insulin resistance. *Nature*, 420(6913), 333–336

Hoang HD, Olsen CH, Mai VQ, et al. Desiccated thyroid extract compared with levothyroxine in the treatment of hypothyroidism: a randomized, double-blind, crossover study. *J Clin Endocrinol Metab*. 2013;98(5):1982-90.
<https://www.psoriasimetodoapollo.com/istamina-come-neurotrasmettitore/>

Hu, S et al. Beneficial Effects of Exercise on Depression and Anxiety During the Covid-19 Pandemic: A Narrative Review *Front Psychiatry* . 2020

Hung SK, Perry R, Ernst E. The effectiveness of efficacy of *Rhodiola rosea* L.: a systematic review of randomized clinical trials. *Phytomedicine*. 2011;18(4):325-44.

Hunter SJ, Garvey WT. Insulin action and insulin resistance: diseases involving defects in insulin receptors, signal transduction, and the glucose transport effector system. *Am J Med*. 1998;105(4):331-345.

Il Giornale.it - Ecco perché il pene dei giovani è più corto di quello dei nonni - 17 Gennaio 2015.

Imaki T, Shibasaki T, Masuda A, Hotta M, Yamachi N, Demura H, Shizume K, Wakabayashi I, Ling N. (1986). The effect of glucose and free fatty acids on growth hormone (GH)-releasing factor-mediated GH secretion in rats. *Endocrinology in Erectile Physiology and Disease Journal of Andrology*, Vol. 24, No. 6 Supplement, November/December 2003

Ishaque S, Shamseer L, Bukutu C, Vohra S. *Rhodiola rosea* for physical and mental fatigue: a systemic review. *BMC Complement Altern Med*. 2012;12:70.

Ishizuki Y, Hirooka Y, Murata Y, Togashi K. [The effects on the thyroid gland of soybeans administered experimentally in healthy subjects.] *Nihon Naibunpi Gakkai Zasshi*. 1991;67:622-9.

Izadi A, et al., Hormonal and Metabolic Effects of Coenzyme Q10 and/or Vitamin E in Patients with Polycystic Ovary Syndrome. *J Clin Endocrinol Metab*. 2019 Feb 1;104(2):319-327.

J. Hardman, et al (Eds): *Goodman & Gilman's The Pharmacological Basis Of Therapeutics*. NYC: Mcgraw-hill, 1996

J. N. McClintick, X. Xuei, J. A. Tischfield et al., "Stress-response pathways are altered in the hippocampus of chronic alcoholics," *Alcohol*, vol. 47,

Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring)*. 2013;21(12):2504-12.

Jamilian M, et al., Effects of Chromium and Carnitine Co-supplementation on Body Weight and Metabolic Profiles in Overweight and Obese Women with Polycystic Ovary Syndrome: a Randomized, Double-Blind, Placebo-Controlled Trial. *Biol Trace Elem Res*. 2020 Feb;193(2):334-341.

Jean, A., et al., (2007). Anorexia induced by activation of serotonin 5-HT₄ receptors is mediated by increases in CART in the nucleus accumbens. *Proceedings of the National Academy of Sciences of the United States of America*, 104, 16335–16340.

Jefcoate CR, Liehr JG, Santen RJ, et al. Chapter 5:Tissue Specific Synthesis and Oxidative Metabolism of Estrogens. *J Natl Can Inst Monogr*. 2000;27:95-112.

Jenkins DJA, Wolever TMS, Vuskan V, Brighenti F, et al. Metabolic advantages of increased meal frequency. *N Engl J Med*. 1989;321:929-34.

Jennings, K.M., Wildes, J.E., & Coccaro, E.F. (2017). Intermittent explosive disorder and eating disorders: Analysis of national comorbidity and research samples. *Comprehensive Psychiatry*, 75, 62–67.

Jeřeta M, Crha T, Žáková J, Ventruba P. Bisphenols in the pathology of reproduction. *Ceska Gynekol*. 2019;84(2):161-165.

Jones DS. *Textbook of functional medicine*, Gig Harbor: The Institute for Functional Medicine; 2010.

Jones, B.J.; Tan, T.; Bloom, S.R. Minireview: Glucagon in stress and energy homeostasis. *Endocrinology* 2012, 153, 1049–1054

Joseph JJ, Golden SH. Cortisol dysregulation: the bidirectional link between stress, depression and type 2 diabetes mellitus. *Ann N Y Acad Sci*. 2017;1391(1):20-34.

Joseph R. Vasselli, Philip J. Scarpace,5 Ruth B. S. Harris,6 and William A. Banks7 *Adv Nutr*. 2013 Mar; 4(2): 164–175. "Dietary Components in the Development of Leptin Resistance" Published online 2013 Mar

Joung JY, Cho YY, Park SM, et al. Effect of iodine restriction on thyroid function in subclinical hypothyroid patients in an iodine-replete area: a long period observation in a large-scale cohort. *Thyroid*. 2014;24(9):1361-8.

Joung JY, Cho YY, Park SM, et al. Effect of iodine restriction on thyroid function in subclinical hypothyroid patients in an iodine-replete area: a long period observation in a large-scale cohort. *Thyroid*. 2014;24(9):1361-8.

Kageyama, H., Takenoya, F., Shiba, K., & Shioda, S. (2010). Neuronal circuits involving ghrelin in the hypothalamus-mediated regulation of feeding. *Neuropeptides*, 44, 133–138.

Kahn SE, Hull RL, Utzschneider KM. Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*. 2006; 444:840–846

Kahn SE, McCulloch DK, Porte D. Insulin secretion in normal and diabetic humans. In: Alberti KGMM, Zimmet P, Defronzo RA, editors & Keen H, (hon) editor. International textbook of diabetes mellitus. (2^o ed) John Wiley & Sons, New York; 1997 p. 337–54

Kalogeras K.T., Calogero A.E., Kuribayashi T., Khan I., Gallucci W.T., Kling M.A., Chrousos G.P., Gold P.W. – In vitro and in vivo effects of triazolobenzodiazepine alprazolam and hypothalamic- pituitary-adrenal function: pharmacological and clinical implications. *J Clin Endocrinol Metab* 70:1462-1471; 1990

Kanaya AM, Herrington D, Vittinghoff E, et al. Glycemic effects of postmenopausal hormone therapy: the heart and estrogen/progestin replacement study. A randomized double-blind, placebo-controlled trial. *Ann Intern Med.* 2003;138:1-9.

Kansagra, Shayri M, Christopher R, et al. The challenges and complexities of thyroid hormone replacement. *Lab Med.* 2010;41(6)229-348.

Kaplan, B. The Emerging Field of Nutritional Mental Health: Inflammation, the Microbiome, Oxidative Stress, and Mitochondrial Function *Clinical Psychological Science* 2015

Kapoor D, Clarke S, Stanworth R, et al. The effect of testosterone replacement therapy on adipocytokines and C-reactive protein in hypogonadal men with type 2 diabetes. *Eur J Endocrinol.* 2007;156:595-602.

Kaye WH, Weltzin TE. Serotonin activity in anorexia and bulimia nervosa: Relationship to the modulation of feeding and mood. *J Clin Psychiatry.* 1991c; 52:41-8

Kaye, W.H., Bailer, U.F., Frank, G.K., Wagner, A., & Henry, S.E. (2005). Brain imaging of serotonin after recovery from anorexia and bulimia nervosa. *Physiology & Behavior*, 86, 15–17

Ke. Anderson et al" Diet Hormone interactions: Protein/Carbohydrate ratio alters reciprocally the Plasma levels of Testosterone and Cortisol and their respective binding Globulin in Man" *Life Science*, 40(18): 1761-8, 1987 may

Kelly G. Peripheral metabolism of thyroid hormones: a review. *Altern Med Rev.* 2000;5:306-33.

Kelly GS. Body temperature variability (Part 2): masking influences of body temperature variability and a review of body temperature variability in disease. *Altern Med Rev.* 2007;12(1):49-62.

Khayat S et al. Curcumin attenuates severity of premenstrual syndrome symptoms: A randomized, double-blind, placebo-controlled trial. *Complementary Therapies in Medicine* 2015; 23: 318-324

Kim SH, Tamrazi A, Carlson KE, Katzenellenbogen JA. A proteomic microarray approach for exploring ligand- initiated nuclear hormone receptor pharmacology, receptor selectivity, and heterodimer functionality. *Mol Cell Proteomics.* 2005;4:267-77.

Kim YA, Keogh JB, Clifton PM. Probiotics, prebiotics, synbiotics and insulin sensitivity. *Nutr Res Rev.* 2018 Jun;31(1):35-51.

Kim, J. et al. Amino Acid Transporter Slc38a5 Controls Glucagon Receptor Inhibition-Induced Pancreatic alpha Cell Hyperplasia in Mice. *Cell Metab.* 2017, 25, 1348–1361

Kim, Y.-R., et al., (2015). The impact of oxytocin on food intake and emotion recognition in patients with eating disorders: A double blind single dose withinsubject cross-over design. *PLoS One*, 10, e0137514.

Kirsten Herrik et al. Maternal Consumption Of A High-meat Low Carbohydrate Diet In Late Pregnancy: Relation To Adult Cortisol Concentrations In The Offspring – *Drug Metab Rev.* 2006; 38(1-2): 89–116.

Kirsch, K., & Zieba, D.A. (2011). Ghrelin-mediated appetite regulation in the central nervous system. *Peptides*, 32, 2256–2264.

Kivity S, Agmon-Levin N, Zisappi M, et al. Vitamin D and autoimmune thyroid diseases. *Cell Mol Immunol.* 2011;8(3):243-7.

Klandorf H & Clarke BL (1987) Brown J Altered glucagon release in biotin deficiency. *Gen Comp Endocrinol* 65, 133–140

Klenerova, V., Sery, O., & Hynie, S. (2008). Corticotropin-releasing hormone receptor subtypes in the rat anterior pituitary after two types of restraint stress. *Annals of the New York Academy of Sciences*, 1148, 415–420.

Kliukiene J, Tynes T, Andersen A. Risk of breast cancer among Norwegian women with visual impairment. *Br J Cancer.* 2001; 84(3):397-9.

Köhrle J. Local activation and inactivation of thyroid hormones: the deiodinase family. *Mol Cell Endocrinol.* 1999;151:103-19.

Köhrle J. Local activation and inactivation of thyroid hormones: the deiodinase family. *Mol Cell Endocrinol.* 1999;151:103-19.

Kojima, M., Hosoda, H., & Kangawa, K. (2001). Purification and distribution of ghrelin: The natural endogenous ligand for the growth hormone secretagogue receptor. *Hormone Research*, 56 Suppl 1, 93–97.

Koliji et al., A systematic review of herbal medicines to improve the sexual function of menopausal women. *HerbMedPharmacol*; 2021

Komorowski J. Increased interleukin-2 level in patients with primary hypothyroidism. *Clin Immunol Immunopathol.* 1992;63:200-2.

Kovács KJ. CRH: the link between hormonal-, metabolic and behavioural responses to stress. *J Chem Neuroanat.* 2013;54:25-33.

Krajčovičová-Kudláčková M, Buczková K, Klimeš I, Šeboková E. Iodine deficiency in vegetarians and vegans. *Ann Nutr Metab.* 2003;47(5):183-5.

Krajčovičová-Kudláčková M, Buczková K, Klimeš I, Šeboková E. Iodine deficiency in vegetarians and vegans. *Ann Nutr Metab.* 2003;47(5):183-5.

Kratschmar DV, Vuorinen A, Da Cunha T, et al. Characterization of activity and binding mode of glycyrrhetic acid derivatives inhibiting 11- β -hydroxysteroid dehydrogenase type 2. *J Steroid Biochem Mol Biol.* 2011;125(1-2):129-42.

Kroneberg F, Fugh-Berman A. Complementary and alternative medicine for menopausal symptoms: a review of randomized controlled trials. *Ann Intern Med.* 2002;137: 805-13.

Krysiak R, Okopień B. The effect of levothyroxine and selenomethionine on lymphocyte and monocyte cytokine release in women with Hashimoto's thyroiditis. *J Clin Endocrinol Metab.* 2011;96(7):2206-15.

Krysiak R, Szkróbka W, Okopień B. The Effect of Vitamin D on Thyroid Autoimmunity in Levothyroxine-Treated Women with Hashimoto's Thyroiditis and Normal Vitamin D Status. *Exp Clin Endocrinol Diabetes.* 2017;125:229-33.

Krysiak R, Szkróbka W, Okopień B. The Effect of Vitamin D on Thyroid Autoimmunity in Levothyroxine-Treated Women with Hashimoto's Thyroiditis and Normal Vitamin D Status. *Exp Clin Endocrinol Diabetes.* 2017;125:229-33.

Kumar NS, Richer J, Owen G, et al. Selective down-regulation of progesterone receptor isoform B in poorly differentiated human endometrial cancer cells: implications for unopposed estrogen action. *Cancer Res.* 1998;58(9):1860-65.

Kuo J, Chen KW, Cheng IS, et al. The effect of eight weeks supplementation with *Eleutherococcus senticosus* on endurance capacity and metabolism in human. *Chin J Physiol.* 2010;53(2):105-11.

Kurzer MS. Hormonal effects of soy in premenopausal women and men. *J Nutr.* 2002;132(3):570S-73S.

Kvetny J. Subclinical hyperthyroidism in patients with nodular goiter represents a hypermetabolic state. *Exp Clin Endocrinol Diabetes.* 2005;113:122-26.

LA. Magnesium supplementation alleviates premenstrual symptoms of fluid retention. *J Womens Health.* 1998 Nov;7(9):1157-65

Labeur M, Holsboer F. Molecular mechanisms of glucocorticoid receptor signalling. *Medicina (B Aires).* 2010;70(5):457-62.

Lalia, A.Z.; Lanza, I.R. Insulin-Sensitizing Effects of Omega-3 Fatty Acids: Lost in Translation? *Nutrients* 2016, 8, 329

Lanzi A, Lombardi G, Martino E. *Endocrinologia e attività motorie.* Milano: Elsevier Masson; 2008

Laura R LaChance, Drew Ramsey: Antidepressant foods: An evidence-based nutrient profiling system for depression. *World J Psychiatr* 2018 20; 8(3):

Laurberg P, Bülow Pedersen I, Knudsen N, et al. Environmental iodine intake affects the type of nonmalignant thyroid disease. *Thyroid.* 2001;11(5):457-69.

Lauretta R, Sansone A, Sansone M, Romanelli F, Appetecchia M. Endocrine disrupting chemicals: effects on endocrine glands. *Front Endocrinol.* 2019;10:178. doi:3389/fendo.2019.00178

Lee Mj, Pramyothin P, Karastergiou K, Fried SK. Deconstructing the roles of glucocorticoids in adipose tissue biology and the development of central obesity. *Biochim Biophys Acta.* 2014;1842(3):473-81.

Leese GP, Soto-Pedre E, Donnelly LA. Liothyronine use in a 17 year observational population-based study – the tears study. *Clinical Endocrinology.* 2016;85:918-25.

Lehmler HJ, Liu B, Gadogbe M, Bao W. Exposure to bisphenol A, bisphenol F, and bisphenol S in U.S. adults and children: the National Health and Nutrition Examination Survey 2013-2014. *ACS Omega.* 2018;3(6):6523-6532. doi:10.21/acsomega.8b00824

Lenka, A., Arumugham, S.S., Christopher, R., & Pal, P.K. (2016). Genetic substrates of psychosis in patients with Parkinson's disease: A critical review. *Journal of the Neurological Sciences*, 364, 33–41.

Lennartsson AK, Sjors A, Wahrborg P, et al. Burnout and hypocortisolism – a matter of severity? A study on ACTH and cortisol responses to acute psychosocial stress. *Front Psychiatry.* 2015;6:8.

Lennartsson AK, Theorell T, Kushnir MM, et al. Perceived stress at work is associated with attenuated DHEA-S response during acute psychosocial stress. *Psychoneuroendocrinology.* 2013;38(9):1650-7.

Leonetti HB, Wilson KJ, Anasti JN. Topical progesterone cream has an antiproliferative effect on estrogen-stimulated endometrium. *Fertil Steril.* 2003;79(1):221-2.

Leung AM, Braverman LE. Consequences of excess iodine. *Nat Rev Endocrinol.* 2014;10(3):136-42.

Leung AM, Pearce EN, Braverman LE. Iodine content of prenatal multivitamins in the United States. *N Engl J Med.* 2009;360(9):939-40.

Leung WC, Hessel S, Méplan C, et al. Two common single nucleotide polymorphisms in the gene encoding beta-carotene 15,15'-monooxygenase alter beta-carotene metabolism in female volunteers. *FASEB J.* 2009;23(4):1041-53.

Levin SR, Karam JH, Hane S, Grodsky GM, Forsham PH (1971) Enhancement of arginine-induced insulin secretion in man by prior administration of glucose. *Diabetes* 20:171–176

Lewis JG, McGill H, Patton VM, Elder PA. Caution on the use of saliva measurements to monitor absorption of progesterone from transdermal creams in postmenopausal women. *Maturitas.* 2002;41:1-6.

Lieber CS, Leo MA, Cao Q, et al. Silymarin retards the progression of alcohol-induced hepatic fibrosis in baboons. *J Clin Gastroenterol.* 2003;37(4):335-9.

Lightman SL, Conway-Campbell BL. The crucial role of pulsatile activity of the HPA axis for continuous dynamic equilibration. *Nat Rev Neurosci.* 2010;11(10):710-8.

Liontiris MI, Mazokopakis EE. A concise review of Hashimoto thyroiditis (HT) and the importance of iodine, selenium, vitamin D and gluten on the autoimmunity and dietary management of HT patients. Points that need more investigation. *Hell J Nucl Med.* 2017;20(1):51-6.

London E, Castonguay TW. Diet and the role of 11-beta-hydroxysteroid dehydrogenase-1 on obesity. *J Nutr Biochem.* 2009;20(7):485-93.

Long SJ, Benton D. Effects of vitamin and mineral supplementation on stress, mild psychiatric symptoms, and mood in nonclinical samples: a meta-analysis. *Psychosom Med.* 2013;75(2):144-53.

Longuet, C.; et al., The glucagon receptor is required for the adaptive metabolic response to fasting. *Cell Metab.* 2008, 8, 359–371

Louis, G.W., Leininger, G.M., Rhodes, C.J., & Myers, M.G. (2010). Direct innervation and modulation of orexin neurons by lateral hypothalamic LepRb neurons. *Journal of Neuroscience*, 30, 11278–11287.

Lovejoy J, DiGirolamo M: Habitual dietary intake and insulin sensitivity in lean and obese adults. *Am J Clin Nutr* 55:1174-1179, 1992

Ma J, Jacques PF, Meigs JB, et al. Sugar-sweetened beverage but not diet soda consumption is positively associated with progression of insulin resistance and prediabetes. *J Nutr.* 2016;146(12):2544–2550

Macit, C et al., The Effects of Calorie Restriction and Exercise on Age-Related Alterations in Corpus Cavernosum. 2020; *Frontiers in Physiology* 11

Maes, M., Monteleone, P., et al., (2001). Lower serum activity of prolyl endopeptidase in anorexia and bulimia nervosa. *Psychoneuroendocrinology*, 26, 17–26.

Maggio M, De Vita F, Fisichella A, et al. DHEA and cognitive function in the elderly. *J Steroid Biochem Mol Biol.* 2015;145:281-92.

Majewska MD, Harrison NL, Schwartz RD, et al. Steroid hormone metabolites are barbiturate-like modulators of the GABA receptor. *Science.* 1986;232:1004.

Malafa MP, Neitzel LT. Vitamine E succinate promotes breast cancer tumor dormancy. *J Surg Res.* 2000;93(1):163-70.

Mandiviwa T, Khalid U, Deswal A. Obesity and cardiovascular disease: a risk of factor or a risk marker? *Curr Atheroscler Rep.* 2016;18:21.

Marcovina SM, Lippi G, Bagatella CJ, Bremner WJ. Testosterone-induced suppression of lipoprotein (a) in normal men: relation to basal lipoprotein (a) level. *Atherosclerosis.* 1996;122:89-95.

Martimbianco-Cabrera, AL., et al., Tribulus Terrestris for Female Sexual Dysfunction: A Systematic Review. *Rev Bras Ginecol Obstet.* 2020 Jul;42(7)

Martin J, Wang ZQ, et al. Chromium picolinate supplementation attenuates body weight gain and increases insulin sensitivity in subjects with type 2 diabetes. *Diabetes Care* 2006; 29:1826–32

Massuku et al., Promising role of medicinal plants in the regulation and management of male erectile dysfunction. *Bio-medicine and Pharmacotherapy.* 2020, 130

Matana A, Torlak V, Brdar D, et al. Dietary factors associated with plasma thyroid peroxidase and thyroglobulin antibodies. *Nutrients.* 2017;9(11). pii: E1186.

Matana A, Torlak V, Brdar D, et al. Dietary factors associated with plasma thyroid peroxidase and thyroglobulin antibodies. *Nutrients.* 2017;9(11). pii: E1186.

McCarty MF. Vegan proteins may reduce risk of cancer, obesity, and cardiovascular disease by promoting increased glucagon activity. *Med Hypotheses.* 1999 Dec;53(6):459-85. doi: 10.1054/mehy.1999.0784. PMID: 10687887

McGee S. Evidence-Based Physical Diagnosis Chapter 23 Thyroid and Its Disorders. 3rd Edition. Elsevier. 2012.

Mebel DM, et al., Insulin in the ventral tegmental area reduces hedonic feeding and suppresses dopamine concentration via increased reuptake, *Eur. J. Neurosci.* 36 (2012) 2336–2346.

Michnovicz JJ, Adlercreutz H, Bradlow HL. Changes in levels of urinary estrogen metabolites after oral indole-3-carinol treatment in humans. *J Natl Cancer Inst.* 1997;89(10):718-23.

Mikoajewska K, Stragierowicz J, Gromadzińska J. Bisphenol A – application, sources of exposure and potential risks in infants, children, and pregnant women. *Int J Occup Med Environ Health.* 2015;28(2):209-241. doi:13075/ijomeh.1896.00343

Miljic, D., et al., (2006). Ghrelin has partial or no effect on appetite, growth hormone, prolactin, and cortisol release in patients with anorexia nervosa. *Journal of Clinical Endocrinology and Metabolism*, 91, 1491–1495. doi: 10.1210/jc.2005-2304

Miller R, Plessow F, Rauh M, et al. Comparison of salivary cortisol as measured by different immunoassays and tandem mass spectrometry. *Psychoneuroendocrinology.* 2013;38(1):50-7.

Mineur, Y.S., et al., (2015). Expression of the 5-HT_{1A} serotonin receptor in the hippocampus is required for social stress resilience and the antidepressant-like effects induced by the nicotinic partial agonist cytisine. *Neuropsychopharmacology*, 40,938–946.

Mirhalili MH, Moyano E, Bonfill M, et al. Steroidal lactones from *Withania somnifera*, an ancient plant for novel medicine. *Molecules*. 2009;14(7):2373-93.

Mohamad NV, Wong SK, Wan Hasan WN, et al. The relationship between circulating testosterone and inflammatory cytokines in men. *Aging Male*. 2019;22(2):129-40.

Monro JA, Shaw, M. Glycemic impact, glycemic glucose equivalents, glycemic index, and glycemic load: definitions, distinctions, and implications. *Am J Clin Nutr*. 2008;87(1):237S-43S.

Monteleone P, Beinat L, Tanzillo C, et al. Effects of phosphatidylserine on the neuroendocrine response to physical stress in humans. *Neuroendocrinology*. 1990;52(3):243-8.

Monteleone P, Maj M, Beinat L, et al. Blunting by chronic phosphatidylserine administration of the stress-induced activation of the hypothalamo-pituitary-adrenal axis in healthy men. *Eur J Clin Pharmacol*. 1992;42(4):385-8.

Monteleone, A.M., et al., (2016). Investigation of oxytocin secretion in anorexia nervosa and bulimia nervosa: Relationships to temperament personality dimensions. *European Eating Disorders Review*, 24,52–56. doi: 10.1002/erv.2391

Monteleone, P., Castaldo, E., & Maj, M. (2008). Neuroendocrine dysregulation of food intake in eating disorders. *Regulatory Peptides*, 149,39–50.

Monteleone, P., et al., (2002). Opposite modifications in circulating leptin and soluble leptin receptor across the eating disorder spectrum. *Molecular Psychiatry*, 7, 641–646.

Moore et al., *Int J Cancer* 29 (1982), pp. 17–21.

Morishima A, Grumbach MM, Simpson ER, et al. Aromatase deficiency in male and female siblings caused by a novel mutation and the physiological role of estrogens. *J Clin Endocrinol Metab*. 1995;80(12):3689-98.

Morton, G.J., et al., (2006). Central nervous system control of food intake and body weight. *Nature*, 443, 289–295

Moylan, S et al. Exercising the worry away: How inflammation, oxidative and nitrogen stress mediates the beneficial effect of physical activity on anxiety disorder symptoms and behaviours *Neuroscience & Biobehavioral*; 2013; 37 (4)

Mueckler M, Thorens B. The SLC2 (GLUT) family of membrane transporters. *Mol Aspects Med*. 2013;34(2-3):121-138. doi: 10.1016/j.mam.2012.07.001

Muncey, W et al: Alternative Treatment for Erectile Dysfunction: a Growing Arsenal in Men's Health . *Curr Urol Rep*; 2021;22(2):11

Munck A, Guyre PM, Holbrook NJ. Physiologic function of glucocorticoids in stress and their relation to pharmacologic actions. *Endocr. Rev*. 1984;5(1):25-44.

Muniyappa R, Montagnani M, Koh KK, Quon MJ. Cardiovascular Actions of Insulin. *Endocr Rev*. 2007

Murphy, K.G. (2005). Dissecting the role of cocaine- and amphetamineregulated transcript (CART) in the control of appetite. *Briefings in Functional Genomics & Proteomics*, 4, 95–111. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1610226710.1093/bfpg/4.2.95>

Murrell SA, Himmelfarb S, Wright K. Prevalence of depression and its correlates in older adults. *Am J Epidemiol*. 1983;117(2):173-85.

Nakabayashi, M., et al., (2003). Orexin-A expression in human peripheral tissues. *Molecular and Cellular Endocrinology*, 205, 43–50. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12890566>

Nemeroff CB. *Neuropeptides and Psychiatric disorders*. Washington: American Psychiatric Press; 1991, p. 29.

Neumeister A, Praschak-Rieder N, Hesselmann B, Tauscher J, Kasper S. [The tryptophan depletion test. Basic principles and clinical relevance]. *Der Nervenarzt*. 1997;68(7):556–62

NG F et al. Oxidative stress in psychiatric disorders: Evidence base and therapeutic implications. *International Journal of Neuropsychopharmacology* ; 2008 (11)

Nicolaides NC, Charmandari E, Chrousos GP, Kino T. Recent advances in the molecular mechanisms determining tissue sensitivity to glucocorticoids: novel mutations, circadian rhythm and ligand-induced repression of the human glucocorticoid receptor. *BMC Endocr Disord*. 2014;14:71.

Nilsson AC, Ostman EM, Holst JJ, Björck IM. Including indigestible carbohydrates in the evening meal of healthy subjects improves glucose tolerance, lowers inflammatory markers, and increases satiety after a subsequent standardized breakfast. *J Nutr*. 2008;138(4):732-9.

Norwitz N et al. Ketogenic diet as a metabolic treatment for mental illness *Current Opinion in Endocrinology Diabetes and Obesity*. August 2020

Norwitz, N & Naidoo U. Nutrition as Metabolic Treatment for Anxiety *Frontiers in Psychiatry*, 2021, 12

Olivieri O, Girelli D, Stanzial AM, et al. Selenium, zinc, and thyroid hormones in healthy subjects: low T₃/T₄ ratio in the elderly is related to impaired selenium status. *Biol Trace Elem Res*. 1996;51(1):31-41.

Olivieri O, Girelli D, Stanzial AM, et al. Selenium, zinc, and thyroid hormones in healthy subjects: low T₃/T₄ ratio in the elderly is related to impaired selenium status. *Biol Trace Elem Res*. 1996;51(1):31-41.

Opie RS, et al. Dietary recommendations for the prevention of depression. *Nutr Neurosci* 2015;

Orth DN, Kovac WJ. The adrenal cortex. In: Wilson JD, Foster DW, Kronenberg HM, Larsen PR (Eds.). *William Textbook of Endocrinology*. 9th Edition. Philadelphia: WB Saunders; 1998, pp. 517-664.

Orwoll E & Riddle M (1994) Prince M Effects of vitamin D on insulin and glucagon secretion in non-insulin-dependent diabetes mellitus. *Am J Clin Nutr* 59, 1083–1087

Otake T, Fukumoto J, Abe M, et al. Linking lifestyle factors and insulin resistance, based on fasting plasma insulin and HOMA-IR in middleaged Japanese men: A cross-sectional study. *Scand J Clin Lab Invest*. 2014;74(6):536–545

Pacák K. Stressor-specific activation of the hypothalamic-pituitary-adrenocortical axis. *Physiol Res*. 2000;49(Suppl 1): S11-7.

Padayatty SJ, Doppman JL, Chang R, et al. Human adrenal glands secrete vitamin C in response to adrenocorticotrophic hormone. *Am J Clin Nutr*. 2007;86(1)145-9.

Palou M, et al., Induction of NPY/AgRP Orexigenic peptide expression in rat hypothalamus is an early event in fasting: relationship with circulating leptin, insulin and glucose, *Cell. Physiol. Biochem*. 23 (2009) 115–124,

Panicker V, Saravanan P, Vaidya B, et al. Common variation in the DIO2 gene predicts baseline psychological well-being and response to combination thyroxine plus triiodothyronine therapy in hypothyroid patients. *J Clin Endocrinol Metab*. 2009;94(5):1623-9.

Panossian A, Wikman G. Evidence-based efficacy of adaptogens in fatigue, and molecular mechanisms related to their stress-protective activity. *Curr Clin Pharmacol*. 2009;4(3):198-219.

Paola Nano - responsabile ufficio stampa di Slow Food Internazionale. Glifosato: manipolati i dati alla base della nuova autorizzazione Ue?

Paoli Antonio. Ketogenic Diet and Microbiota: Friends or Enemies? *Curr Psychiatr*. 2018 Jun; 17(6): 30–55.

Park, J.-H., et al., (2015). Orexin A regulates plasma insulin and leptin levels in a time-dependent manner following a glucose load in mice. *Diabetologia*, 58, 1542–1550.

Parl FF. Estrogens, Estrogen Receptor and Breast Cancer. Washington: IOS Press; 2000, p. 31.

Paroni R, Terraneo L, Bonomini F, et al. Antitumor activity of melatonin in a mouse model of human prostate cancer: relationship with hypoxia signalling. *J Pineal Res*. 2014;57(1):43-52.

Patak P, Willengberg HS, Bornstein SR. Vitamin C is an important cofactor for both adrenal cortex and adrenal medulla. *Endocr Res*. 2004;30(4):871-5.

Patil A. Link between hypothyroidism and small intestinal bacterial overgrowth. *Indian J Endocrinol Metab*. 2014;18(3):307-9.

Pattimakiel L, Thacker HL. Bioidentical hormone therapy: clarifying the misconceptions. *Cleve Clin J Med*. 2011;78(12):829-36.

Paulina Trzeciak & Mariola Herbe Role of the Intestinal Microbiome, Intestinal Barrier and Psychobiotics in Depression; *Nutrients*, 2021 13

Paz-Filho G, Mastronardi C, Wong ML, Licinio J. Leptin therapy, insulin sensitivity, and glucose homeostasis. *Indian J Endocrinol Metab*. 2012;16(Suppl 3):S549–S555. doi:10.4103/2230-8210.105571

Peeters RP, Wouters PJ, Kaptein E, et al. Reduced activation and increased inactivation of thyroid hormone in tissues of critically ill patients. *J Clin Endocrinol Metab*. 2003;88(7):3202-11.

Pelletier G, Labrie C, Labrie F. Localization of oestrogen receptor alpha, oestrogen receptor beta and androgen receptors in the rat reproductive organs. *J Endocrinol*. 2000;165(2):359-70.

Petrakis D, Vassilopoulou L, Mamoulakis C, Psycharakis C, Anifantaki A, Sifakis S, Docea AO, Tsiaoussis J, Makrigiannakis A, Tsatsakis AM. Endocrine Disruptors Leading to Obesity and Related Diseases. *Int J Environ Res Public Health*. 2017 Oct 24;14(10):1282. doi: 10.3390/ijerph14101282. PMID: 29064461; PMCID: PMC5664782

Pfeiffer E, Treiling CR, Hoehle SI, Metzler M. Isoflavones modulate the glucuronidation of estradiol in human liver microsomes. *Carcinogenesis*. 2005;26(12):2172-8.

Piazza MJ, Urbanetz AA. Environmental toxins and the impact of other endocrine disrupting chemicals in women’s reproductive health. *JBRA Assist Reprod*. 2019;23(2):154-164. doi:5935/1518-0557.20190016

Pierce JS, Abelman A, Spicer LJ, et al. Characterization of formaldehyde exposure resulting from the use of four professional hair straightening products. *J Occup Environ Hyg*. 2011;8(11):686-699. doi:1080/15459624.2011.626259

Pietschmann P, Scherzthaler G. (1987). Effect of growth hormone releasing hormone on growth hormone secretion in type 2 (non-insulin-dependent) diabetes mellitus. *Diabetologia* 30:13.

Pike MC, Spicer DV, Dahmouch L, Press MF. Estrogens, progestogens, normal breast cell proliferation, and breast cancer risk. *Epidem Rev*. 1993;15(1):17-35.

Pincus G, Hoagland H. Steroid excretion and the Stress of flying. *J Aviat Med*. 1943;14:173-93.

Pizzolato, D., et al., Associations between body mass index, waist circumference and erectile dysfunction: a systematic review and META-analysis. *Reviews in Endocrine and Metabolic Disorders-2020*

Plant J. *Your life in your hands*. New York: Thomas Dunne Books; 2000.

Plum L., et al., Central insulin action in energy and glucose homeostasis–*J Clin Invest*. 2006 Jul 3; 116(7): 1761–1766

Prentice et al., Dietary fat reduction and plasma estradiol concentration in healthy postmenopausal women. *J Natl Cancer Inst* 82 (1990), pp. 129–134

Prescott H, et al., Medicinal plants/herbal supplements as female aphrodisiacs: Does any evidence exist to support their inclusion or potential in the treatment of FSD ; *J Ethnopharmacol* 2020 Apr 6;251:

Prilepskaya VN, Ledina AV, Tagiyeva AV, Revazova FS. Vitex agnus castus: Successful treatment of moderate to severe premenstrual syndrome. *Maturitas* 2006;55 Suppl 1:S55-63.

Prior PL, Galduroz JCF. (N-3) Fatty Acids: Molecular Role and Clinical Uses in Psychiatric Disorders 1, 2. *Adv Nutr.* 2012;(3):257–65

Quigley M.E., Sheehan K.L., Casper R.F., Yen S.S.C. – Evidence for increased dopaminergic and opioid activity in patients with hypothalamic hypogonadotropic amenorrhea. *J Clin Endocrinol Metab* 50:949-954; 1980

Rainey WE, Nakamura Y. Regulation of adrenal androgen biosynthesis. *J Steroid Biochem Mol Biol.* 2008;108(3-5):281-6.

Ramnanan, C.J.; Edgerton, D.S.; Kraft, G.; Cherrington, A.D. Physiologic action of glucagon on liver glucose metabolism. *Diabetesobes. Metab.* 2011, 13, 118–125

Ramsey (2013, Vitamin deficiencies and mental health: How are they linked? *Current Psychiatry.* 2013 January;12(1)

Ranjan, A. et al., Low-Carbohydrate Diet Impairs the Effect of Glucagon in the Treatment of Insulin-Induced Mild Hypoglycemia: A Randomized Crossover Study. *Diabetes Care* 2017, 40, 132–135

Reddy DS. Pharmacology of endogenous neuroactive steroids. *Crit Rev Neurobiol.* 2003;15(3-4):197-234.

Regulation of adipokine secretion by n-3 fatty acids Published online by Cambridge University Press: 14 June 20 María J. Moreno-Aliag Silvia Lorente-Cebri and J. Alfredo Martínez

Reichlin S (1983) Somatostatin (second of two parts). *N Engl J Med* 309:1556–1563

Reichlin S. Neuroendocrine-immune interactions. *N Engl J Med.* 1993;329(17):1246-53. • Reid IR, Wattie DJ, Evans MC, Stapleton JP. Testosterone therapy in glucocorticoid-treated men. *Arch Intern Med.* 1996;156:1173-77.

Richard, J.E., et al., (2014). GLP-1 receptor stimulation of the lateral parabrachial nucleus reduces food intake: Neuro-anatomical, electrophysiological, and behavioral evidence. *Endocrinology*, 155, 4356–4367.

Rimmele U, Zellweger BC, Marti B, et al. Trained men show lower cortisol, heart rate and psychological responses to psychosocial stress compared with untrained men. *Psychoneuroendocrinology.* 2007;32(6):627-35.

Rock CL, Flatt SW, Thomson CA, et al. Effect of a high-fiber, low-fat diet intervention on serum concentrations of reproductive steroid hormones in women with a history of breast cancer. *J Clin Oncol.* 2004;22(12):2379-87.

Rodin J, Insulin levels, hunger, and food intake: an example of feedback loops in body weight regulation, *Health Psychol.* 4 (1985) 1–24

Römer B, Lewicka S, Kopf D, et al. Cortisol metabolism in depressed patients and healthy control. *Neuroendocrinology.* 2009;90(3):301-6.

Rosen T, Bengtsson BA. Premature mortality due to cardiovascular disease in hypopituitarism. *Lancet.* 1990;336(8710):285-8.

Rotstein A, Srinivasan R, Wong E. (2016) “Pathophysiology of PCOS.” *McMaster Pathophysiology Review.* Retrieved from <http://www.pathophys.org/pcos/>. Retrieved on December 13, 2016.

Rovensky J, Radikova Z, Imrich R, et al. Gonadal and adrenal steroid hormones in plasma and synovial fluid of patients with rheumatoid arthritis. *Endocr Regul.* 2004;38(4):143-49.

Roy CN, Snyder PJ, Stephens-Shields AJ, et al. Association of testosterone levels with anemia in older men. *JAMA Intern Med.* 2017;177(4):480-90.

Rozendaal FP. [Hyperthyroidism in the elderly: aspecific signs may cause a delay in diagnosis]. *Tijdschr Gerontol Geriatr.* 2005;36:77-80.

Rucklidge JJ et al. Nutrition Provides the Essential Foundation for Optimizing Mental Health. *Evidence-Based Practice in Child and Adolescent Mental Health.* 2021

Rucklidge, JJ & Bowen. Broad-spectrum micronutrient formulas for the treatment of psychiatric symptoms: A systematic review *Expert Review of Neurotherapeutics.* 2013; 13

Rudman D, Feller AG, Nagraj HS, et al. Effects of human growth hormone in men over 60 years old. *N Engl J Med.* 1990;323(1):1-6.

Ruiz AD, Daniels KR, Barner JC, et al. Effectiveness of compounded bioidentical hormone replacement therapy: an observational cohort study. *BMC Womens Health.* 2011;11:27.

Rutkowski K, Sowa P, Rutkowska-Talipska J, et al. Dehydroepiandrosterone (DHEA): hypes and hopes. *Drugs.* 2014;74(11):1195-207.

Safer JD, Cohen RN, Hollenberg N, Fredric E. Wondisford. Defective release of core-pressor by hinge mutants of the thyroid hormone receptor found in patients with resistance to thyroid hormone. *J Biol Chem.* 1998;273:30175-82.

Salmerón J, et al., (1997b) Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *Journal of the American Medical Association* 277, 472–477

Samaras N, Papadopoulou MA, Samaras D, Ongaro F. Off label use of hormones as antiaging strategy: a review. *Clin Interv Aging.* 2014;9:1175-86.

Samina Salim Oxidative Stress and Psychological Disorders; *Curr Neuropharmacol*. 2014; 12

Samuel, V. T., & Shulman, G. I. (2016). The pathogenesis of insulin resistance: Integrating signaling pathways and substrate flux. *The Journal of Clinical Investigation*, 126(1), 12–22

Sapolsky R. *Stress, the Aging Brain and the Mechanism of Neuron Death*. Cambridge: MIT Press; 1992.

Sarabdjitsingh RA, Joëls M, de Kloet ER. Glucocorticoid pulsatility and rapid corticosteroid actions in the central stress response. *Physiol Behav*. 2012;106(1):73-80.

Sartori SB, Whittle N, Hetzenauer A, Singewald N. Magnesium deficiency induces anxiety and HPA axis dysregulation: modulation by therapeutic drug treatment. *Neuropharmacology*. 2012;62(1):304-12.

Schade, D.S.; Eaton, R.P. Modulation of fatty acid metabolism by glucagon in man. I. Effects in normal subjects. *Diabetes* 1975, 24, 502–509

Schiavi RC. Androgens and sexual function in men. In: Oddens BJ, Vermeulen A (Eds.). *Androgens and the Aging Male*. New York: Parthenon; 1996, pp 111-28.

Schmedes A, Nielsen JN, Hey H, Brandslund I. Low S-adenosylmethionine concentrations found in patients with severe bowel disease. *Clin Chem Lab Med*. 2004;42(6):648-53.

Schmid, R.; et al., Role of amino acids in stimulation of postprandial insulin, glucagon, and pancreatic polypeptide in humans. *Pancreas* 1989, 4, 305–314

Schmidt U, Nygaard B, Jensen EW, et al. Peripheral markers of thyroid function: the effect of T4 monotherapy vs T4/T3 combination therapy in hypothyroid subjects in a randomized crossover study. *Endocr Connect*. 2013;2(1): 55-60.

Schröder-van der Elst JP, van der Heide D, Romijn JA, Smit JW. Differential effects of natural flavonoids on growth and iodide content in a human Na⁺/I⁻-symporter-transfected follicular thyroid carcinoma cell line. *Eur J Endocrinol*. 2004;150:557-64.

Schwartz, M.W., et al., (1996). Specificity of leptin action on elevated blood glucose levels and hypothalamic neuropeptide Y gene 20 GERMAN CUESTO ET AL. Downloaded by [Universite Laval] at 15:32 02 August 2017 expression in ob/ob mice. *Diabetes*, 45, 531–535. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8603777>

Schweiger, M.; et al.,. Measurement of lipolysis. *Methods Enzymol*. 2014, 538, 171–193

Sedlackova, D., et al., (2012). Comparison of a high-carbohydrate and high-protein breakfast effect on plasma ghrelin, obestatin, NPY and PYY levels in women with anorexia and bulimia nervosa. *Nutrition & Metabolism*, 9, 52.

Selhub J. Folate, vitamin B12 and vitamin B6 and one carbon metabolism. *J Nutr Health Aging*. 2002;6(1):39-42.

Serter R, Demirbas B, Kirukluoglu B, et al. The effect of L-thyroxine replacement therapy on lipid based cardiovascular risk in subclinical hypothyroidism. *J Endocrinol Invest*. 2004;27:897-903.

Sesti, G. (2006). Pathophysiology of insulin resistance. *Best Practice & Research Clinical Endocrinology & Metabolism*, 20(4), 665–679

Shahripour, RB et al. N-acetylcysteine (NAC) in neurological disorders: mechanisms of action and therapeutic opportunities *Brain Behav*. 2014 Mar; 4(2):

Shai I, Schwarzfuchs D, Henlin Y, Shahar DR. Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. *N Engl J Med*. 2008;359(3):229-41.

Shalan MG, Mostafa MS, Hassouna MM, et al. Amelioration of lead toxicity on rat liver with vitamin C and silymarin supplements. *Toxicology*. 2005;206(1):1-15.

Sharma M. Yoga as an alternative and complementary approach for stress management: a systemic review. *J Evid Based Complementary Altern Med*. 2014;19(1):59-67.

Silverman MN, Deuster PA. Biological mechanisms underlying the role of physical fitness in health and resilience. *Interface Focus*. 2014;4(5):20140040.

Sin VJ-E, Anand GS, Koh H-L. Botanical Medicine and Natural Products Used for Erectile Dysfunction. *Sex Med Rev* 2020

Smith EA, Frankenburg EP, Goldstein SA, et al. Effects of long-term administration of vitamin D3 analogs to mice. *J Endocrinol*. 2000;165:163-72.

Smyth PP, Duntas LH. Iodine uptake and loss-can frequent strenuous exercise induce iodine deficiency? *Horm Metab Res*. 2005;37(9):555-8.

Solloway, M.J. et al. Glucagon Couples Hepatic Amino Acid Catabolism to mTOR-Dependent Regulation of alpha-Cell Mass. *Cell Rep*. 2015, 12, 495–510

Sommer, F & Mathers, JM: Life style, erectile dysfunction, hormones, metabolic syndrome - Opportunities for a gender-specific prevention for men. 2007 *Der Urologe* 46(6):628-35

Sonksen PH (2001) Hormones and sport (insulin, growth hormone and sport). *J Endocrinol* 170:13–25

Spattini M. *Alimentazione e integrazione per lo sport e la performance fisica*. Milano: LSWR; 2016.

Spattini M. *Antiaging e lo stile di vita integrato*. Milano: Tecniche Nuove; 2013.

Spattini M. *The COM Diet & Spot Reduction*. Createspace; 2014.

Stagnaro S. *Terapia Quantistica Mitocondriale Ristrutturante*. http://www.sisbq.org/uploads/5/6/8/7/5687930/tq_italian_english_agg.pdf.

Starks MA, Starks SL, Kingsley M, et al. The effects of phosphatidylserine on endocrine response to moderate intensity exercise. *J Int Soc Sports Nutr.* 2008;5:11.

Steiger A, Trachsel L, Guldner J, et al. Neurosteroid pregnenolone induces sleep-EEG changes in man compatible with inverse agonistic GABAA-receptor modulation. *Brain Res.* 1993;615(2):267-74.

Stephanie J. Webb, Thomas E. Geoghegan, and Russell A. Prough Department of Biochemistry & Molecular Biology, University of Louisville School of Medicine, Louisville, Kentucky, USA Kristy K. Michael Miller THE BIOLOGICAL ACTIONS OF DEHYDROEPIANDROSTERONE INVOLVES MULTIPLE RECEPTORS

Sterling K. Thyroid hormone action at the cell level. *N Engl J Med.* 1979;300:117-23.

Stewart PM, Wallace AM, Valentino R, et al. Mineralcorticoid activity of liquorice: 11-beta-hydroxysteroid dehydrogenase deficiency comes of age. *Lancet.* 1987;2(8563):821-4.

Storlein LH, James DE, Burleigh KM, et al: Fat feeding causes widespread in vivo insulin resistance, decreased energy expenditure and obesity in rats. *Am J Physiol* 251: E576-E583, 1986 (suppl)

Stults-Kolehmainen MA, Sinha R. The effects of stress on physical activity and exercise. *Sports Med.* 2014;44(1):81-121.

Suarez A, Ramirez-Tortosa M, Gil A, Faus MJ. Addition of vitamin E to long-chain polyunsaturated fatty acid-enriched diets protects neonatal tissue lipids against peroxidation in rats. *Eur J Nutr.* 1999;38(4):196-76.

Sutton EF, et al., Early Time-Restricted Feeding Improves Insulin Sensitivity, Blood Pressure, and Oxidative Stress Even without Weight Loss in Men with Prediabetes. *Clinical and Translational Report.* Volume 27, issue 6, 5 June 2018, Pages 1212-1221.e3

Svare A, Nilsen TI, Bjørø T, et al. Hyperthyroid levels of TSH correlate with low bone mineral density: the HUNT 2 study. *Eur J Endocrinol.* 2009;161(5):779-86.

T.Inclendon, MS et al 2 the effects of Diet on testosterone"- Mesomorphosis vol 2n7-2000

Taavoni S., et al., Menopausal women's sexual function and use of ginkgo biloba: a randomized placebo controlled trial. *European Psychiatry* Volume 29, Supplement 1- 2014

Tab Analytics. Millennial women key to growth in cosmetics industry. Published January 20, 2016. Accessed January 29, 2019. <https://www.tabanalytics.com/blog/millennial-women-key-to-growth-in-cosmetics-industry>

Taché Y, Brunnhuber S. From Hans Selye's discovery of biological stress to the identification of corticotropin-releasing factor signalling pathways: implication in stress-related functional bowel disease. *Ann NY Acad Sci.* 2008;1148:29-41.

Taché Y, Martinez V, Million M, Wang L. Stress and the gastrointestinal tract III. Stress-related alterations of gut motor function: role of brain corticotropin-releasing factor receptors. *Am J Physiol Gastrointest Liver Physiol.* 2001;280:G173-77.

Taghizadeh M, et al., The Effect of Dietary Supplements Containing Green Tea, Capsaicin and Ginger Extracts on Weight Loss and Metabolic Profiles in Overweight Women: A Randomized Double-Blind Placebo-Controlled Clinical Trial. *Ann Nutr Metab.* 2017;70(4):277-285.

Takada Y, Bhardawaj A, Potdar P, Aggarwal BB. Nonsteroidal anti-inflammatory agents differ in their ability to suppress NF- κ B activation, inhibition of expression of cyclooxygenase-2 and cyclin D1, and abrogation of tumor cell proliferation. *Oncogene.* 2004;23(57):9427-58.

Tapper, J et al., Muscles of the trunk and pelvis are responsive to testosterone administration: data from testosterone dose-response study in young healthy men. *Andrology*; 2018

Teigen L, Boes CJ. An evidence-based review of oral magnesium supplementation in the preventive treatment of migraine. *Cephalalgia.* 2015 Sep;35(10):912-22. doi: 10.1177/0333102414564891

Tesch BJ. Herbs commonly used by women: an evidence-based review. *Am J Obstet Gynecol.* 2003;188(5 Suppl):S44-55.

Theorell T. Anabolism and catabolism – antagonistic partners in stress and strain. *SJWEH Supplement.* 2008;(6):136-43.

Thibodeau PA, Kachadourian R, Lemay R, et al. In vitro proand antioxidant properties of estrogens. *J Steroid Biochem Mol Biol.* 2002;81(3):227-36.

Thompson Coon J, Boddy K, Stein K, et al. Does participating in physical activity in outdoor natural environments have a greater effect on physical and mental wellbeing than physical activity indoors? A systematic review. *Environ Sci Technol.* 2011;45(5):1761-72.

Tomasik, P.J., Sztéfko, K., Starzyk, J., Rogatko, I., & Szafran, Z. (2005). Entero-insular axis in children with anorexia nervosa. *Psychoneuroendocrinology*, 30, 364–372.

Tomiyana AJ, Dallman MF, Epel ES. Comfort food is comforting to those most stressed: evidence of the chronic stress response network in high stress women. *Psychoneuroendocrinology.* 2011;36(10):1513-9.

Tomko, RL et al. *N*-acetylcysteine: A potential treatment for substance use disorders

Tong YJ, Teng WP, Jin Y, et al. An epidemiological study on the relationship between selenium and thyroid function in areas with different iodine intake. *Zhonghua Yi Xue Za Zhi.* 2003;83(23):2036-9.

Toscano V, Conti FG, Anastasi E, et al. Importance of gluten in the induction of endocrine autoantibodies and organ dysfunction in adolescent celiac patients. *Am J Gastroenterol.* 2000;95(7):1742-48.

Toulis K, Anastasilakis A, Tzellos T, et al. Selenium supplementation in the treatment of Hashimoto's thyroiditis: a systematic review and a meta-analysis. *Thyroid*. 2010;20(10):1163-73.

Traish AM, Kang HP, Saad F, Guay AT. DHEA – a precursor steroid or an active hormone in human physiology. *J Sex Med*. 2011;8(11):2960-82.

Traish AM. Testosterone therapy in men with testosterone deficiency: are the benefits and cardiovascular risks real or imagined? *Am J Physiol Regular Integr Comp Physiol*. 2016;311-R566-73.

Treasure J, Duarte TA, Schmidt U. Eating disorders. *Lancet*. 2020 Mar 14;395(10227):899-911.

Tremellen K, Pearce K. Dysbiosis of Gut Microbiota (DOGMA)--a novel theory for The development of Polycystic Ovarian Syndrome. *Med Hypotheses*. 2012. Jul;79(1):104-12. doi: 10.1016/j.mehy.2012.04.016.

Turyk ME, Anderson HA, Persky VW. Relationships of thyroid hormones with polychlorinated biphenyls, dioxins, furans, and DDE in adults. *Environ Health Perspect*. 2007;115(8):1197-203.

Tuzcu A, Bahceci M, Gokalp D, et al. Subclinical hypothyroidism may be associated with elevated high-sensitive c-reactive protein (low grade inflammation) and fasting hyperinsulinemia. *Endocr J*. 2005;52:89-94.

U.S. Department of Agriculture, Food and Nutrient Database for Dietary Studies, 2.0. 2004. Beltsville, MD: Agricultural Research Service, Food Surveys Research Group. <http://www.ars.usda.gov/ba/bhnrc/fsrg>.

Ugale RR, Hirani K, Morelli M, Chopde CT. Role of neuroactive steroid allopregnanolone in antipsychotic-like action of olanzapine in rodents. *Neuropsychopharmacology*. 2004;29(9):1597-609.

Unger, R.H. Glucagon physiology and pathophysiology. *N. Engl. J. Med*. 1971, 285, 443–449

Untergasser G, Madersbacher S, Berger P. Benign prostatic hyperplasia: age-related tissue remodelling. *Exp Gerontol*. 2005;40(3):121-28.

Uruska, A., et al., (2010). Insulin resistance is associated with microangiopathy in type 1 diabetic patients treated with intensive insulin therapy from the onset of disease. *Experimental and Clinical Endocrinology & Diabetes*, 118(08), 478–484

V.R. Young, Adult amino acid requirements: the case for a major revision in current recommendations, *J. Nutr.* 124 (1994) (1994) 1517S–1523S

Valko M, Isakovic M, Mazur M, et al. Role of oxygen radicals in DNA damage and cancer incidence. *Mol Cell Biochem*. 2004;266(1-2):37-56.

Van Bockstaele EJ, Valentino RJ. Neuropeptide regulation of the locus coeruleus and opiate-induced plasticity of stress responses. *Adv Pharmacol*. 2013;68:405-20.

Van der Lely AJ, Lamberts SW, Jauch KW, et al. Use of human GH in elderly patients with accidental hip fracture. *Eur J Endocrinol*. 2000;143(5):585-92.

Van Duursen MB, Sanderson JT, de Jong PC, et al. Phytochemicals inhibit catechol-o-methyltransferase activity in cytosolic fractions from healthy human mammary tissues: implications for catechol estrogen-induced DNA damage. *Toxicol Sci*. 2004;81(2):316-24.

Van Uum SH, Walker BR, Hermus AR, et al. Effect of glycyrrhetic acid on 11 beta-hydroxysteroid dehydrogenase activity in normotensive and hypertensive subjects. *Clin Sci (Lond)*. 2002;102(2):203-11.

Vasarhelyi B, Bencsik P, Treszl A, et al. The effect of physiologic hyperinsulinemia during an oral glucose tolerance test on the levels of DHEA and its sulfate (DHEAS) in healthy young adults born with low and with normal birth weight. *Endocr J*. 2003;50(6):689-95.

Velduis JD, Iranmanesh A, Keenan DM. Erosion of endogenous testosterone-drive negative feedback on pulsatile luteinizing hormone secretion in healthy aging men. *J Clin Endocrinol Metab*. 2004;89(11):5753-61.

Ventura A, Neri E, Ughi C, et al. Gluten-dependent diabetes-related and thyroid-related autoantibodies in patients with celiac disease. *J Pediatr*. 2000;137:263-5.

Vergari, E. et al., Insulin inhibits glucagon release by SGLT2-induced stimulation of somatostatin secretion. *Nat. Commun*. 2019, 10, 139

Vermeulen A. The hormonal activity of the postmenopausal ovary. *J Clin Endocrinol Metab*. 1976;42:247.

Vicetti Miguel RD, Sheridan BS, Harvey SA, et al. 17-beta estradiol promotion of herpes simplex virus type 1 reactivation is estrogen receptor dependent. *J Virol*. 2010;84(1): 565-72.

Vignini A, D'Angelo M, et al. Anorexia nervosa: A role for L-arginine supplementation in cardiovascular risk factors? *International Journal of Eating Disorder*. 2010;43(5):464–71

Villareal DT, Holloszy JO. Effect of DHEA on abdominal fat and insulin action in elderly women and men: a randomized controlled trial. *JAMA*. 2004;292(18):2243-8.

Vining RF, McGinley RA, Maksyutis JJ, Ho KY. Salivary cortisol: a better measure of adrenal cortical function than serum cortisol. *Ann Clin Biochem*. 1983;20(Pt 6):329-35.

Walker AF, De Souza MC, Vickers MF, Abeyasekera S, Collins ML, Trinca

Walker B, Seckl J. Cortisol Metabolism. In: Bjorntrop P (Ed.). *International Textbook of Obesity*. New York: John Wiley and Sons; 2001.

Wallace JM. Nutritional and botanical modulation of the inflammatory cascade-eicosanoids, cyclooxygenases, and lipoxygenases as an adjunct in the cancer therapy. *Integr Cancer Ther.* 2002;1(1):7-37.

Walther A, Breidenstein J, Miller R. Association of testosterone treatment with alleviation of depressive symptoms in men: a systematic review and meta-analysis. *JAMA Psychiatry.* 2019;76(1):31-40.

Wang C, Alexander G, Merman N, et al. Testosterone replacement therapy improves mood in hypogonadal men. *J Clin Endocrinol Metab.* 1996;81(10):3578-83.

Wang C, Cunningham G, Dobs A, et al. Long-term testosterone gel (AndroGel) treatment maintains beneficial effects on sexual function and mood, lean and fat mass, and bone mineral density in hypogonadal men. *J Clin Endocrinol Metab.* 2004;89(5):2085-98.

Wang N, Zhai H, Han B, Li Q, Chen Y, et al. Visceral fat dysfunction is positively associated with hypogonadism in Chinese men. *Sci Rep.* 2016;6:19844.

Wang X, Wu W, et al., Zinc supplementation improves glycemic control for diabetes prevention and management: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2019 Jul 1;110(1):76-90.

Warburg O. On the origin of cancer cells. *Science.* 1956;123:309-14.

Wartofsky, L. Combination L-T3 and L-T4 therapy for hypothyroidism. *Curr Opin Endocrinol Diabetes Obes.* 2013;20(5):460-6.

Webb CM, McNeill JG, Hayward CS, et al. Effect of testosterone on coronary vasomotor regulation in men with coronary heart disease. *Circulation.* 1999;100:1690-6.

Wedick NM, Mantzoros CS, et al. The effects of caffeinated and decaffeinated coffee on sex hormone binding globulin and endogenous sex hormone levels. A randomized controlled trial. *Nutr J* 2012;11:86-92

Weiergräber M, et al. Neuroenhancement and mood enhancement – Physiological and pharmacodynamical background *Med Monatsschr Pharm* 2017 Apr;40(4):

Weijl NI, Van Der Harst D, Brand A, et al. Hypothyroidism during immunotherapy with interleukin-2 is associated with antithyroid antibodies and response to treatment. *J Clin Oncol.* 1993;11:1376-83.

Weinberg DR. Anxiety at the frontier of molecular medicine. *N Engl J Med.* 2001;344(16):1247-9.

Weiss M, Steiner DF, Philipson LH. Insulin Biosynthesis, Secretion, Structure, and Structure-Activity Relationships. [Updated 2014 Feb 1]. In: Feingold KR, Anawalt B, Boyce A, et al., editors. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000

Weltzin TE, Fernstrom MH, Kaye WH. Serotonin and bulimia nervosa. *Nutrition Reviews.* 1994;52(12):399-408

Weng W, Dong M, Zhan J, et al. A PRISMA-compliant systematic review and meta-analysis of the relationship between thyroid disease and different levels of iodine intake in mainland China. *Medicine.* 2017;96(25):e7279.

Western VL, Lamberts SW, van Rossum EF. Advances in the assessment of cortisol exposure and sensitivity. *Curr Opin Endocrinol Diabetes Obes.* 2014;21(4):306-11.

Westman EC, et al., The effect of a low-carbohydrate, Ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr Metab (Lond).* 2008 Dec 19;5:36.

Westman EC, Richard D Feinman et al. Low-carbohydrate nutrition and metabolism.1–3; *Am J Clin Nutr* 2007;86:276–84.

Whetzel CA, Klein LC. Measuring DHEA-S in saliva: time of day differences and positive correlation between two different types of collection methods. *BMC Res Notes.* 2010; 3:204.

Wichman J, Winther K, Bonnema S, Hegedüs, L. Selenium supplementation significantly reduces thyroid autoantibody levels in patients with chronic autoimmune thyroiditis: a systematic review and meta-analysis. *Thyroid.* 2016;26(12):1681-92.

Wichman J, Winther K, Bonnema S, Hegedüs, L. Selenium supplementation significantly reduces thyroid autoantibody levels in patients with chronic autoimmune thyroiditis: a systematic review and meta-analysis. *Thyroid.* 2016;26(12):1681-92.

Wiersinga WM. Paradigm shifts in thyroid hormone replacement therapies for hypothyroidism. *Nat Rev Endocrinol.* 2014;10:164-74.

Wiersinga WM. Therapy of endocrine disease: T4 + T3 combination therapy: is there a true effect? *Eur J Endocrinol.* 2017;177(6):R287-96.

Wimalawansa, S.J. (2016) Associations of vitamin D with insulin resistance, obesity, type 2 diabetes, and metabolic syndrome. *J. Steroid Biochem. Mol. Biol.* pii: S0960-0760(16)30253-9.

Wimmer GE, D. Shohamy, Preference by association: how memory mechanisms in the hippocampus bias decisions, *Science.* 338 (2012) 270–273

Winters SJ, Troen P. Altered pulsatile secretion of luteinizing hormone in hypogonadal men with hyperprolactinemia. *Clin Endocrinol (Oxf).* 1984;21:257-63.

Włodarczyk, A et al. Ketogenic diet for depression: A potential dietary regimen to maintain euthymia? *Progress in Neuro-Psychopharmacology and Biological Psychiatry* Volume 109, 2021,

Włodarczyk, A et al. Ketogenic Diet: A Dietary Modification as an Anxiolytic Approach? *Nutrients.* 2020 (12)

Wolever TMS & Bolognesi C (1996) Prediction of glucose and insulin responses of normal subjects after consuming mixed meals varying in energy, protein, fat, carbohydrate and glycemic index. *Journal of Nutrition* 126, 2807–2812

Woods AM, Judd AM. Interleukin-4 increases cortisol release and decreases adrenal androgen release from bovine adrenal cells. *Domest Anim Endocrinol.* 2008;34(4):372-82.

Woods, S.C. et al., Pancreatic signals controlling food intake; insulin, glucagon and amylin. *Philos. Trans. R. Soc. Lond. B Biol. Sci.* 2006, 361, 1219–1235

Wright DW, Kellermann AL, Hertzberg VS, et al. A randomized clinical trial of progesterone for acute traumatic brain injury. *An Emerg Med.* 2007;49(4):391-402.e1-2.

Wrutniak-Cabello C, Casas F, Cabello G. Thyroid hormone action in mitochondria. *J Mol Endocrinol.* 2001;26:67-77.

Wu G, Jaeger LA, Bazer FW, Rhoads JM. Arginine deficiency in preterm infants: biochemical and nutritional implications. *J Nutr Biochem.* 2004;15(8):442-51.

Wylie-Rosett J. Menopause, micronutrients, and hormone therapy. *Am J Clin Nutr.* 2005;81(5):1223S-31S

Xu P, Wang J, Hong F, et al. Melatonin prevents obesity through modulation of gut microbiota in mice. *J Pineal Res.* 2017;62(4).

Yakubu F, Lin D, et al: Insulin action in rats is influenced by amount and composition of dietary fat. *Obes Res* 1:481-488, 1993

Yakut ZAC, et al., Exercise and caloric restriction improve cardiovascular and erectile function in rats with metabolic syndrome. October 2020; *International Journal of Impotence Research*

Yonkers KA, O'Brien PMS, Eriksson E. Premenstrual syndrome. *Lancet.* 2008;371(9619):1200-1210. doi:10.1016/S0140-6736(08)60527-9

Young MV, Schwartz GG; Wang L. et al. The prostate 25-hydroxyvitamin-D1 alpha-hydroxylase is not influenced by parathyroid hormone and calcium: implications for prostate cancer chemoprevention by vitamin D. *Carcinogenesis.* 2004;25(6):967-71.

YU, B et al. Ketogenic diet as a metabolic therapy for bipolar disorder: Clinical development; 2021 preprint

Zeeck A, Herpertz-Dahlmann B, Friederich HC, et al. Psychotherapeutic treatment for anorexia nervosa: a systematic review and network meta-analysis. *Front Psychiatry* 2018; 9: 158

Zhang D et al. Serum zonulin is elevated in women with polycystic ovary syndrome and correlates with insulin resistance and severity of anovulation. *Eur J Endocrinol.* 2015 Jan;172(1):29-36. doi: 10.1530/EJE-14-0589.

Zhang, G., & Cai, D. (2011). Circadian intervention of obesity development via resting-stage feeding manipulation or oxytocin treatment. *American Journal of Physiology, Endocrinology and Metabolism*, 301, E1004–E1012.

Zheng H., et al., Exercise Training Improves the Defective Centrally Mediated

Zhou, Y., & Kreek, M.J. (2015). Persistent increases in rat hypothalamic POMC gene expression following chronic withdrawal from chronic “binge” pattern escalating-dose, but not steady-dose, cocaine. *Neuroscience*, 289, 63–70.

Zhu AJ Walsh BT (2002). Pharmacologic treatment of eating disorders. *Canadian Journal of Psychiatry* 47, 227–234

Ziaei S, Zakeri M, Kazemnejad A. A randomized controlled trial of vitamin E in the treatment of primary dysmenorrhoea. *BJOG.* 2005;112(4):466-9.

Zimmermann MB, Köhrle J. The impact of iron and selenium deficiencies on iodine and thyroid metabolism: biochemistry and relevance to public health. *Thyroid.* 2002;12(10): 867-78.

Zimmermann MB, Köhrle J. The impact of iron and selenium deficiencies on iodine and thyroid metabolism: biochemistry and relevance to public health. *Thyroid.* 2

Zimmermann MB, Wegmüller R, Zeder C, et al. The effects of vitamin A deficiency and vitamin A supplementation on thyroid function in goitrous children. *J Clin Endocrinol Metab.* 2004;89(11):5441-7.

Zuuren EJV, Albusta AY, Fedorowicz Z, et al. Selenium supplementation for Hashimoto’s Thyroiditis: summary of a cochrane systematic review. *Eur Thyroid J.* 2014;3(1):25-31.